



Accession #: 1234      Submitter: Parish Labs  
Patient Info: 39299 Tommy Moore Rd  
ID: 0000      Gonzales, LA 70737  
First Name: Test  
Last Name: Patient      Collection: 01/00/1900 12:00 AM  
DOB: 05/14/1995      Accession: 01/00/1900 12:00 AM

### Result Summary

	Result	Cutoff
Hydromorphone	100.0 ng/mL	5.0 ng/mL

	Screen	
	Result	Cutoff
Fentanyl	---	5.0 ng/mL
Hydromorphone	Detected	5.0 ng/mL
MDEA	---	1.0 ng/mL
MDPV	---	5.0 ng/mL
Sufentanil	---	5.0 ng/mL
Xylazine	---	5.0 ng/mL

Confirmation	
Result	Cutoff
---	5.0 ng/mL
100.0 ng/mL	5.0 ng/mL
---	1.0 ng/mL
---	5.0 ng/mL
---	5.0 ng/mL
---	5.0 ng/mL

Test Time: 01/00/1900 12:00 AM

01/00/1900 12:00 AM

Analyst: Marina Avram

*Marina Avram*

Approval Date: 01/00/1900 12:00 AM

Tech Review: Jeff Moran

*Jeff Moran*

Approval Date: 01/00/1900 12:00 AM

LC-MS Toxicology Tests are categorized as Laboratory Developed Tests and are not FDA approved/cleared. The results relate only to the items tested. This is only an official PinPoint Testing, L.L.C. report when reproduced in full. The following represents the interpretations/opinions of the undersigned analyst. Measurements of Uncertainty will be provided upon request.