

No evidence for stochastic transitions but baselines for warning signals remain a generic challenge

Carl Boettiger^{a,*}, Alan Hastings^b

^a*Center for Stock Assessment Research, Department of Applied Math and Statistics, University of California, Mail Stop SOE-2, Santa Cruz, CA 95064, USA*

^b*Department of Environmental Science and Policy, University of California, Davis, CA, 95616 United States*

In Boettiger & Hastings [1] we demonstrated that conditioning on observing a purely stochastic transition from one stable basin to another could generate time-series trajectories that could be mistaken for an early warning signal of a critical transition (such as might be due to a fold bifurcation; [2], when instead the shift is merely due to chance. While the goal was to highlight a potential danger in mining historical records for patterns showing sudden shifts when seeking to test early warning techniques, Drake [3] draws attention to a potentially more interesting consequence of our analysis. Drake argues that the bias observed could be used to forecast purely stochastic transitions – a task previously thought to be impossible [4]. Unfortunately, we feel this interpretation too generous and must agree with the prevailing opinion that early warning signals for purely stochastic transitions do not exist. Drake demonstrates how the patterns presented in [1] show an indisputable difference between the time series that transition by chance and the much larger population of replicate time series driven by the identical mechanism that do not transition by chance. We argue that the appropriate null distribution is the subset of trajectories that had experienced an equally large deviation. Both numerical and analytical work show that the apparent signal to which Drake refers is an artifact of a large deviation, rather than the probability of an impending transition.

What is meant by having found evidence of an early warning signal? We can only define this relative to some null distribution or baseline indicating what we might expect when no warning signal is present. This question has so far received insufficient attention, empirical and theoretical, throughout the recent literature on the subject [5]. Drake’s analysis presents the choice of baseline or null distribution as the population of all replicates experiencing the identical dynamics. We argue that the appropriate null distribution in this case would rather be only the subset of those trajectories that had experienced an equally large deviation (with or without experiencing a transition), rather than the entire population. After all, our goal is to detect approaching transitions before they happen, not merely detect large deviations after they happen.

A numerical example shows that a similar pattern to that observed [1] can be seen in the large deviations of

*Corresponding author
Email address: cboettig@ucsc.edu (Carl Boettiger)

30 a purely stable system. This suggests that the pattern is not due to the curvature or any other feature of the
 31 chance transition, but only due to the conditional selection being biased to such chance transitions. We also
 32 discuss some earlier analytic work which helps explain the patterns observed.

33 We replicate the analysis of Boettiger and Hastings [1] using time series replicates produced by an Ornstein-
 34 Uhlenbeck (OU) process: a stochastic differential equation in which there is only a single optimum whose strength
 35 is proportional to the displacement,

$$dX = -\alpha X dt + \sigma dBt$$

36 Instead of conditioning on trajectories that experience a large deviation, we condition on trajectories that
 37 experience a very large deviation. We then compute warning signals for each of these large deviation trajectories,
 38 and compare their distribution to that of the entire population of trajectories as shown in Figure 1. We note
 39 that the same bias is observed. This should help illustrate that observations we reported are driven by the large
 40 deviation preceding the transition, and are simply evidence of this fact and not of an impending transition per se.
 41 While trajectories already far from the origin are more likely to transition than ones close to the average, such
 42 events can be trivially identified by comparing their states to the historical average.

43 Observing the bias shown in Figure 1 depends on having a rapid enough sample frequency to capture the escape
 44 trajectory and a long enough trajectory for the statistic to demonstrate an increase over time. Since large
 45 deviations due to stochastic forces alone must be fast so must the accompanying warning signal and managemnt
 46 response, which will show up on the time scale of the perturbation. Of course fast relative to the system dynamics,
 47 may or may not be fast relative to the timescale of management; just as in the case of bifurcation-driven warning
 48 signals, see Reference 7.

49 The realization that the trajectories of large deviations have a pattern that looks like an early warning signal can
 50 be better understood in light of early work on large deviations. Reference 1 observes that any trajectory that
 51 does manage to escape by chance does so quickly. This rapid dash to the boundary results in an escape path that
 52 is highly autocorrelated and marked by a rapid increase in variance as it departs from the mean. It turns out
 53 that we can be more precise about the speed of this trajectory: the expected transit time from the vicinity of the
 54 stable point to some distant deviation L can be shown to scale as $\log(L/\sigma)$. This result is rather remarkable
 55 considering it is the very same scaling to go against the gradient, uphill, as the expected time to *return* downhill
 56 from that distant point L to the neighborhood of the stable point. For comparison, the waiting time to observe
 57 such a trajectory scales as $\exp(L^2/\sigma^2)$, such that we must wait a long time before observing such a path. These
 58 results follow in the limit of $L \gg \epsilon$ for a region ϵ around the stable point and for small noise $\sigma \ll L$, and a careful
 59 walk through of the calculation can be found in Reference 8 for the OU process as considered here, which follows
 60 the derivation of Reference 9. This result has been rediscovered in other ecological and evolutionary contexts, e.g.
 61 Reference 10, and Drake and Griffen in fact provide an impressive empirical demonstration of the phenomenon




Figure 1: Figure 1. Histogram shows the frequency the correlation statistic τ observed for each warning signal (variance, autocorrelation coefficient) on the large deviation samples. Background distribution of all samples show by smooth line (kernel density estimate). More positive values of tau are supposed to indicate a rising indicator which can be a signal of an approaching transition [2]. $\alpha = 5$, $\sigma = 3.5$, $t \in (0, 10)$, 2000 replicates, 20,000 sample points each. Conditionally selected trajectories experiencing a deviation of at least -4, and analyzed the 1,500 data points prior to the threshold to determine a warning signal (following Reference 6). [code](#)

in recovery and extinction patterns in Reference 11. It is a direct consequence of this rapid trajectory that the resulting pattern shows a sudden rise in variance and autocorrelation as the random walk follows its trajectory to the large deviation. More precise statements for the expected variance and autocorrelation along such a trajectory could be solved for along these same lines (or more directly through the large deviation theory, see Reference 12) but are beyond the scope of this comment.

Both the numerical and analytic lines of evidence suggest that pattern Drake alludes arises from the large deviation, rather than from some signal that the system approaches a stochastic transition per se. If we are to consider this a warning signal of stochastic transitions, it is only in this weak sense in which the signal can be seen in any large deviation rather than being sufficient evidence of the chance transition. Relative to the background of all trajectories obeying the same dynamics, this has positive predictive value. Relative only to other large deviations, it does not. We heartily agree with the need for a decision-theoretic approach to early warning signal questions [e.g. Boettiger2012b]. The challenge of sufficient or unique early warning indicators is not limited to stochastic shifts, but includes the more typical critical transitions. For instance, rising variance or autocorrelation patterns typical of fold bifurcations can be observed in more benign bifurcations or smooth transitions [13]. Early warning signals may offer a promising technique that will one day allow us to avoid seemingly unpredictable catastrophes – but we must not lose sight of just how difficult are the challenges involved. A key step here and for early warning indicators more generally is to understand these other circumstances in which they can arise, that we may then develop ways to eliminate those possibilities. Though we may never be able to detect purely stochastic transitions, perhaps these approaches in this discussion may lead to more unique and sufficient indicators for true critical transitions.

1 Boettiger, C. & Hastings, A. 2012 Early warning signals and the prosecutor’s fallacy. *Proceedings of the Royal Society B: Biological Sciences* (doi:10.1098/rspb.2012.2085)

2 Scheffer, M. et al. 2009 Early-warning signals for critical transitions. *Nature* **461**, 53–9.

3 Drake, J. M. 2013 Early warning signals of stochastic switching. *Proceedings of The Royal Society B* **in press**.

4 Lenton, T. M. 2011 Early warning of climate tipping points. *Nature Climate Change* **1**, 201–209. (doi:10.1038/nclimate1143)

5 Boettiger, C. & Hastings, A. 2013 Tipping points: From patterns to predictions. *Nature* **493**, 157–158. (doi:10.1038/493157a)

6 Dakos, V., Scheffer, M., van Nes, E. H., Brovkin, V., Petoukhov, V. & Held, H. 2008 Slowing down as an early warning signal for abrupt climate change. *Proceedings of the National Academy of Sciences* **105**, 14308–12. (doi:10.1073/pnas.0802430105)

7 Hughes, T. P., Linares, C., Dakos, V., van de Leemput, I. a & van Nes, E. H. 2013 Living dangerously on borrowed time during slow, unrecognized regime shifts. *Trends in ecology & evolution* **28**, 149–55. (doi:10.1016/j.tree.2012.08.022)

- 96 8 Mangel, M. 2006 *The Theoretical Biologist's Toolbox: Quantitative Methods for Ecology and Evolutionary*
97 *Biology*. Cambridge University Press.
- 98 9 Ludwig, D. 1981 Escape from Domains of Attraction for Systems Perturbed by Noise. In *Nonlinear Phenomena*
99 *in Physics and Biology* (eds R. H. Enns B. L. Jones R. M. Miura & S. S. Rangnekar), pp. 549–566. Boston, MA:
100 Springer New York.
- 101 10 Lande, R. 1985 Expected time for random genetic drift of a population between stable phenotypic states.
102 *Proceedings of the National Academy of Sciences* **82**, 7641–7645.
- 103 11 Drake, J. M. & Griffen, B. D. 2009 Speed of expansion and extinction in experimental populations. *Ecology*
104 *letters* **12**, 772–8. (doi:10.1111/j.1461-0248.2009.01325.x)
- 105 12 Freidlin, M. I., Wentzell, A. D., Freidlin, M. I. & Wentzell, A. D. 1998 *Random Perturbations of Dynamical*
106 *Systems (Grundlehren der mathematischen Wissenschaften)*. Springer.
- 107 13 Kéfi, S., Dakos, V., Scheffer, M., Van Nes, E. H. & Rietkerk, M. 2012 Early warning signals also precede
108 non-catastrophic transitions. *Oikos* (doi:10.1111/j.1600-0706.2012.20838.x)