# SF TECH DRYSUIT MEASUREMENT FORM



## RECOMMENDATIONS FOR MEASUREMENTS:



The measurements must be taken with the soft measuring tape exercising a light pressure in order to be straight and flat but without pushing on the undersuit.




If you have a doubt, ask a professional tailor or an official retailer to take the measurements for you.



Thank you for adding to your file a front and side view full-length body picture of yourself.



The person taking the measurements takes full responsibility for the result. SF Tech Sarl cannot be held responsible for suits made to incorrectly taken measurements.



Measurements with this symbol must be taken with two fingers below the measuring tape. When the measure is determined, move the measuring tape slightly upwards and downwards to check whether the widest point has been measured.



A Size cm


B Weight kg

C Size of shoe Nr.


#### **Conversion chart**

Inches (")	Centimeters (cm)
1/16 in	0.15875 cm
0.1 in	0.2540 cm
1/8 in	0.3175 cm
1/4 in	0.635 cm
1/2 in	1.27 cm
1 in	2.54 cm
2 in	5.08 cm
3 in	7.62 cm
4 in	10.16 cm
5 in	12.70 cm
6 in	15.24 cm
7 in	17.78 cm
8 in	20.32 cm
9 in	22.86 cm
10 in	25.40 cm
12 in = 1 ft	30.48 cm


Feet (ft)	Centimeters (cm)
0.01 ft	0.3048 cm
0.1 ft	3.048 cm
1 ft	30.48 cm



▲ Measured on the forehead, straight on the skin.



Measured in the middle of the neck, straight on the skin




Circumference of the wrist behind the bone, straight on the skin.




#### PART 1


### MEASUREMENTS WITH THE HEAVIEST UNDERSUIT




6 cm perpendicular to the top of the armpit.



▲ From the bone of the left shoulder to the bone of the right shoulder.



From the bone of the neck to the bone of the wrist, over the shoulder.



From the bone of the shoulder to the bone of the wrist.




#### PART 1

#### MEASUREMENTS WITH THE HEAVIEST UNDERSUIT




▲ From the bones of the shoulder to the beginning of the neck.




From the bone of the neck to the forearm.

Measure holding two fingers below the measuring tape. When the measure is determined, move the measuring tape slightly upwards and downwards to check whether the widest point has been measured.





At the level of the armpit with the arm slightly bent. Measure at the widest point.




At the level of the forearm at the widest point.








At the narrowest point, if the abdomen is flat, otherwise measure it at the widest point on the abdomen.




At the widest point between the hips and the buttocks.






▲ At the crotch height, at the widest point.




▲ At the widest point of the calf.






▲ With the pants up and properly positioned between the legs, measure from the position of the pants in the crotch (without pushing up), down to the ground.




▲ With the pants up and properly positioned between the legs, measure from the position of the pants in the crotch (without pushing up), down to the calf.





From the beginning of the sternum down to the ground, measuring tape taut.



▲ From the beginning of the sternum down to the crotch, measuring tape taut.



### PART 2 OPTIONS

**Drysuit Model:** Neoprene Classic Kevlar®

Neoprene Kevlar® Pro

TNT Classic TNT Pro

**Hood:** Separated (standard)

**Attached** 

Neck seal: Latex (standard)

Neoprene

Silicone (Si Tech Orusk)

Wrist seal: Heavy Duty Latex (standard)

Neoprene

Silicone (Si Tech QCS)

**Boots:** Neoprene Boots (Standard)

Neoprene socks with Rockboots Neoprene socks without Rockboots

Lightboots

Pee Valve: None (standard)

Left Right

Pockets: Left

Right

**Drygloves:** None (standard)

Rolock

Rolock 90 (compatible with silicone wrist seals)

Gloves size: M L XL

**Gloves type:** Blue with removable inner glove

Blue with attached inner glove Black with removable inner glove

Other options: Kevlar reinforcement on the buttocks (Standard on Pro and TNT

models)

Trilaminate protective zipper (Standard on Trilam and TNT models)



#### PART 3 **COLORS**

Neoprene Classic Kevlar®























### PART 3 COLORS

**TNT Classic** 





**TNT Pro** 









### PART 3 COMMENTS

Please, let us know if you have any special desire regarding the measurements, the options, the colors or the delivery of the drysuit.



#### PART 4 CONTACT / **ADDRESS**

Title	
First name	
Last name	
E-mail	
Phone	
Company	
Street	
Street 2	
City	
ZIP	
State	
Country	