


SF TECH DRYSUIT MEASURE FORM



INFO RECOMMENDATIONS FOR MEASUREMENTS:



The measures must be taken the meter ribbon exercising a light pressure in order to be straight and flat but without pushing on the undersuit.



If you have a doubt, ask a professional taylor to take the measurements for you.



Thank you for adding to your file a picture of you in full, face and profile.



In case of mistakes in the measurements, SF TECH SARL cannot be considered as reponsible.



PART 1

MEASUREMENTS

WITHOUT UNDERSUIT

A Size

 cm

1 Head

 cm

B Weight

 kg

C Size of shoe

 Nr.


▲

EU	UK	US
37	4	5
38	5	6
39.5	6	7
41	7	8
42	8	9
43	9	10
44.5	10	11
46	11	12
47	12	13
48	13	14

▲

Size	CM	Inches
XS	48 - 51	19 - 20"
S	51 - 53	20 - 21"
M	53 - 56	21 - 22"
L	56 - 59	22 - 23"
XL	59 - 61	23 - 24"
XXL	61 - 64	24 - 25"

2 Neck

 cm


▲ Measured in the middle of the neck



PART 1

MEASUREMENTS




WITHOUT UNDERSUIT

3 Legs

	cm
--	----

4 Stature

	cm
--	----



▲ 6 cm perpendicular to the top of the armpit

▲ The position of the pants in the step
(without pushing up) to the ground

PART 1


MEASUREMENTS

WITHOUT UNDERSUIT

5 Arm


cm

7 Arm - Shoulder


cm

▲ From the bone of the shoulder to the beginning of the bone of the wrist

6 Wrist

cm

▲ Circumference of the wrist behind the bone



▲ From the bone of the neck to the beginning of the bone of the wrist over the shoulder



PART 2

MEASUREMENTS WITH THE HEAVIEST UNDERSUIT

8 Shoulders

cm


▲ From the bone of the left shoulder to the bone of the right shoulder

10 Muscle

cm

▲ At the level of the armpit at the widest point. To measure, bend the arm slightly.

9 Shoulder

cm

▲ From the bones of the shoulder to the beginning of the neck



PART 2


MEASUREMENTS WITH THE HEAVIEST UNDERSUIT

11 Chest

	cm
--	----

13 Hips


	cm
--	----



▲ At the widest point.*

12 Waist

	cm
--	----



▲ At the least wide point, if the abdomen is flat, otherwise measure it at the widest point on the abdomen.*



▲ At the widest point on the buttocks.*

* When measuring, hold 2 fingers below the measuring tape.
When the measure is determined, move the measuring tape slightly downwards to check whether the widest point has been measured.

PART 2


MEASUREMENTS WITH THE HEAVIEST UNDERSUIT

14 Thigh

cm

15 Calf Height

cm



- ▲ At the step height.
When measuring, hold 2 fingers under the measuring tape.
When the measure is determined, move the measuring tape slightly downwards to check whether the widest point has been measured.

- ▲ From crouch to largest point of the calf

PART 2


MEASUREMENTS WITH THE HEAVIEST UNDERSUIT

16 Calf

cm

17 Trunk height

cm



- ▲ At the widest point.
When measuring, hold 2 fingers below the measuring tape.
When the measure is determined, move the measuring tape slightly downwards to check whether the widest point has been measured.

- ▲ At the beginning of the sternum up to the crotch

PART 3

OPTIONS

Drysuit Model:

Classic Kevlar®
Kevlar® Pro
Classic Trilam Kevlar®
Trilam Kevlar® pro

Kevlar reinforcement to the buttocks:
(standard on PRO versions)

No
Yes

Shoes:

Neoprene Boots (Standard)
Rockboots

Pee Valve:

No
Yes

Position Pee Valve:

Right
Left

Collar:

Latex (standard)
Neoprene
Silicone

Sleeves:

Heavy Duty Latex (standard)
Neoprene
Silicone

Hood:

Separated (standard)
Attached

Pouches:
(none is standard)

Left
Right

Rolock Drygloves:

No
Yes

Gloves size:

M
L
XL

Gloves color:

Black
Blue



PART 4

CONTACT / ADDRESS

Title

Prenome

Name

E-mail

Phone

Contact
me by

E-mail

Phone

Company

Street

Street 2

City

ZIP

State

Country