

Kurt Gödel's Theism Through the Lens of the Theory of Axiomatic Necessity (TNA): Incompleteness, Rational Access, and the Failure of Local Closure




Figure1

As established in Section 6, the structural relation between formal derivation and meta-theoretical validation is non-symmetric. This foundational boundary is visually conceptualized in Figure 1

Abstract

Kurt Gödel's incompleteness theorems transformed twentieth-century mathematics by demonstrating that sufficiently expressive formal systems cannot establish all truths expressible within themselves. Less widely known is Gödel's philosophical interpretation of this result. Throughout his life, Gödel defended a rationalist and theistic worldview, arguing that the human mind possesses access to mathematical truths that cannot be generated by deterministic formal mechanisms alone. This paper examines Gödel's philosophical position through the framework of the **Theory of Axiomatic Necessity (TNA)**. We argue that Gödel's distinction between formal derivation and mathematical understanding can be reformulated as an instance of the **Failure of Local Closure**: no operational system can derive the conditions that legitimize its own admissibility. While Gödel interpreted this limitation as evidence for a

rational order transcending mechanistic physics, TNA generalizes the phenomenon into a structural principle applicable to mathematics, semantics, consciousness, artificial intelligence, and rule-following. The paper does not claim that TNA proves Gödel's theism, but rather that it provides a structural framework within which Gödel's philosophical conclusions become formally intelligible.

1. Introduction

Kurt Gödel is universally recognized as one of the greatest logicians of the twentieth century. His incompleteness theorems permanently altered the foundations of mathematics by demonstrating that sufficiently expressive formal systems cannot simultaneously be both complete and consistent.

Far less attention has been devoted to the philosophical conclusions Gödel himself drew from his own discoveries.

Unlike many contemporary mathematicians, Gödel did not regard incompleteness merely as a technical limitation of formal systems. Instead, he believed it revealed something fundamental about the nature of rationality itself. If mathematical truth exceeds formal derivation, then human reason appears capable of accessing a domain that no deterministic symbolic procedure can fully generate.

This conviction gradually led Gödel toward a rationalist metaphysics and ultimately toward philosophical theism.

The present paper argues that Gödel's interpretation can be reformulated within the Theory of Axiomatic Necessity (TNA). Rather than treating incompleteness as an isolated result of mathematical logic, TNA interprets it as a specific manifestation of a universal structural principle: the impossibility of local self-grounding.

2. Gödel's Incompleteness Theorem

Gödel's First Incompleteness Theorem establishes that every sufficiently expressive consistent formal system contains propositions that are true but not provable within that system.

Gödel constructed a sentence, traditionally denoted **g**, which effectively states:

"This statement is not provable within the system."

If the system proves **g**, contradiction follows.

If the system is consistent, **g** cannot be proven internally.

Yet from outside the system, a mathematician recognizes precisely why **g** must be true.

This distinction between internal derivation and external understanding became the philosophical cornerstone of Gödel's reflections on the nature of mind.

3. Rational Access Beyond Formal Systems

Gödel repeatedly emphasized that mathematical intuition appears capable of transcending formal computation.

If the human mind can recognize the truth of propositions inaccessible to every deterministic procedure operating within the formal system itself, then human cognition cannot be identified with such a procedure.

Gödel summarized the alternatives in remarkably direct terms.

Either:

- the human mind is not equivalent to any finite machine,

or

- there exist mathematical truths forever inaccessible even to human understanding.

Gödel consistently regarded the first possibility as the more plausible.

For him, mathematical intuition represented genuine cognitive access to objective truths rather than psychological illusion.

4. Two Responses to Incompleteness

Gödel's conclusion generates two broad philosophical responses.

The first attempts to preserve materialism by expanding physics.

This path was later developed by Roger Penrose.

Penrose accepted Gödel's critique of algorithmic intelligence but proposed that unknown physical processes—specifically Objective Reduction associated with quantum gravity—might explain non-computational cognition.

The second response, favored by Gödel himself, interprets mathematical intuition as evidence that reason participates in a reality transcending purely physical mechanisms.

Rather than searching for additional computational resources inside matter, Gödel concluded that the human intellect possesses access to a rational order not reducible to deterministic physical processes.

For Gödel, the universe itself is fundamentally rational.

Human reason is capable of grasping abstract truths precisely because it participates in that rationality.

4.1 Lucas and the Mechanist Argument

In 1961, John Lucas argued that Gödel's incompleteness theorem constitutes a fundamental challenge to computational theories of mind.

Lucas maintained that if the human mathematician can recognize the truth of Gödel's undecidable sentence while no deterministic formal machine can derive it, then human reasoning cannot be identical to any purely mechanical procedure.

Roger Penrose later developed this idea further by proposing that non-computable physical processes might underlie human cognition.

TNA agrees with Lucas regarding the structural limitation of computation but departs from both Lucas and Penrose by locating the limitation at the level of admissibility rather than computational power. The issue is not that the machine lacks sufficient processing capacity; rather, the operational domain (N_0) cannot generate the admissibility conditions (N_1) that determine the legitimacy of its own conclusions.

5. The TNA Reformulation

The Theory of Axiomatic Necessity distinguishes between two structural domains.

N_0 denotes the operational domain.

It contains:

- formal rules,
- computations,
- causal dynamics,
- symbolic manipulation,
- deterministic procedures.

N_1 denotes the domain of admissibility.

It determines:

- realization,
- legitimacy,
- interpretation,
- semantic collapse,
- structural selection.

Within this framework, a formal mathematical system belongs entirely to N_0 .

Its inference rules, symbols, and proofs are operational objects.

The mathematician's recognition that **g** is true despite its non-derivability represents something different.

It corresponds to access to admissibility rather than computation.

The distinction is therefore not one between two algorithms but between two structural domains.

6. Gödel as Failure of Local Closure

TNA formulates the Failure of Local Closure as follows:

No operational system can derive the conditions that legitimize its own admissibility from within its own operational dynamics.

Gödel's theorem becomes an immediate instance of this principle.

The formal system generates proofs.

It cannot generate the criterion establishing the completeness of its own proof space.

The mathematician, operating at the meta-level, recognizes this limitation.

Formally,

N_0 cannot derive N_1 .

The truth of g is therefore not another computational state.

It reflects an admissibility relation external to the operational system.

The incompleteness theorem thus appears not as a peculiarity of arithmetic but as a structural manifestation of the impossibility of local closure.

GÖDEL	TNA
Formal system F	N_0
Sentence g	Element of Σ no collapsable from N_0
Truth of g (meta-level)	$N_1(\Sigma) = \sigma^*$
Incompleteness	$\dim(\Sigma) > 1$ after exhausting N_0
Mathematician who recognizes g	Instance of N_1

6.1 Relation to the Impossibility of Pure Relational Closure

The structural asymmetry revealed by Gödel's incompleteness theorem closely parallels the **TNA Theorem of the Impossibility of Pure Relational Closure** (Theorem 8.2.1). DOI 10.5281/zenodo.20753503 "Language as Boundary Condition: From Intuition to Theorem"

That theorem establishes that no system composed exclusively of internal relations can generate the admissibility conditions required to stabilize its own relational structure. Every operational network ultimately requires an external structural boundary capable of selecting which relations become legitimate.

Gödel's theorem exhibits the same architecture.

A formal system generates inference relations but cannot internally establish the completeness of those relations. The truth of the Gödel sentence therefore appears only from a meta-level that lies outside the operational closure of the formal calculus.

In this sense, incompleteness is not an isolated phenomenon of arithmetic but a specific instance of a more general impossibility theorem governing relational systems.

7. Rationality and Theism

Gödel's philosophical writings reveal that he regarded the rational structure of mathematics as evidence for a rational structure of reality.

His commitment to philosophical theism did not arise from religious tradition but from metaphysical reflection.

If objective mathematical truth exists independently of physical processes, and if the human intellect genuinely accesses those truths, then reason itself cannot be fully explained by mechanistic causality.

Gödel therefore viewed rationality as participating in an objective order extending beyond the physical universe.

From the perspective of TNA, this conclusion acquires a structural interpretation.

If admissibility cannot emerge from operational dynamics alone, then every operational system necessarily presupposes a structurally external domain.

TNA identifies this domain as N_1 .

Whether one interprets N_1 theistically, metaphysically, or structurally remains an open philosophical question.

What TNA establishes is the necessity of such a domain whenever local closure fails.

8. Gödel's Ontological Argument

Gödel's philosophical interests extended beyond incompleteness.

He developed one of the most sophisticated formalizations of the ontological argument originally proposed by Anselm of Canterbury, expressing it within modal logic.

Although controversial, the proof illustrates the remarkable consistency of Gödel's worldview.

The same thinker who demonstrated the incompleteness of formal systems also sought to demonstrate that reason itself naturally points toward necessary existence.

Whether or not one accepts the conclusion, the intellectual continuity is undeniable.

Gödel's mathematical logic and his philosophical theism were not separate enterprises.

They were components of a unified conception of rational reality.

9. Beyond Mathematics

The structural pattern identified by Gödel appears throughout numerous philosophical problems.

In semantics, operational descriptions fail to determine meaning.

In Kripke's rule-following paradox, operational behavior fails to determine the rule being followed.

In consciousness studies, neural dynamics fail to determine subjective experience.

In artificial intelligence, computation fails to determine understanding.

Each case exhibits the same structural asymmetry.

Operational dynamics produce possibilities.

Admissibility selects realizations.

Failure of Local Closure therefore extends far beyond formal arithmetic.

Gödel's theorem represents one particularly elegant expression of a universal structural limitation.

9.1 Implications for Large Language Models

Large Language Models provide an illustrative example of Gödel's structural distinction.

An LLM can generate syntactically correct proofs, manipulate symbols, and reproduce sophisticated mathematical arguments. All these operations belong to N_0 .

However, the model does not recognize the truth of Gödel's undecidable proposition in the same sense that a mathematician does.

It predicts symbol sequences according to statistical regularities learned during training. The semantic collapse that identifies the Gödel sentence as true despite its formal undecidability belongs to the domain of admissibility rather than statistical computation.

This distinction does not imply that LLMs are unintelligent. Rather, it illustrates the TNA principle that operational computation and admissibility are structurally distinct domains.

Consequently, scaling computational resources alone cannot eliminate the Failure of Local Closure.

10. Conclusion

Gödel's incompleteness theorem did more than transform mathematical logic.

It reshaped Gödel's own philosophy of mind and ultimately his metaphysical outlook.

His conviction that mathematical truth exceeds formal derivation led him toward a conception of reason as participation in a reality transcending deterministic computation.

The Theory of Axiomatic Necessity provides a structural interpretation of this transition.

Rather than viewing incompleteness as a uniquely mathematical phenomenon, TNA understands it as one instance of a universal theorem governing operational systems.

No operational domain can fully derive the conditions that legitimize its own admissibility.

Gödel interpreted this asymmetry through philosophical theism.

TNA reformulates it through the distinction between N_0 and N_1 .

These perspectives are not identical, but they converge on a shared insight:

Reason appears capable of accessing a domain that cannot be completely generated by the operational systems through which it is expressed.

In this sense, Gödel's incompleteness theorem becomes more than a limitation of formal mathematics. It becomes a window into one of the deepest structural questions in philosophy: whether reality itself is ultimately self-grounding, or whether every operational order necessarily points beyond itself toward a domain of admissibility that makes understanding possible.

Formal System $(N_0) \xrightarrow{\text{cannot derive}} g$

Mathematician $(N_1) \xrightarrow{\text{recognizes}} g = \text{TRUE}$

References

1. Kurt Gödel (1931). *On Formally Undecidable Propositions of Principia Mathematica and Related Systems*.
2. Kurt Gödel (1995). *Collected Works, Volume III: Unpublished Essays and Lectures*. Oxford University Press.
3. Roger Penrose (1989). *The Emperor's New Mind*. Oxford University Press.
4. Roger Penrose (1994). *Shadows of the Mind*. Oxford University Press.
5. Bresciano, C. (2025). *Core Structure of the Theory of Axiomatic Necessity*. Zenodo. DOI: 10.5281/zenodo.18098558.
6. Bresciano, C. (2026). *Failure of Local Closure in Self-Optimizing Systems: A Minimal Structural Bound*. Zenodo. DOI: 10.5281/zenodo.18644522.
7. Bresciano, C. (2026). *Boundary Conditions as Structural Selectors: A Formal Analysis of N_o , Operational Constraints, and N_i in Self-Optimizing Systems*. Zenodo.
8. Bresciano, C. (2026). *Language as Boundary Condition: From Intuition to Theorem*. Zenodo. DOI: 10.5281/zenodo.20753503.