

<b>423</b>	<u>Jun 24, 2015 11:05:05</u> <u>AM</u>
<b>@</b> #22	<u>Jun 24, 2015 11:03:41</u> <u>AM</u>
<b>@</b> #21	<u>Jun 24, 2015 10:56:12</u> <u>AM</u>
<b>4</b> 20	<u>Jun 24, 2015 10:46:02</u> <u>AM</u>
<b>9</b> #19	<u>Jun 24, 2015 10:29:13</u> <u>AM</u>
<b>4</b> 18	<u>Jun 24, 2015 10:08:02</u> <u>AM</u>
<b>9</b> #17	<u>Jun 24, 2015 9:07:11</u> <u>AM</u>
<b>9</b> #16	<u>Jun 24, 2015 9:05:44</u> <u>AM</u>
<b>9</b> #15	<u>Jun 24, 2015 9:04:11</u> <u>AM</u>
<b>4</b> 14	<u>Jun 23, 2015 5:25:30</u> <u>PM</u>
<b>4</b> 13	<u>Jun 23, 2015 5:20:52</u> <u>PM</u>
<b>4</b> 12	<u>Jun 23, 2015 5:16:45</u> <u>PM</u>
<b>4</b> 11	<u>Jun 23, 2015 5:08:30</u> <u>PM</u>
<b>4</b> 10	<u>Jun 23, 2015 5:01:31</u> <u>PM</u>
<b>9</b>	<u>Jun 23, 2015 4:50:36</u> <u>PM</u>
R failur	SS for all RSS for es


GitHub project			•
This build is parameter	rized		•
	String Para	meter	<b>②</b>
	Name	CF_SYSTEM_DOMAIN	<b>②</b>
	Default Value	run.pivotal.io	•
	Description		
			•
		[Escaped HTML] <u>Preview</u>	//
			Delete
	String Para	meter	•
	Name	CF_APPS_DOMAIN	•
	Default Value	cfapps.io	•
	Description		
			<b>?</b>
		[Escaped HTML] <u>Preview</u>	
			Delete

String Parameter		<b>?</b>
Name	CF_USER	•
Default Value	cbusch@pivotal.io	•
Description		
		•
	[Escaped HTML] <u>Preview</u>	
		Delete
String Para	meter	<b>?</b>
Name	CF_ORG	•
Default Value	Central	•
Description		
		•
	[Escaped HTML] <u>Preview</u>	
		Delete
String Para	meter	•
Name	CF_SPACE	•
Default Value		

Build-green deployment Config [Jenkins]

	busch	•
Description		
		<b>②</b>
		//
	[Escaped HTML] <u>Preview</u>	
		Delete
String Para	meter	•
Name	CF_JAR	?
Default Value	build/libs/blue-green-v0.0.1.war	•
Description		
		<b>②</b>
	[Escaped HTML] <u>Preview</u>	
		Delete
String Para	meter	<b>?</b>
Name	CF_MANIFEST	•
Default Value	manifest.yml	<b>②</b>
Description		

		<b>②</b>
	[Escaped HTML] <u>Preview</u>	
		Delete
Password F	Parameter	<b>(?</b> )
Name	CF_PWD	
Default Value		•
Description		
		•
	Feedbad HTML1 Provings	//
	[Escaped HTML] <u>Preview</u>	Doloto
		Delete
String Para	meter	<b>②</b>
Name	CF_APP	•
Default Value	blue-green-demo	•
Description		
		•



**Add Branch Delete Branch** Repository browser (Auto) **†** Additional Behaviours Add Subversion **Build Triggers** Trigger builds remotely (e.g., from scripts) Build after other projects are built **Build periodically** Build when a change is pushed to CloudBees Forge Build when a change is pushed to GitHub Poll SCM **Build Environment** Mask passwords (and enable global passwords) Abort the build if it's stuck Mount CloudBees DEV@cloud Private WebDav Repository Build **Invoke Gradle script** Invoke Gradle Gradle Version gradle-latest Use Gradle Wrapper Build step description  $\blacksquare$ build environment agnostic artifact Switches

		-Pbuildversion=\$BUILD_NUMBER		•
Tasks		clean assemble		<b>(2)</b>
Root Build	script			0
Build File				
				•
		Specify Gradle build file to run. Also, <u>some environment variable are available to the build script</u>	<u>les</u>	
Force GRA	DLE_USER_HOME to use workspace			?
			Delete	
Execute	shell			<b>②</b>
Command	# log into CF CLI wget http://go-cli.s3-website-us-east-1.amazonaws.com/releases/latest/cf-linux-amd64.tgz tar -zxvf cf-linux-amd64.tgz ./cfversion ./cf login -a https://api.\$CF_SYSTEM_DOMAIN -u cbusch@pivotal.io -p \${CF_PWD} -o Central -s buschskip-ssl-validation			
# create variables  DEPLOYED_VERSION_CMD=\$(CF_COLOR=false ./cf apps   grep "\$CF_APP"   cut -d" " -f1)  DEPLOYED_VERSION="\$DEPLOYED_VERSION_CMD"  ROUTE_VERSION=\$(echo "\${BUILD_NUMBER}"   cut -d"." -f1-3   tr '.' '-')  echo "Deployed Version Cmd: DEPLOYED_VERSION_CMD"  echo "Deployed Version: \$DEPLOYED_VERSION"  echo "Route Version: \$ROUTE_VERSION"  echo "Build Number: \${BUILD_NUMBER}"				
	\$CF_APPS_DOMAIN -p \$CF_JAR	ER" -i 1 -m 512M -n "\$CF_APP-\$ROUTE_VERSION" -d		
		BUILD_NUMBER}.\$CF_APPS_DOMAIN route" -sI http://\$CF_APP-\${BUILD_NUMBER}.\$CF_APPS_DOMAIN	'1	

```
younne, print west
if [!$SMOKETEST1 -eq 200]; then
echo "Smoke test #1 failed"
 exit 1 # terminate and indicate error
echo "Smoke test http://$CF_APP-ccb.$CF_APPS_DOMAIN route"
SMOKETEST2=$(awk 'BEGIN {"curl -sI http://$CF_APP-ccb.$CF_APPS_DOMAIN" | getline; print $2}')
if [!$SMOKETEST2 -eq 200]; then
 echo "Smoke test #2 failed"
 exit 1 # terminate and indicate error
echo "$CF APP-${BUILD NUMBER}"
echo "checking to perform cutover"
if [ ! -z "$DEPLOYED_VERSION" -a "$DEPLOYED_VERSION" != " " -a "$DEPLOYED_VERSION" !=
"$CF APP-${BUILD NUMBER}"]; then
 echo "Performing zero-downtime cutover to $BUILD NUMBER"
 while read line
 do
  if [!-z "$line" -a "$line" != " " -a "$line" != "$CF_APP-${BUILD_NUMBER}"]; then
   echo "Scaling down, unmapping and removing $line"
   # Unmap the route and delete
   ./cf unmap-route "$line" $CF_APPS_DOMAIN -n $CF_APP-ccb
   # delete app is you don't want to roll-back
   ./cf delete "$line" -f
   ./cf delete-route $CF APPS DOMAIN -n "$line" -f
  else
   echo "Skipping $line"
 done <<< "$DEPLOYED VERSION"
```

See the list of available environment variables

Delete

Add build step

**Post-build Actions** 

Add post-build action

Contact Us Privacy Policy Terms of Service

© 2015 CloudBees, Inc.