CSE 127 Discussion Week 9

Ariana Mirian, Zoom

This is being recorded.

Overview of Today

- PA5 overview
- User Authentication
- Malware
- Open Office hours

PA5

- Currently released should have received an email tar
- Due June 4th at 12:30 PM Pacific
 - Or June 11th 12:30 PM HARD DEADLINE
- You need to get Stefan's "token"
 - Fake token; everything is constrained on the server(s)
- Linux commands that may be helpful
 - nc, nmap, tcpdump, wget
- Three assignments on Gradescope
 - "Transcript" hint while you work through the steps
 - "Token" is token
 - Writeup is list of steps that you took

PA5


- At every point in the project ask yourself:
 - How can I find information that "hidden"?
 - Concealed, but still discoverable
- How to think like a hacker
 - Some of the steps take time
 - Might be "patterns" that are useful in your steps

User Authentication Overview


















Three types of authentication factors


- Something you know
- Something you have
- Something you are

• Why do we have multiple types of authentication? How do they help?

- Passwords!
 - Where are the points that an attacker can get the password?



- Passwords!
 - Where are the points that an attacker can get the password?
 - How would these motivating factors changed based on individual scenarios?



- Passwords!
 - Where are the points that an attacker can get the password?
 - How would these motivating factors changed based on individual scenarios?
- Physical access to user

- Passwords!
 - Where are the points that an attacker can get the password?
 - How would these motivating factors changed based on individual scenarios?
- Physical access to user
- Physical access to user machine

- Passwords!
 - Where are the points that an attacker can get the password?
 - How would these motivating factors changed based on individual scenarios?
- Physical access to user
- Physical access to user machine
- In transit -- Phishing
 - Get the password by tricking the user


- Passwords!
 - Where are the points that an attacker can get the password?
 - How would these motivating factors changed based on individual scenarios?
- Physical access to user
- Physical access to user machine
- In transit -- Phishing
 - Get the password by tricking the user
- Data leaks/dumps
 - This is where reusing passwords becomes a problem
 - Plaintext password is worse than hashed password is worse than fast salted password is worse than slow salted password

Something you have

- Cards, password tokens (one time on physical and electronics),
 USB/NFC tokens
- What are the strengths and weaknesses of these various approaches?

Something you are

- Biometrics!
- We're all unique enough, right?
- Problems with biometrics:
 - Spoofable (still!)
 - Perhaps not as accurate
 - Doesn't scale well



Malware Overview

- Difference between virus and worms
 - Virus driven to attach to new program by human action
 - Worm driven to attach to new host; self spreading

- Difference between virus and worms
 - Virus driven to attach to new program by human action
 - Worm driven to attach to new host; self spreading
- Different types of viruses
 - Bootstrap, Memory Resident, Encrypted, polymorphic/metamorphic

- Difference between virus and worms
 - Virus driven to attach to new program by human action
 - Worm driven to attach to new host; self spreading
- Different types of viruses
 - Bootstrap, Memory Resident, Encrypted, polymorphic/metamorphic
- Scanning for viruses
 - Look for their "signatures"

- Difference between virus and worms
 - Virus driven to attach to new program by human action
 - Worm driven to attach to new host; self spreading
- Different types of viruses
 - Bootstrap, Memory Resident, Encrypted, polymorphic/metamorphic
- Scanning for viruses
 - Look for their "signatures"
- Detection mechanisms
 - Integrity check and Behavior detection

Open Office Hours