

GlassBench cached-particle observable semantics

Cached particle coordinates are real data, but official displacement observables still require initial reference positions.

target	semantics stage	audit values
KA2D T=0.23 tc05	cached coordinate proxy ready initial reference	official MSD=0.003511; raw rel err=9.51e+04; spread rel err=0.469; init ref=0; event clock=0
KA2D T=0.23 tc10	cached coordinate proxy ready initial reference	official MSD=0.01969; raw rel err=1.7e+04; spread rel err=0.598; init ref=0; event clock=0
KA2D T=0.23 tc15	cached coordinate proxy ready initial reference	official MSD=0.02097; raw rel err=1.59e+04; spread rel err=0.545; init ref=0; event clock=0
KA2D T=0.23 tc20	cached coordinate proxy ready initial reference	official MSD=0.02317; raw rel err=1.44e+04; spread rel err=0.535; init ref=0; event clock=0
KA2D T=0.23 tc25	cached coordinate proxy ready initial reference	official MSD=0.02253; raw rel err=1.48e+04; spread rel err=0.511; init ref=0; event clock=0
KA2D T=0.23 tc30	cached coordinate proxy ready initial reference	official MSD=0.02653; raw rel err=1.26e+04; spread rel err=0.457; init ref=0; event clock=0
KA2D T=0.23 tc35	cached coordinate proxy ready initial reference	official MSD=0.09669; raw rel err=3.46e+03; spread rel err=0.214; init ref=0; event clock=0
KA2D T=0.23 tc40	cached coordinate proxy ready initial reference	official MSD=0.9748; raw rel err=343; spread rel err=0.0883; init ref=0; event clock=0
KA2D T=0.30 tc01	cached coordinate proxy ready initial reference	official MSD=0.005022; raw rel err=3.6e+04; spread rel err=81.8; init ref=0; event clock=0

The audit prevents coordinate-cache readiness from being promoted to displacement-observable or event-clock readiness.