

Observable falsification matrix

Benchmark observables are mapped to the diagnostic protocols they can structurally or quantitatively falsify.

kob_andersen_van_hove_1995	cov 1.00 block none	cov 0.25 block self_interme	cov 0.17 block tau_alpha	cov 0.33 block temperature_	cov 0.25 block tau_alpha
kob_andersen_intermediate_scatteri	cov 0.25 block van_hove_tai	cov 1.00 block none	cov 0.17 block diffusion	cov 0.33 block temperature_	cov 0.25 block chi4_peak
hedges_persistence_exchange_2007	cov 0.00 block time_grid	cov 0.25 block time_grid	cov 0.50 block diffusion	cov 0.33 block temperature_	cov 0.25 block chi4_peak
weeks_weitz_cage_2002	cov 0.00 block time_grid	cov 0.00 block time_grid	cov 0.00 block diffusion	cov 0.00 block temperature_	cov 0.00 block tau_alpha
lacevic_four_point_2003	cov 0.00 block time_grid	cov 0.25 block time_grid	cov 0.33 block diffusion	cov 0.33 block temperature_	cov 0.75 block diffusion
guan_granick_fickian_ngp_2014	cov 0.75 block diffusion	cov 0.25 block self_interme	cov 0.00 block diffusion	cov 0.00 block temperature_	cov 0.00 block tau_alpha

green: quantitative ready; blue: all observables but no machine-readable uncertainties; yellow/red: blocked by missing observables