

GlassBench tc50 late-recovery decision power plan

The preregistered tc50 outcome matrix is converted into member-count requirements for two-sigma mechanism decisions.

target/scenario	decision-power stage	member and uncertainty requirement
KA2D T=0.23 s=151 tc50 low late ngp gaussian recovery	decision power sufficient	members 8->8 (+0); multiplier=1; sigma 0.0015->0.0015 blocker=none; next=record tc50 observation and apply preregistered verdict
KA2D T=0.23 s=151 tc50 high late ngp or missing recovery	decision power sufficient	members 8->8 (+0); multiplier=1; sigma 0.003->0.003 blocker=none; next=record tc50 observation and apply preregistered verdict
KA2D T=0.23 s=151 tc50 wide uncertainty requires more data	late ngp power extension required	members 8->128 (+120); multiplier=16; sigma 0.01->0.0025 blocker=late_ngp_uncertainty; next=increase tc50 member count or reduce late ngp uncertain
KA2D T=0.30 s=3 none low late ngp gaussian recovery	decision power sufficient	members 8->8 (+0); multiplier=1; sigma 0.0015->0.019 blocker=none; next=record tc50 observation and apply preregistered verdict
KA2D T=0.30 s=3 none high late ngp or missing recovery	mean value requires model rejection not	members 8->8 (+0); multiplier=0; sigma 0.003->0 blocker=late_ngp_mean; next=apply rejection path if late recovery measurement confi
KA2D T=0.30 s=3 none wide uncertainty requires more data	late ngp power extension required	members 8->128 (+120); multiplier=16; sigma 0.01->0.0025 blocker=late_ngp_uncertainty; next=increase tc50 member count or reduce late ngp uncertain
KA2D T=0.30 s=none none low late ngp gaussian recovery	decision power sufficient	members 8->8 (+0); multiplier=1; sigma 0.0015->0.019 blocker=none; next=record tc50 observation and apply preregistered verdict
KA2D T=0.30 s=none none high late ngp or missing recovery	mean value requires model rejection not	members 8->8 (+0); multiplier=0; sigma 0.003->0 blocker=late_ngp_mean; next=apply rejection path if late recovery measurement confi
KA2D T=0.30 s=none none wide uncertainty requires more data	late ngp power extension required	members 8->128 (+120); multiplier=16; sigma 0.01->0.0025 blocker=late_ngp_uncertainty; next=increase tc50 member count or reduce late ngp uncertain

Wide-error late data remain non-decisive until member or uncertainty requirements are met; thermodynamic claims remain out of scope.