

GlassBench public time-code ceiling

The tc50 late-recovery target is compared with published GlassBench time-code semantics before claiming reanalysis feasibility.

target	public ceiling stage	published time-code support
KA2D T=0.23	late recovery beyond public timecode ceiling	structure=151; target=tc50; public max=tc40; structure max=tc40; published=0 target lag=1.66e+08; public max lag=1.5e+06; target/public=111 public codes=tc05;tc10;tc15;tc20;tc25;tc30;tc35;tc40 blocker=public_glassbench_timecode_ceiling; next=obtain_new_glassbench_export_or_trajectory_beyon
KA2D T=0.30	late recovery timecode target incomplete	structure=3; target=none; public max=tc01; structure max=tc01; published=0 target lag=0; public max lag=0.11; target/public=0 public codes=tc01 blocker=late_recovery_timecode_target; next=complete_late_recovery_timecode_target
KA2D T=0.30	late recovery timecode target incomplete	structure=none; target=none; public max=tc01; structure max=none; published=0 target lag=0; public max lag=0.11; target/public=0 public codes=tc01 blocker=late_recovery_timecode_target; next=complete_late_recovery_timecode_target

For KA2D T=0.23, public GlassBench time-code semantics stop at tc40; the required late-recovery target is tc50.