

Seed-entropy sweeps since July 2026

\$119,773,889

7 waves · Jul 30 – Aug 3 UTC



AUG 3
Likely Wave 4 · Aug 3
+443.34 BTC
\$28,292,629

\$91,246,200
\$63,817/BTC

of 1,436.62417755 BTC consolidated

Reported consolidation has left the holding addresses

0.47797906 BTC from Hop 2 from Hop 1 from Wave 4 park

About 1,876.83359078 BTC drained across tracked clusters. Galaxy's same-operator total is 1,367.05 BTC across 4,585 addresses. 1,436.62417755 BTC is in watched holdings. The remaining ~440.20941323 BTC is mostly unwatched Wave 4 destinations (sparse still-held sample), plus smaller/unmatched Wave 3 vaults and fees. Community waves (evening, morning, early Aug 2, Wave 4) may be different operators.

Four consolidation holdings. Multi-path key-scan signature (BIP-84/49/44).

Label	Address	Balance	Report	UTXOs	Status
Holding 1	bc1qq85v2c...3fcu9r	562.02040782 BTC \$35,866,456	562.02021083 BTC	21	HELD

LABEL	ADDRESS	BALANCE	REPORT	UTXOS	STATUS
Holding 2	bc1qx76cae...htfhe3	398.47576357 BTC \$25,429,528	398.47575357 BTC	3	HELD
Holding 3	bc1q8jy96f...kwt3q	89.6232889 BTC \$5,719,489	89.6232789 BTC	2	HELD
Holding 4	bc1qnk4zh9...8fecp0	32.45058754 BTC \$2,070,899	32.4505632 BTC	163	HELD
Unmoved collector remainder					

GALAXY WAVE 2 · JULY 31 Source Two fee bands into a watched vault plus an unmoved collector. SCOPE 76.16 BTC · 1,478 addresses BLOCKS 960,345–960,369 FEE 50 and 10 sat/vB					
LABEL	ADDRESS	BALANCE	REPORT	UTXOS	STATUS
Wave 2 vault	bc1qtfrwa4...numu75	45.90252994 BTC \$2,929,362	45.90251994 BTC	2	HELD
Consolidated from 1,216 sweeps (via bc1qsjrf5ze...)					
Wave 2 collector	bc1qmd5m5k...9n8jp6	30.18477329 BTC \$1,926,302	30.18476329 BTC	94	HELD
Unmoved collector from 93 sweeps at ~10 sat/vB					

GALAXY WAVE 3 · JUL 31–AUG 1 · 78 vaults Source Not Galaxy’s published list — fingerprint-matched + RNG chain map, then ≥ 0.5 BTC only. SCOPE 208.24 BTC · ~1,912 addresses BLOCKS 960,396–960,471 FEE 180–220 sat/vB WATCHED 78 P2WSH · 184.97366201 BTC PATTERN park → P2WSH Galaxy ~293 vaults / ~207.73 BTC Galaxy: ~200 sat/vB ≥ 0.50 BTC each RNG map cross-check					
LABEL	ADDRESS	BALANCE	REPORT	UTXOS	STATUS
Wave 3 vault 1	bc1qn3uy9j...q5951d	20.49703196 BTC \$1,308,059	20.49703196 BTC	1	HELD
Wave 3 vault 2	bc1qu5dgcw...fmaygs	15.47824995 BTC \$987,775	15.47824995 BTC	1	HELD
Wave 3 vault 3	bc1qt7ktwf...pfsewn	12.26829462 BTC \$782,926	12.26829462 BTC	1	HELD
Wave 3 vault 4	bc1qh0kkrn...m96ruj	9.74151747 BTC \$621,674	9.74151747 BTC	1	HELD
Wave 3 vault 5	bc1qajca7e...d23qsa	6.88509195 BTC \$439,386	6.88509195 BTC	1	HELD
Wave 3 vault 6	bc1qysjc4j...pkkx7h	5.39098601 BTC \$344,037	5.39098601 BTC	1	HELD

EVENING WAVE · JULY 31 Source Distinct from Galaxy Wave 2. Ocean miner peel later met stolen hops at the same P2SH service hub (same exit venue, not proof of same operator); Ocean sats not counted as stolen. SCOPE 1.20115791 BTC watched FEE ~1–2 sat/vB emptied Aug 1–2					
AUG 2–3 CASH-OUT · THREE RAILS BTC · ~0.69 Aug 1 hop vault → 3KMmeqPe... hub · likely custodial/swap deposit — hops already mixed out; stolen BTC effectively gone from watchable stack ETH · ~11.7 Evening vault → THOR → 0x6A08... → 0xC61F... → vanity hops → KuCoin 17 · emptied Aug 2 20:29 UTC (~11.70 ETH); consolidated with ~11.08 ETH from a parallel stack into a 23 ETH deposit; also funded via Orbiter Bridge 3 peels BTC · ~0.27 Evening vault → bc1qdt6c... → bc1qs86u... consol. → KuCoin 3286x... · KuCoin 3JEQ... · emptied Aug 3 01:22 UTC; ~0.27 mixed into a 1.54 BTC multi-input stack (block 960800), then peeled to two KuCoin deposits (~0.70 + ~0.84)					
LABEL	ADDRESS	BALANCE	REPORT	UTXOS	STATUS
Evening vault	bc1q7rmsw0...lrrcgf	0.00 BTC \$0	0.50980268 BTC	0	EMPTIED
Jul 31 consolidation (~0.51 BTC). Emptied Aug 2–3 (ETH + BTC rails above).					
Aug 1 hop vault	bc1qayw8nr...7w2u0s	0.00 BTC \$0	0.69135523 BTC	0	EMPTIED
0.4998 + 0.1915 BTC stack. Emptied Aug 2 (BTC rail above). Ocean peel also met at the hub (not in report balance).					

To [bc1qx7pu...xevf](#), [bc1qspw0...vy3w](#), [bc1q728v...gedk](#) +12 more

HOP 1

15d1287d...e9bdf0

From Hop 1 from Wave 4 park [bc1qa2xv...c3y9](#)

To [bc1qq0j5...vfz9](#), [bc1qhcpk...c3t1](#), [38maz2s8...erUH](#) +13 more

-0.50633044 BTC

Block 960,822

23a84f33...bc709c

From Wave 4 park 1N8knQCf...qfDo

To Coinbase Prime Custody [bc1qdj58...60ms](#), [bc1qa2xv...c3y9](#)

-2.81971503 BTC

Block 960,818

HOP 2

24ed08ad...a7f583

From Hop 2 from Hop 1 from Wave 4 park [bc1qhfdz...3wex](#)

To P2WPKH service hub [bc1qactq...80gh](#), [bc1qm26v...3q52](#), [bc1qemas...ahmt](#) +27 more

-4.27762101 BTC

Block 960,797

Am I at risk?

Short checklist from Coinkite’s Aug 1 advisory, Block’s root-cause writeup, WizardSardine’s analysis, and Nunchuk’s multisig migration guidance. This tracker does not check your wallet — follow the official steps before moving funds.

LIKELY EXPOSED

Your seed is likely exposed if it was generated on vulnerable firmware. Fixed releases and later are safe for new seeds.

DEVICE	VULNERABLE	FIXED
Mk3	4.0.1–4.1.9, 5.0.1–5.0.3 (~40-bit)	4.2.0+
Mk4 / Mk5	Before Aug 1 patch (~72-bit)	5.6.0+
Q	Before Aug 1 patch (~72-bit)	1.5.0Q+
Edge (Mk4 / Mk5)	Before Aug 1 patch	6.6.0X+
Edge (Q)	Before Aug 1 patch	6.6.0QX+

FIRMWARE UPDATE IS NOT ENOUGH

Patching does not repair an existing seed. Generate a new seed on fixed firmware and migrate funds carefully.

MIGRATE BEFORE YOU UPGRADE

If this Coldcard is your only signer for a weak seed, move funds first. Community reports (including [Jameson Lopp](#)) flag a non-zero chance the hotfix upgrade bricks the unit; an open [firmware PR](#) argues a sticky TRNG fault after the hotfix can lock the keypad before login. Prefer sweeping to a new seed on a second fixed device when possible.

MULTISIG URGENCY & SLIPSTREAM

If Coldcard-generated keys alone could meet your signing threshold (e.g. 2-of-3 with two Coldcard keys), migrate now — those wallets can be swept. One Coldcard key below threshold is lower urgency but still migrate. Broadcasting a migration to the public mempool opens a brief RBF-sniping window while weak keys remain spendable; [Nunchuk](#) recommends submitting the signed hex via [MARA Slipstream](#) instead (now public, no code). That keeps the tx out of the public mempool but trusts MARA and can confirm slower (~5–6% hashrate). No multisig sweeps reported yet.

ORIGIN OF THE SEED

Exposure follows where the seed was generated, not the device holding it today. Seeds imported elsewhere, or whose origin you cannot establish, should be treated as affected.

BEYOND THE MAIN SEED

Weak RNG also hit paper-wallet keys, clone / Key Teleport material, and some Secure Notes passwords — even when the BIP-39 seed itself came from dice (WizardSardine / Block).

LOWER RISK

At least 50 private dice rolls at seed creation. A long truly random BIP-39 passphrase (not the device PIN) may buy time, but weak passphrases are not enough — [BTC Sessions](#) reported a confirmed Mk3 drain with a two-word passphrase. Still migrate when practical.

NOT THIS BUG

TAPSIGNER, Opendime, and Satscard use different codebases and are not affected. Mk1 and pre-4.0.1 Mk2/Mk3 firmware used the real TRNG.

SOURCES

Galaxy Research · Wave 3

Aug 1: third wave (~207.73 BTC into 293 P2WSH vaults). Observed total 1,367.05 BTC across 4,585 addresses.

Galaxy Research · Wave 2

Aug 1: second wave attributed to the same operator — 1,158.81 BTC / 2,673 addresses across seven holdings.

Galaxy Research · Wave 1

Mapped the July 30 fingerprint set: 1,082.65 BTC across ~1,195 addresses into four holdings.

Kevin Kelbie

Independently flagged the ~45.9 BTC July 31 vault (now Galaxy Wave 2) after Block’s scan window; RBF differed from Wave 1.

Evan Schoenberg

Evening July 31 low-fee (~2 sat/vB) sweeps into a separate vault; Aug 1 hop consolidation (incl. delayed ~0.19 BTC) raised the watched cluster to ~1.20 BTC.

Ocean block 960511

Coinbase of block 960511 (tag OCEAN.XYZ) paid ~0.060 BTC that later touched the Aug 1 hop vault and was peeled off (not counted as stolen). That peel later hit the same P2SH service hub ([3KMmeqPe...](#)) as the stolen evening-wave hops — same exit venue, not proof of same operator.

Tomer Strolight

Aug 1 morning wave: duress-wallet honey pot swept into a ~0.33 BTC vault; Mk4 attribution later corrected to Mk3-origin seed.

Alex Thorn · Likely Wave 4

Aug 3: likely 4th wave by pattern match (no victim report yet). Filtered core ~443.34 BTC / 703 addrs after removing 89 multisigs (~20.58 BTC, per Nunchuk) and 6 prior-history destinations (~5.39 BTC). Original pastebins still list the unfiltered set.

Marius Offchain

Early Aug 2 consolidation (04:03 UTC): ~65 BTC from ~795 addresses into one vault (community Mk2 drain report); not a Galaxy-published wave.

Erik

Mk3 testing-device victim (~9k sats, native segwit) swept in the Early Aug 2 consolidation — same tx / vault as the Marius report.

Coinkite advisory

Official guidance (updated Aug 1): who is exposed, fixed firmware versions, and migration steps.

Block Engineering

Root-cause writeup on the RNG fallback, 32-bit reseed, and blast radius beyond BIP-39 seeds.

WizardSardine

Aug 1 deep dive: who is affected (including Mk3 5.0.x), advanced features still broken with dice seeds, and migration guidance.

Nunchuk · Slipstream migration

Aug 3: multisig urgency tiers (Coldcard keys alone vs below threshold) and MARA Slipstream to avoid RBF-sniping during migration; Slipstream now public with no code.

Kevin Loaec

Announcement thread for the WizardSardine writeup.

CoinDesk

Aug 1 reporting on Galaxy's expanded totals and why further waves remain possible.

Clay Garrett

July 30 operator used a paid blockchain-data account during the sweeps; findings shared with authorities.

Not affiliated with Coinkite or Coldcard.