

Coldcard Hack Tracker

Seed-entropy sweeps since July 2026

TOTAL STOLEN

1,923.80748125 BTC

\$123,650,802

Known waves only · total most likely higher

8 waves · Jul 30 – Aug 3 UTC



JUL 30
Galaxy Wave 1 · July 30

+1,082.65 BTC

\$69,586,246

JUL 31
Galaxy Wave 3 · Jul 31–Aug 1

+208.24 BTC

\$13,384,418

AUG 1
Morning wave · Aug 1

+0.33295323 BTC

\$21,400

AUG 1
P2TR wave · Aug 1–3

+46.97389047 BTC

\$3,019,200

JUL 31
Galaxy Wave 2 · July 31

+76.16 BTC

\$4,895,108

JUL 31
Evening wave · July 31

+1.20115791 BTC

\$77,203

AUG 2
Early Aug 2 consolidation

+64.90947964 BTC

\$4,171,992

AUG 3
Likely Wave 4 · Aug 3

+443.34 BTC

\$28,495,235

BALANCE ON WATCH

1,367.16813792 BTC

\$87,873,365

\$64,274/BTC

STILL HELD

92.0%

of 1,485.7757442 BTC consolidated

MOVED

118.60760628 BTC

Reported consolidation has left the holding addresses

LAST MOVEMENT

Block 961,368

30.18476329 BTC from Wave 2 collector

Watched holdings

About 1,923.80748125 BTC drained across known waves. Galaxy’s Waves 1–3 same-operator total is 1,367.05 BTC across 4,585 addresses; their Aug 3 high-confidence headline is 1,596.00 BTC across ~7,300 addresses (Waves 1–3 + owner-confirmed footprints), or up to ~2,055.00 BTC if candidate Wave 4 is included. 1,485.7757442 BTC is in watched holdings. The remaining ~438.03173705 BTC is mostly unwatched Wave 4 destinations (sparse still-held sample), plus smaller/unmatched Wave 3 vaults, untracked lettered footprints, and fees. Community waves (evening, morning, early Aug 2, P2TR, Wave 4) may be different operators — Galaxy now estimates ≥15 attackers.

GALAXY WAVE 1 · JULY 30 [Source](#)

Four consolidation holdings. Multi-path key-scan signature (BIP-84/49/44).

SCOPE	BLOCKS	FEE	WINDOW	PATHS
1,082.65 BTC · 1,196 addresses	960,183–960,191	30 sat/vB · no change 30–75× median that week	July 30, 2026 01:10:20 – 01:51:26 UTC	1,183 BIP-84 7 BIP-49 · 6 BIP-44

LABEL	ADDRESS	BALANCE	REPORT	UTXOS	STATUS
Aug 1 hop vault 0.4998 + 0.1915 BTC stack. Emptied Aug 2 (BTC rail above). Ocean peel also met at the hub (not in report balance).	bc1qayw8nr...7w2u0s	0.00 BTC \$0	0.69135523 BTC	0	EMPTIED

MORNING WAVE · AUG 1 Source Honey-pot / duress-wallet report. Mk4 claim later withdrawn — seed was Mk3-origin.					
SCOPE	BLOCKS	FEE	PATTERN		
0.33295323 BTC	960,518–960,523	~15–50 sat/vB	direct victim → vault		
LABEL	ADDRESS	BALANCE	REPORT	UTXOS	STATUS
Aug 1 vault	bc1qzm5pau...v34mf3	0.33203236 BTC \$21,341	0.33203236 BTC	16	HELD

EARLY AUG 2 CONSOLIDATION Source Distinct fee/structure from Galaxy Waves 1–3. Community Mk2 drain report plus a Mk3 testing-device victim in the same consolidation; sampled inputs long-dormant and funded after the March 2021 vuln window. Chainabuse victim lands in the same vault/tx (block 960668). Likely one of Galaxy’s lettered footprints.					
SCOPE	BLOCKS	FEE	WINDOW	PATTERN	
64.90947964 BTC · 902 inputs 795 addresses	960,668	~9 sat/vB	04:03 UTC Aug 2	multi-path → one P2WPKH	
AUG 4–5 MIX · WASABI-STYLE CASCADE					
1 · Empty	Aug 2 vault → Taproot hop · ~64.90 BTC · blk 961065 · ~5 sat/vB · e3274a1b...2b3ddf				
2 · CJ1	residual ~54.32 @ bc1qajcrhj...vp2d3t · plus 20× ~1.2914 · blk 961069 · ~2 sat/vB · 324 → 382 · f3ee6e61...c37b24				
3 · CJ2	residual ~47.12 @ bc1qq6s7ws...4jy2fr · equal denoms · blk 961082 · ~2 sat/vB · 320 → 374 · 3bdac8ed...cdf935				
4 · CJ3	residual ends · 7× ~7.7484 (anonymity set) · 2 still live: bc1qf35ycf...puad8k , bc1qs3lj4x...y9v9ze · also 2× ~3.8742 · blk 961093 · ~1 sat/vB · 454 → 502 · 80f11c77...8cbf90				
5 · Remix	other large outs remixed in further CJs (blks 961102–961160) · some equal-denom peels (anonymity set — not proven same operator) hit Hyperunit ; no labeled CEX on the unique-residual path. Still watching 2× ~7.75 + unique ~3.40 residual				
LABEL	ADDRESS	BALANCE	REPORT	UTXOS	STATUS
Aug 2 vault Emptied Aug 4 → Taproot hop → Wasabi CJ cascade (trail above).	bc1q0rvn88...jf5q6m	0.00 BTC \$0	64.90373764 BTC	0	EMPTIED

P2TR WAVE · AUG 1–3 Source Distinct from Wave 4: ~5 sat/vB (later also 25/40) 1-vout multi-path sweeps into Taproot consolidations. Small vault corroborated by a Chainabuse Coldcard-hack victim report; larger sibling/hop verified on-chain with the same fingerprint. Watched set is Kelbie’s published sample, not every P2TR sink.					
SCOPE	BLOCKS	FEE	PATTERN		
46.97389047 BTC watched 3 Kelbie P2TR sinks	960,624–960,897	~5 sat/vB later also ~25–40	1-vout → P2TR		
LABEL	ADDRESS	BALANCE	REPORT	UTXOS	STATUS
P2TR vault Chainabuse victim · 62× ~5 sat/vB sweeps (blocks 960737–960750).	bc1pum5zf6...8ftmy8	0.50992489 BTC \$32,775	0.50992489 BTC	62	HELD
P2TR hop vault Consolidate from emptied collector bc1ptd5x... (101 inputs @ block 960736).	bc1pd133jt...luu9ce	36.01585057 BTC \$2,314,883	36.01585057 BTC	1	HELD
P2TR vault Later sibling: fees mostly ~5 sat/vB with 25/40 bands (blocks 960773–960897). Emptied Aug 4 — trail below. ETH side (@osint_based): ~205 ETH via THORChain into 0x41B752... → 200 ETH Tornado (2×100); BTC → THOR hop soft (commingled hubs). ~4.44 BTC still on Taproot park bc1prjnv...	bc1p0l0xs2...6qlk0h	0.00000872 BTC \$1	10.44811501 BTC	2	PARTIAL
AUG 4 CASH-OUT · LATER P2TR VAULT (~10.45)					
~0.01 → OP_RETURN messenger hub · 961019 · 780ea043...cf0326					
~1.00 → OP_RETURN messenger hub · 961021 · 064eb61d...7ddd4f					
~2.00 → OP_RETURN messenger hub · 961026 · 1a454301...c772c2					
~1.00 → OP_RETURN messenger hub · 961032 · 2c7075a3...5012cc					
~2.00 → OP_RETURN messenger hub · 961037 · 92718385...cac6b9					
~4.44 → Taproot park (still held) · 961048 · d969fd1c...7e16ef					
Then via hop hubs (commingled) → Binance					
~5.33 → Binance deposit · 961034 · 8 peels from bc1q2nfx... (commingled hub) · 0c60a619...5b6850					
~2.43 → Binance deposit · 961046 · from bc1q2nfx... change chain · 57a9d5f2...7c90bc					
~1.81 → Binance deposit · 961046 · includes vault UTXO taint via prior consolidate · 1c09bf59...af961f					
~5.33 → Binance hot · 961043 · 1319Za... sweep · e8c70a9d...15ce29					
Parallel ETH rail (@osint_based) · Aug 4 — BTC → THOR hop soft					

LABEL	ADDRESS	BALANCE	REPORT	UTXOS	STATUS
~205 ETH → 0x41B752... (via THORChain)					
200 ETH → Tornado.Cash Router · 2×100					

LIKELY WAVE 4 · AUG 3 Source Pattern-match only (no victim report yet). Galaxy’s revised Wave 4 figure is 448.73 BTC after cutting 89 multisig destinations. We go one step further and also drop 6 destinations that already had prior on-chain history (~5.39 BTC), so our total is 443.34. Galaxy’s Aug 3 ceiling ~2,055 BTC is their high-confidence 1,596 plus this 448.73 candidate — not our stricter 443.34 cut. Watched addresses are a sparse still-held sample. SCOPE 443.34 BTC · 703 addrs BLOCKS 960,778–960,792 FEE ~1–3 sat/vB PATTERN 1:1 victim → fresh dest RBF opt-in likely only — no victim report yet
--

FULL LISTS

Confirmed addresses

Mempool / RBF list — unfiltered originals

Movement feed

Outbound spends of the reported consolidation from watched holdings, then followed destinations (up to hop 2). Stops at known exchange, bridge, and service-hub exits — later custodian churn is not listed. Surplus through a vault that still holds its reported balance, later peels through a hop after it already cashed out to a known exit, and CoinJoin-scale fan-outs are ignored.

93df0d26...4eabd4	-30.18476329 BTC
From Wave 2 collector bc1qmd5m...8jpb6	Block 961,368
To bc1qez89...dt6n	
HOP 1 24ee02cf...7d11f2	-0.00031682 BTC
From Hop 1 from Wave 4 park bc1q72k7...aamt	Block 961,090
To bc1q5511...g4q2	

HOP 2

93eeb9e7...d9fbc6

From Hop 2 from Hop 1 from Aug 2 vault bc1qs0zc...13n6

To bc1qh6me...z56m

–1.29140163 BTC

Block 961,076

e3274a1b...2b3ddf

From Aug 2 vault bc1n0trvn 5n6m

–64.90373764 BTC

Block 961 065

Am I at risk?

Short checklist from Coinkite’s Aug 1 advisory, Block’s root-cause writeup, WizardSardine’s analysis, and Nunchuk’s multisig migration guidance. This tracker does not check your wallet — follow the official steps before moving funds.

LIKELY EXPOSED

Your seed is likely exposed if it was generated on vulnerable firmware. Fixed releases and later are safe for new seeds.

DEVICE	VULNERABLE	FIXED
Mk3	4.0.1–4.1.9, 5.0.1–5.0.3 (~40-bit)	4.2.0+
Mk4 / Mk5	Before Aug 1 patch (~72-bit)	5.6.0+
Q	Before Aug 1 patch (~72-bit)	1.5.0Q+
Edge (Mk4 / Mk5)	Before Aug 1 patch	6.6.0X+
Edge (Q)	Before Aug 1 patch	6.6.0QX+

FIRMWARE UPDATE IS NOT ENOUGH

Patching does not repair an existing seed. Generate a new seed on fixed firmware and migrate funds carefully.

MIGRATE BEFORE YOU UPGRADE

If this Coldcard is your only signer for a weak seed, move funds first. Community reports (including Jameson Lopp) flag a non-zero chance the hotfix upgrade bricks the unit; an open firmware PR argues a sticky TRNG fault after the hotfix can lock the keypad before login. Prefer sweeping to a new seed on a second fixed device when possible.

MULTISIG URGENCY & SLIPSTREAM

If Coldcard-generated keys alone could meet your signing threshold (e.g. 2-of-3 with two Coldcard keys), migrate now — those wallets can be swept. One Coldcard key below threshold is lower urgency but still migrate. Broadcasting a migration to the public mempool opens a brief RBF-sniping window while weak keys remain spendable; Nunchuk recommends submitting the signed hex via MARA Slipstream instead (now public, no code). That keeps the tx out of the public mempool but trusts MARA and can confirm slower (~5–6% hashrate). No multisig sweeps reported yet.

ORIGIN OF THE SEED

Exposure follows where the seed was generated, not the device holding it today. Seeds imported elsewhere, or whose origin you cannot establish, should be treated as affected.

BEYOND THE MAIN SEED

Weak RNG also hit paper-wallet keys, clone / Key Teleport material, and some Secure Notes passwords — even when the BIP-39 seed itself came from dice (WizardSardine / Block).

LOWER RISK

At least 50 private dice rolls at seed creation. A long truly random BIP-39 passphrase (not the device PIN) may buy time, but weak passphrases are not enough — BTC Sessions reported a confirmed Mk3 drain with a two-word passphrase. CK tripwire is mapping live how far added dice/passphrase entropy currently stops sweeps (zero-entropy control swept in ~1h; low-band honeypots still live as of Aug 4). Still migrate when practical.

NOT THIS BUG

TAPSIGNER, Opendime, and Satscard use different codebases and are not affected. Mk1 and pre-4.0.1 Mk2/Mk3 firmware used the real TRNG.

SOURCES

Galaxy Research · \$100M update

Aug 3: high-confidence 1,596 BTC / ~7,300 addresses across Waves 1–3 + 14 owner-confirmed footprints; candidate Wave 4 would bring ~2,055 BTC. Multiple independent attackers. Waves 1–3 coins still unmoved.

Alex Thorn · Footprint O

Aug 4: ≥15 attackers (footprints A–O). Overnight footprint O ~12 BTC from 126 addresses from one victim report; no public address list yet.

James O'Beirne · CK tripwire

Aug 4: live honeypot scoreboard mapping attacker brute-force depth via decoys with added dice/passphrase entropy (cktripwire.com; announcement). Zero-entropy control swept in ~1h; low-band (11–13 bit) honeypots still live at launch. Defensive research only — do not add honeypot sinks to holdings.

Galaxy Research · Wave 3

Aug 1: third wave (~207.73 BTC into 293 P2WSH vaults). Observed total 1,367.05 BTC across 4,585 addresses.

Galaxy Research · Wave 2

Aug 1: second wave attributed to the same operator — 1,158.81 BTC / 2,673 addresses across seven holdings.

Galaxy Research · Wave 1

Mapped the July 30 fingerprint set: 1,082.65 BTC across ~1,195 addresses into four holdings.

Kevin Kelbie

Independently flagged the ~45.9 BTC July 31 vault (now Galaxy Wave 2) after Block’s scan window; RBF differed from Wave 1.

Kevin Kelbie · P2TR wave

Aug 3: ~0.51 BTC Chainabuse-corroborated P2TR sink plus two larger sibling Taproot consolidations (~36 + ~10 BTC) at ~5 sat/vB — distinct from Wave 4.

@osint_based · P2TR later-vault ETH rail

Aug 5: later P2TR vault cash-out — ~205 ETH via THORChain into 0x41B752... → 200 ETH Tornado Cash (2×100). Same Kelbie later vault (bc1p0l0...), not a new cluster; BTC → THOR amount/path soft through commingled hubs. ~4.44 BTC still parked on bc1prjnv....

Evan Schoenberg

Evening July 31 low-fee (~2 sat/vB) sweeps into a separate vault; Aug 1 hop consolidation (incl. delayed ~0.19 BTC) raised the watched cluster to ~1.20 BTC.

Ocean block 960511

Coinbase of block 960511 (tag OCEAN.XYZ) paid ~0.060 BTC that later touched the Aug 1 hop vault and was peeled off (not counted as stolen). That peel later hit the same P2SH service hub (**3KMmeqPe...**) as the stolen evening-wave hops — same exit venue, not proof of same operator.

Tomer Strolight

Aug 1 morning wave: duress-wallet honey pot swept into a ~0.33 BTC vault; Mk4 attribution later corrected to Mk3-origin seed.

Alex Thorn · Likely Wave 4

Aug 3: likely 4th wave by pattern match (no victim report yet). Filtered core ~443.34 BTC / 703 addrs after removing 89 multisigs (~20.58 BTC, per Nunchuk) and 6 prior-history destinations (~5.39 BTC). Original pastebins still list the unfiltered set.

Marius Offchain

Early Aug 2 consolidation (04:03 UTC): ~65 BTC from ~795 addresses into one vault (community Mk2 drain report); not a Galaxy-published wave.

Erik

Mk3 testing-device victim (~9k sats, native segwit) swept in the Early Aug 2 consolidation — same tx / vault as the Marius report.

Coinkite advisory

Official guidance (updated Aug 1): who is exposed, fixed firmware versions, and migration steps.

Block Engineering

Root-cause writeup on the RNG fallback, 32-bit reseed, and blast radius beyond BIP-39 seeds.

WizardSardine

Aug 1 deep dive: who is affected (including Mk3 5.0.x), advanced features still broken with dice seeds, and migration guidance.

Nunchuk · Slipstream migration

Aug 3: multisig urgency tiers (Coldcard keys alone vs below threshold) and MARA Slipstream to avoid RBF-sniping during migration; Slipstream now public with no code.

Kevin Loaec

Announcement thread for the WizardSardine writeup.

CoinDesk

Aug 1 reporting on Galaxy's expanded totals and why further waves remain possible.

Clay Garrett

July 30 operator used a paid blockchain-data account during the sweeps; findings shared with authorities.

Not affiliated with Coinkite or Coldcard.