LIVE CHAIN MONITOR

Alerts Blocked

# Coldcard Hack Tracker

Seed-entropy sweeps since July 2026

TOTAL STOLEN

**1,923.80748125** BTC

$124,951,296

Known waves only · total most likely higher

8 waves · Jul 30 – Aug 3 UTC

JUL 30
Galaxy Wave 1 · July 30
+1,082.65 BTC
$70,318,118

JUL 31
Galaxy Wave 2 · July 31
+76.16 BTC
$4,946,592

JUL 31
Galaxy Wave 3 · Jul 31–Aug 1
+208.24 BTC
$13,525,188

JUL 31
Evening wave · July 31
+1.20115791 BTC
$78,015

AUG 1
Morning wave · Aug 1
+0.33295323 BTC
$21,625

AUG 2
Early Aug 2 consolidation
+64.90947964 BTC
$4,215,871

AUG 1
P2TR wave · Aug 1–3
+46.97389047 BTC
$3,050,954

AUG 3
Likely Wave 4 · Aug 3
+443.34 BTC
$28,794,933

BALANCE ON WATCH

**1,367.16819448** BTC

$88,797,574

$64,950/BTC

STILL HELD

**92.0%**

of 1,485.7757442 BTC consolidated

MOVED

**118.60754972** BTC

LAST MOVEMENT

Block 961,428

Reported consolidation has left the holding addresses

0.00046352 BTC from Hop 1 from Wave 4 park

## Watched holdings

About 1,923.80748125 BTC drained across known waves. Galaxy's Waves 1–3 same-operator total is 1,367.05 BTC across 4,585 addresses; their Aug 7 high-confidence headline is 1,719.00 BTC across 8,092 addresses (Waves 1–3 + owner-confirmed footprints), or up to ~2,300.00 BTC if outstanding candidates are promoted. 1,485.7757442 BTC is in watched holdings. The remaining ~438.03173705 BTC is mostly unwatched Wave 4 destinations (sparse still-held sample), plus smaller/unmatched Wave 3 vaults, untracked lettered footprints, and fees. Community waves (evening, morning, early Aug 2, P2TR, Wave 4) may be different operators — Galaxy now tracks 25+ attack patterns.

### GALAXY WAVE 1 · JULY 30 Source

Four consolidation holdings. Multi-path key-scan signature (BIP-84/49/44).

| SCOPE | BLOCKS | FEE |
|---|---|---|
| 1,082.65 BTC · 1,196 addresses | 960,183–960,191 | 30 sat/vB · no change<br>30–75× median that week |

| WINDOW | PATHS |
|---|---|
| July 30, 2026<br>01:10:20 – 01:51:26 UTC | 1,183 BIP-84<br>7 BIP-49 · 6 BIP-44 |

| LABEL | ADDRESS | BALANCE | REPORT | UTXOS | STATUS |
|---|---|---|---|---|---|
| Holding 1 | bc1qq85v2c… 3fcu9r | 562.02132518 BTC<br>$36,503,285 | 562.02021083 BTC | 52 | HELD |
| Holding 2 | bc1qx76cae… htfhe3 | 398.47576957 BTC<br>$25,881,001 | 398.47575357 BTC | 4 | HELD |
| Holding 3 | bc1q8jy96f… kwtp3q | 89.6232989 BTC<br>$5,821,033 | 89.6232789 BTC | 3 | HELD |
| Holding 4<br>Unmoved collector remainder | bc1qnk4zh9… 8fecp0 | 32.45060313 BTC<br>$2,107,667 | 32.4505632 BTC | 164 | HELD |

### GALAXY WAVE 2 · JULY 31 Source

Two fee bands into a watched vault plus a collector; collector emptied Aug 7 into a hop still holding ~30.18 BTC.

| SCOPE | BLOCKS | FEE |
|---|---|---|
| 76.16 BTC · 1,478 addresses | 960,345–960,369 | 50 and 10 sat/vB |

| LABEL | ADDRESS | BALANCE | REPORT | UTXOS | STATUS |
|---|---|---|---|---|---|
| Wave 2 vault<br>Consolidated from 1,216 sweeps (via bc1qsjrf5ze…). Chainabuse victim on that sweep sink. | bc1qtfrwa4… numu75 | 45.90254994 BTC<br>$2,981,371 | 45.90251994 BTC | 4 | HELD |

| LABEL | ADDRESS | BALANCE | REPORT | UTXOS | STATUS |
|---|---|---|---|---|---|
| **Wave 2 collector**<br>Collector from 93 sweeps at ~10 sat/vB. Emptied Aug 7 (block 961368, ~2.4 sat/vB): 93-input consolidate → **bc1qez89…** still holding ~30.18 BTC (**93df0d26… abd4**). Dust leftover (~0.00002 BTC). **Chainabuse victim**. | bc1qmd5m5k… 9n8jp6 | 0.00002 BTC<br>$1 | 30.18476329 BTC | 2 | PARTIAL |

**GALAXY WAVE 3 · JUL 31–AUG 1** · 78 vaults **Source**

Not Galaxy's published list — fingerprint-matched + RNG chain map, then ≥ 0.5 BTC only.

| SCOPE | BLOCKS | FEE |
|---|---|---|
| 208.24 BTC · ~1,912 addresses | 960,396–960,471 | 180–220 sat/vB |
| Galaxy ~293 vaults / ~207.73 BTC | | Galaxy: ~200 sat/vB |

| WATCHED | PATTERN |
|---|---|
| 78 P2WSH · 184.97366201 BTC | park → P2WSH |
| ≥ 0.50 BTC each | RNG map cross-check |

| LABEL | ADDRESS | BALANCE | REPORT | UTXOS | STATUS |
|---|---|---|---|---|---|
| **Wave 3 vault 1** | bc1qn3uy9j… q595ld | 20.49703196 BTC<br>$1,331,282 | 20.49703196 BTC | 1 | HELD |
| **Wave 3 vault 2** | bc1qu5dgcw… fmaygs | 15.47824995 BTC<br>$1,005,312 | 15.47824995 BTC | 1 | HELD |
| **Wave 3 vault 3** | bc1qt7ktwf… pfsewn | 12.26829462 BTC<br>$796,826 | 12.26829462 BTC | 1 | HELD |
| **Wave 3 vault 4** | bc1qh0kkrn… m96ruj | 9.74151747 BTC<br>$632,712 | 9.74151747 BTC | 1 | HELD |
| **Wave 3 vault 5** | bc1qajca7e… d23qsa | 6.88509195 BTC<br>$447,187 | 6.88509195 BTC | 1 | HELD |
| **Wave 3 vault 6**<br>**Chainabuse victim** · ~5.39 BTC Mk3 drain (park … this | bc1qysjc4j… pkkx7h | 5.39098601 BTC<br>$350,145 | 5.39098601 BTC | 1 | HELD |

**EVENING WAVE · JULY 31** **Source**

Distinct from Galaxy Wave 2. Ocean miner peel later met stolen hops at the same P2SH service hub (same exit venue, not proof of same operator); Ocean sats not counted as stolen.

| SCOPE | FEE |
|---|---|
| 1.20115791 BTC watched | ~1–2 sat/vB |
| emptied Aug 1–2 | |

**AUG 2–3 CASH-OUT · THREE RAILS**

**BTC · ~0.69** Aug 1 hop vault → 3KMmeqPe… hub · likely custodial/swap deposit — hops already mixed out; stolen BTC effectively gone from watchable stack

**ETH · ~11.7** Evening vault → THOR → 0x6A08… → 0xC61F… → vanity hops → KuCoin 17 · emptied Aug 2 20:29 UTC (~11.70 ETH); consolidated with ~11.08 ETH from a parallel stack into a 23 ETH deposit; also funded via Orbiter Bridge 3 peels

**BTC · ~0.27** Evening vault → bc1qdt6c… → bc1qs86u… consol. → KuCoin 328Gx… · KuCoin 3JEQ… · emptied Aug 3 01:22 UTC; ~0.27 mixed into a 1.54 BTC multi-input stack (block 960800), then peeled to two KuCoin deposits (~0.70 + ~0.84)

| LABEL | ADDRESS | BALANCE | REPORT | UTXOS | STATUS |
|---|---|---|---|---|---|
| **Evening vault**<br>Jul 31 consolidation (~0.51 BTC). Emptied Aug 2–3 (ETH + BTC rails above). Chainabuse victim. | bc1q7rmsw0…lrrcgf | 0.00 BTC<br>$0 | 0.50980268 BTC | 0 | EMPTIED |
| **Aug 1 hop vault**<br>0.4998 + 0.1915 BTC stack. Emptied Aug 2 (BTC rail above). Ocean peel also met at the hub (not in report balance). | bc1qayw8nr…7w2u0s | 0.00 BTC<br>$0 | 0.69135523 BTC | 0 | EMPTIED |

## MORNING WAVE · AUG 1 Source

Honey-pot / duress-wallet report. Mk4 claim later withdrawn — seed was Mk3-origin.

| SCOPE | BLOCKS | FEE | PATTERN |
|---|---|---|---|
| 0.33295323 BTC | 960,518–960,523 | ~15–50 sat/vB | direct victim → vault |

| LABEL | ADDRESS | BALANCE | REPORT | UTXOS | STATUS |
|---|---|---|---|---|---|
| **Aug 1 vault** | bc1qzm5pau…v34mf3 | 0.33203236 BTC<br>$21,566 | 0.33203236 BTC | 16 | HELD |

## EARLY AUG 2 CONSOLIDATION Source

Distinct fee/structure from Galaxy Waves 1–3. Community Mk2 drain report plus a Mk3 testing-device victim in the same consolidation; sampled inputs long-dormant and funded after the March 2021 vuln window. Chainabuse victim lands in the same vault/tx (block 960668). Likely one of Galaxy's lettered footprints.

| SCOPE | BLOCKS | FEE | WINDOW |
|---|---|---|---|
| 64.90947964 BTC · 902 inputs<br>795 addresses | 960,668 | ~9 sat/vB | 04:03 UTC Aug 2 |

PATTERN
multi-path → one P2WPKH

### AUG 4–5 MIX · WASABI-STYLE CASCADE

**1 · Empty** Aug 2 vault → Taproot hop · ~64.90 BTC · blk 961065 · ~5 sat/vB · e3274a1b…2b3ddf

**2 · CJ1** residual ~54.32 @ bc1qajcrhj…vp2d3t · plus 20× ~1.2914 · blk 961069 · ~2 sat/vB · 324→382 · f3ee6e61…c37b24

**3 · CJ2** residual ~47.12 @ bc1qq6s7ws…4jy2fr · equal denoms · blk 961082 · ~2 sat/vB · 320→374 · 3bdac8ed…cdf935

**4 · CJ3** residual ends · 7× ~7.7484 (anonymity set) · 2 still live: bc1qf35ycf…puad8k, bc1qs3lj4x…y9v9ze · also 2× ~3.8742 · blk 961093 · ~1 sat/vB · 454→502 · 80f11c77…8cbf90

**5 · Remix** other large outs remixed in further CJs (blks 961102–961160) · some equal-denom peels (anonymity set — not proven same operator) hit **Hyperunit**; no labeled CEX on the unique-residual path. Still watching 2× ~7.75 + unique ~3.40 residual

| LABEL | ADDRESS | BALANCE | REPORT | UTXOS | STATUS |
|---|---|---|---|---|---|
| **Aug 2 vault**<br>Emptied Aug 4 → Taproot hop → Wasabi CJ cascade (trail above). | bc1q0rvn88…<br>jf5q6m | 0.00 BTC<br>$0 | 64.90373764 BTC | 0 | EMPTIED |

## P2TR WAVE · AUG 1–3 Source

Distinct from Wave 4: ~5 sat/vB (later also 25/40) 1-vout multi-path sweeps into Taproot consolidations. Small vault corroborated by a Chainabuse Coldcard-hack victim report; larger sibling/hop verified on-chain with the same fingerprint. Watched set is Kelbie's published sample, not every P2TR sink.

| SCOPE | BLOCKS | FEE | PATTERN |
|---|---|---|---|
| 46.97389047 BTC watched<br>3 Kelbie P2TR sinks | 960,624–960,897 | ~5 sat/vB<br>later also ~25–40 | 1-vout → P2TR |

| LABEL | ADDRESS | BALANCE | REPORT | UTXOS | STATUS |
|---|---|---|---|---|---|
| **P2TR vault**<br>Chainabuse victim · 62× ~5 sat/vB sweeps (blocks 960737–960750). | bc1pum5zf6…<br>8ftmy8 | 0.50992489 BTC<br>$33,120 | 0.50992489 BTC | 62 | HELD |
| **P2TR hop vault**<br>Consolidate from emptied collector **bc1ptd5x…** (101 inputs @ block 960736). | bc1pdl33jt…<br>luu9ce | 36.01585057 BTC<br>$2,339,229 | 36.01585057 BTC | 1 | HELD |
| **P2TR vault**<br>Later sibling; fees mostly ~5 sat/vB with 25/40 bands (blocks 960773–960897). Emptied Aug 4 — trail below. ETH side (**@osint_based**): ~205 ETH via THORChain into **0x41B752…** → 200 ETH Tornado (2×100); BTC→THOR hop soft (commingled hubs). ~4.44 BTC still on Taproot park **bc1prjnv…**. | bc1p0l0xs2…<br>6qlk0h | 0.00000872 BTC<br>$1 | 10.44811501 BTC | 2 | PARTIAL |

**AUG 4 CASH-OUT · LATER P2TR VAULT (~10.45)**

**~0.01** → OP_RETURN messenger hub · 961019 · **780ea043…cf0326**

**~1.00** → OP_RETURN messenger hub · 961021 · **064eb61d…7ddd4f**

**~2.00** → OP_RETURN messenger hub · 961026 · **1a454301…c772c2**

| LABEL | ADDRESS | BALANCE | REPORT | UTXOS | STATUS |
|---|---|---|---|---|---|

**~1.00** → OP_RETURN messenger hub · 961032 · 2c7075a3…5012cc

**~2.00** → OP_RETURN messenger hub · 961037 · 92718385…cac6b9

**~4.44** → Taproot park (still held) · 961048 · d969fd1c…7e16ef

Then via hop hubs (commingled) → Binance

**~5.33** → Binance deposit · 961034 · 8 peels from bc1q2nfx… (commingled hub) · 0c60a619…5b6850

**~2.43** → Binance deposit · 961046 · from bc1q2nfx… change chain · 57a9d5f2…7c90bc

**~1.81** → Binance deposit · 961046 · includes vault UTXO taint via prior consolidate · 1c09bf59…af961f

**~5.33** → Binance hot · 961043 · 13i9Za… sweep · e8c70a9d…15ce29

Parallel ETH rail (@osint_based) · Aug 4 — BTC→THOR hop soft

**~205 ETH** → 0x41B752… (via THORChain)

**200 ETH** → Tornado.Cash Router · 2×100

## LIKELY WAVE 4 · AUG 3 Source

Pattern-match only (no victim report yet). Galaxy's revised Wave 4 figure is 448.73 BTC after cutting 89 multisig destinations. We go one step further and also drop 6 destinations that already had prior on-chain history (–5.39 BTC), so our total is 443.34. Galaxy's Aug 7 candidate ceiling is 2,300+ BTC (high-confidence 1,719 plus outstanding promotions, including this Wave 4 figure) — not our stricter 443.34 cut. Watched addresses are a sparse still-held sample.

| SCOPE | BLOCKS | FEE |
|---|---|---|
| 443.34 BTC · 703 addrs | 960,778–960,792 | ~1–3 sat/vB<br>RBF opt-in |

| PATTERN | FULL LISTS |
|---|---|
| 1:1 victim → fresh dest<br>likely only — no victim report yet | Confirmed addresses<br>Mempool / RBF list — unfiltered originals |

| LABEL | ADDRESS | BALANCE | REPORT | UTXOS | STATUS |
|---|---|---|---|---|---|
| Wave 4 park | bc1q05g20l…nju0ml | 8.55600708 BTC<br>$555,713 | 8.55600708 BTC | 1 | HELD |

| LABEL | ADDRESS | BALANCE | REPORT | UTXOS | STATUS |
|---|---|---|---|---|---|
| **Wave 4 park** | bc1qjenjhm… mv4z23 | 5.07348539 BTC $329,523 | 5.07348539 BTC | 1 | HELD |
| **Wave 4 park**<br>Thorn's unique dual-sweep destination (2 victims → this park).<br>**~2.79** → Bullish.com · 960793<br>**~2.82** → Coinbase Prime · 960818 · same cluster as **bc1qactq…** | 1N8knQCfjq… WVqfDo | 0.00 BTC $0 | 5.61303754 BTC | 0 | EMPTIED |
| **Wave 4 park**<br>Emptied Aug 4 (block 961064, ~2 sat/vB): 14-input P2SH consolidate with sibling parks → **334iKwmh…** still holding ~136.41 BTC (**f02164a9… 50db281**). Same tx as **342L6n3b…** + **36XfMDAYu…** + **34nHYNnc…**. Mix includes parks funded outside Wave 4 window. | 35dHFzKHn4… X4wNxH | 0.00 BTC $0 | 2.17767618 BTC | 0 | EMPTIED |
| **Wave 4 park**<br>Emptied Aug 4 (block 961064): same 14-input consolidate as **35dHFzKH…** → **334iKwmh…** (~136.41 BTC still held). | 342L6n3b61… TSjZtz | 0.00 BTC $0 | 2.02374869 BTC | 0 | EMPTIED |
| **Wave 4 park** | bc1q65e6cd… yce9u8 | 1.14852067 BTC $74,596 | 1.14852067 BTC | 1 | HELD |
| **Wave 4 park**<br>Emptied Aug 4 (block 961064): same 14-input consolidate as **35dHFzKH…** → **334iKwmh…** (~136.41 BTC still held). | 36XfMDAYuC… 1F1x3G | 0.00 BTC $0 | 1.09429601 BTC | 0 | EMPTIED |
| **Wave 4 park** | bc1qcmnjt0… rfjvtl | 1.04998888 BTC $68,197 | 1.04998888 BTC | 1 | HELD |
| **Wave 4 park** | bc1pj7f355… 4sulc2 | 1.03514173 BTC $67,232 | 1.03514173 BTC | 1 | HELD |
| **Wave 4 park**<br>Emptied Aug 4 (block 961064): same 14-input consolidate as **35dHFzKH…** → **334iKwmh…** (~136.41 BTC still held). | 34nHYNnc9D… jP4qDQ | 0.00 BTC $0 | 0.96227191 BTC | 0 | EMPTIED |

## Movement feed

Outbound spends of the reported consolidation from watched holdings, then followed destinations (up to hop 2). Stops at known exchange, bridge, and service-hub exits — later custodian churn is not listed. Surplus through a vault that still holds its reported balance, later peels through a hop after it already cashed out to a known exit, and CoinJoin-scale fan-outs are ignored.

HOP 1 a2378c07…1b842f **−0.00046352 BTC**

From Hop 1 from Wave 4 park bc1q72k7…aamt — Block 961,428

To bc1qkc7l…qc58

HOP 1 55af9e8d…fef5b9 **−0.02324129 BTC**

From Hop 1 from Wave 4 park bc1q72k7…aamt — Block 961,404

To bc1q55ll…g4q2

HOP 2 e5530973…acbf62 **−0.00010224 BTC**

From Hop 2 from Hop 1 from Wave 4 park bc1q55ll…g4q2 — Block 961,384

To bc1qcgjn…tdt7

93df0d26…4eabd4 **−30.18476329 BTC**

From Wave 2 collector bc1qmd5m…8jp6 — Block 961,368

To bc1qez89…dt6n

## Am I at risk?

Short checklist from Coinkite's Aug 1 advisory, Block's root-cause writeup, WizardSardine's analysis, and Nunchuk's multisig migration guidance. This tracker does not check your wallet — follow the official steps before moving funds.

### LIKELY EXPOSED

Your seed is likely exposed if it was generated on vulnerable firmware. Fixed releases and later are safe for new seeds.

| DEVICE | VULNERABLE | FIXED |
|---|---|---|
| Mk3 | 4.0.1–4.1.9, 5.0.1–5.0.3 (~40-bit) | 4.2.0+ |
| Mk4 / Mk5 | Before Aug 1 patch (~72-bit) | 5.6.0+ |
| Q | Before Aug 1 patch (~72-bit) | 1.5.0Q+ |
| Edge (Mk4 / Mk5) | Before Aug 1 patch | 6.6.0X+ |
| Edge (Q) | Before Aug 1 patch | 6.6.0QX+ |

### FIRMWARE UPDATE IS NOT ENOUGH

Patching does not repair an existing seed. Generate a new seed on fixed firmware and migrate funds carefully.

### MIGRATE BEFORE YOU UPGRADE

If this Coldcard is your only signer for a weak seed, move funds first. Community reports (including **Jameson Lopp**) flag a non-zero chance the hotfix upgrade bricks the unit; an open **firmware PR** argues a sticky TRNG fault after the hotfix can lock the keypad before login. Prefer sweeping to a new seed on a second fixed device when possible.

### MULTISIG URGENCY & SLIPSTREAM

If Coldcard-generated keys alone could meet your signing threshold (e.g. 2-of-3 with two Coldcard keys), migrate now — those wallets can be swept. One Coldcard key below threshold is lower urgency but still migrate. Broadcasting a migration to the public mempool opens a brief RBF-sniping window while weak keys remain spendable; **Nunchuk** recommends submitting the signed hex via **MARA Slipstream** instead (now public, no code). That keeps the tx out of the public mempool but trusts MARA and can confirm slower (~5–6% hashrate). No multisig sweeps reported yet.

### ORIGIN OF THE SEED

Exposure follows where the seed was generated, not the device holding it today. Seeds imported elsewhere, or whose origin you cannot establish, should be treated as affected.

### BEYOND THE MAIN SEED

Weak RNG also hit paper-wallet keys, clone / Key Teleport material, and some Secure Notes passwords — even when the BIP-39 seed itself came from dice (WizardSardine / Block).

### LOWER RISK

At least 50 private dice rolls at seed creation. A long truly random BIP-39 passphrase (not the device PIN) may buy time, but weak passphrases are not enough — **BTC Sessions** reported a confirmed Mk3 drain with a two-word passphrase. **CK tripwire** is mapping live how far added dice/passphrase entropy currently stops sweeps (zero-entropy control swept in ~1h; low-band honeypots still live as of Aug 4). Still migrate when practical.

### NOT THIS BUG

TAPSIGNER, Opendime, and Satscard use different codebases and are not affected. Mk1 and pre-4.0.1 Mk2/Mk3 firmware used the real TRNG.

---

### SOURCES


**Galaxy Research · $111M update**

Aug 7: high-confidence 1,719 BTC / 8,092 addresses (~$111M); chart established losses 1,719.19. Outstanding candidates → 2,300+ BTC if promoted; total losses likely exceed $130M. 25+ attack patterns / multiple threat actors. Scope still Coldcard Mk3/Mk4/Mk5/Q post–2021-03-17 firmware. 250+ victim reports via @intangiblecoins.

**Galaxy Research · $100M update**

Aug 3: high-confidence 1,596 BTC / ~7,300 addresses across Waves 1–3 + 14 owner-confirmed footprints; candidate Wave 4 would bring ~2,055 BTC. Multiple independent attackers. Waves 1–3 coins then still unmoved (Wave 2 collector later emptied Aug 7). Superseded by the Aug 7 $111M cut.

**Alex Thorn · Footprint O**

Aug 4: ≥15 attackers (footprints A–O). Overnight footprint O ~12 BTC from 126 addresses from one victim report; later folded into Galaxy's Aug 7 confirmed footprint set (no public address list).

**James O'Beirne · CK tripwire**

Aug 4: live honeypot scoreboard mapping attacker brute-force depth via decoys with added dice/passphrase entropy (**cktripwire.com**; **announcement**). Zero-entropy control swept in ~1h; low-band (11–13 bit) honeypots still live at launch. Defensive research only — do not add honeypot sinks to holdings.

**Galaxy Research · Wave 3**

Aug 1: third wave (~207.73 BTC into 293 P2WSH vaults). Observed total 1,367.05 BTC across 4,585 addresses.

**Galaxy Research · Wave 2**

Aug 1: second wave attributed to the same operator — 1,158.81 BTC / 2,673 addresses across seven holdings.

**Galaxy Research · Wave 1**

Mapped the July 30 fingerprint set: 1,082.65 BTC across ~1,195 addresses into four holdings.

**Kevin Kelbie**

Independently flagged the ~45.9 BTC July 31 vault (now Galaxy Wave 2) after Block's scan window; RBF differed from Wave 1.

### Kevin Kelbie · P2TR wave

Aug 3: ~0.51 BTC Chainabuse-corroborated P2TR sink plus two larger sibling Taproot consolidations (~36 + ~10 BTC) at ~5 sat/vB — distinct from Wave 4.

### @osint_based · P2TR later-vault ETH rail

Aug 5: later P2TR vault cash-out — ~205 ETH via THORChain into 0x41B752… → 200 ETH Tornado Cash (2×100). Same Kelbie later vault (bc1p0l0…), not a new cluster; BTC→THOR amount/path soft through commingled hubs. ~4.44 BTC still parked on bc1prjnv….

### Evan Schoenberg

Evening July 31 low-fee (~2 sat/vB) sweeps into a separate vault; Aug 1 hop consolidation (incl. delayed ~0.19 BTC) raised the watched cluster to ~1.20 BTC.

### Ocean block 960511

Coinbase of block 960511 (tag OCEAN.XYZ) paid ~0.060 BTC that later touched the Aug 1 hop vault and was peeled off (not counted as stolen). That peel later hit the same P2SH service hub (**3KMmeqPe…**) as the stolen evening-wave hops — same exit venue, not proof of same operator.

### Tomer Strolight

Aug 1 morning wave: duress-wallet honey pot swept into a ~0.33 BTC vault; Mk4 attribution later corrected to Mk3-origin seed.

### Alex Thorn · Likely Wave 4

Aug 3: likely 4th wave by pattern match (no victim report yet). Filtered core ~443.34 BTC / 703 addrs after removing 89 multisigs (−20.58 BTC, per Nunchuk) and 6 prior-history destinations (−5.39 BTC). Original pastebins still list the unfiltered set.

### Marius Offchain

Early Aug 2 consolidation (04:03 UTC): ~65 BTC from ~795 addresses into one vault (community Mk2 drain report); not a Galaxy-published wave.

### Erik

Mk3 testing-device victim (~9k sats, native segwit) swept in the Early Aug 2 consolidation — same tx / vault as the Marius report.

### Coinkite advisory

Official guidance (updated Aug 1): who is exposed, fixed firmware versions, and migration steps.

### Block Engineering

Root-cause writeup on the RNG fallback, 32-bit reseed, and blast radius beyond BIP-39 seeds.

### WizardSardine

Aug 1 deep dive: who is affected (including Mk3 5.0.x), advanced features still broken with dice seeds, and migration guidance.

### Nunchuk · Slipstream migration

Aug 3: multisig urgency tiers (Coldcard keys alone vs below threshold) and MARA Slipstream to avoid RBF-sniping during migration; Slipstream now public with no code.

### Kevin Loaec

Announcement thread for the WizardSardine writeup.

### CoinDesk

Aug 1 reporting on Galaxy's expanded totals and why further waves remain possible.

### Clay Garrett

July 30 operator used a paid blockchain-data account during the sweeps; findings shared with authorities.

Not affiliated with Coinkite or Coldcard.