

Coldcard Hack Tracker

Seed-entropy sweeps since July 2026

TOTAL STOLEN

1,923.80748125 BTC
\$121,771,242

Known waves only · total most likely higher
8 waves · Jul 30 – Aug 3 UTC



- JUL 30

Galaxy Wave 1 · July 30

+1,082.65 BTC

\$68,528,497
- JUL 31

Galaxy Wave 3 · Jul 31–Aug 1

+208.24 BTC

\$13,180,967
- AUG 1

Morning wave · Aug 1

+0.33295323 BTC

\$21,075
- AUG 1

P2TR wave · Aug 1–3

+46.97389047 BTC

\$2,973,306

- JUL 31

Galaxy Wave 2 · July 31

+76.16 BTC

\$4,820,700
- JUL 31

Evening wave · July 31

+1.20115791 BTC

\$76,030
- AUG 2

Early Aug 2 consolidation

+64.90947964 BTC

\$4,108,575
- AUG 3

Likely Wave 4 · Aug 3

+443.34 BTC

\$28,062,092

BALANCE ON WATCH

1,367.1683017 BTC

\$86,537,652

\$63,297/BTC

STILL HELD

92.0%

of 1,485.7757442 BTC consolidated

MOVED

118.6074425 BTC

LAST MOVEMENT

Block 962,295

Reported consolidation has left the holding addresses

5.35785418 BTC from Hop 2 from Hop 1 from Wave 4 park

Watched holdings

About 1,923.80748125 BTC drained across known waves. Galaxy’s Waves 1–3 same-operator total is 1,367.05 BTC across 4,585 addresses; their Aug 7 high-confidence headline is 1,719.00 BTC across 8,092 addresses (Waves 1–3 + owner-confirmed footprints), or up to ~2,300.00 BTC if outstanding candidates are promoted. 1,485.7757442 BTC is in watched holdings. The remaining ~438.03173705 BTC is mostly unwatched Wave 4 destinations (sparse still-held sample), plus smaller/unmatched Wave 3 vaults, untracked lettered footprints, and fees. Community waves (evening, morning, early Aug 2, P2TR, Wave 4) may be different operators — Galaxy now tracks 25+ attack patterns.

GALAXY WAVE 1 • JULY 30 [Source](#)

Four consolidation holdings. Multi-path key-scan signature (BIP-84/49/44).

SCOPE	BLOCKS	FEE
1,082.65 BTC · 1,196 addresses	960,183–960,191	30 sat/vB · no change 30–75× median that week
WINDOW	PATHS	
July 30, 2026	1,183 BIP-84	
01:10:20 – 01:51:26 UTC	7 BIP-49 · 6 BIP-44	

LABEL	ADDRESS	BALANCE	REPORT	UTXOS	STATUS
Holding 1	bc1qq85v2c...3fcu9r	562.0214324 BTC \$35,574,271	562.02021083 BTC	60	HELD
Holding 2	bc1qx76cae...htfhe3	398.47576957 BTC \$25,222,321	398.47575357 BTC	4	HELD
Holding 3	bc1q8jy96f...kwt3q	89.6232989 BTC \$5,672,886	89.6232789 BTC	3	HELD
Holding 4 Unmoved collector remainder	bc1qnk4zh9...8fecp0	32.45060313 BTC \$2,054,026	32.4505632 BTC	164	HELD

GALAXY WAVE 2 • JULY 31 [Source](#)

Two fee bands into a watched vault plus a collector; collector emptied Aug 7 into a hop still holding ~30.18 BTC.

SCOPE	BLOCKS	FEE
76.16 BTC · 1,478 addresses	960,345–960,369	50 and 10 sat/vB

LABEL	ADDRESS	BALANCE	REPORT	UTXOS	STATUS
Wave 2 vault Consolidated from 1,216 sweeps (via bc1qsjrf5ze...). Chainabuse victim on that sweep sink.	bc1qtfrwa4...numu75	45.90254994 BTC \$2,905,494	45.90251994 BTC	4	HELD
Wave 2 collector Collector from 93 sweeps at ~10 sat/vB. Emptied Aug 7 (block 961368, ~2.4 sat/vB): 93-input consolidate → bc1qez89... still holding ~30.18 BTC (93df0d26...abd4). Dust leftover (~0.00002 BTC). Chainabuse victim .	bc1qmd5m5k...9n8jp6	0.00002 BTC \$1	30.18476329 BTC	2	PARTIAL

GALAXY WAVE 3 · JUL 31–AUG 1 · 78 vaults [Source](#)

Not Galaxy’s published list — fingerprint-matched + RNG chain map, then ≥ 0.5 BTC only.

SCOPE	BLOCKS	FEE
208.24 BTC · ~1,912 addresses	960,396–960,471	180–220 sat/vB
Galaxy ~293 vaults / ~207.73 BTC		Galaxy: ~200 sat/vB
WATCHED	PATTERN	
78 P2WSH · 184.97366201 BTC	park → P2WSH	
≥ 0.50 BTC each	RNG map cross-check	

LABEL	ADDRESS	BALANCE	REPORT	UTXOS	STATUS
Wave 3 vault 1	bc1qn3uy9j...q595ld	20.49703196 BTC \$1,297,401	20.49703196 BTC	1	HELD
Wave 3 vault 2	bc1qu5dgcw...fmaygs	15.47824995 BTC \$979,727	15.47824995 BTC	1	HELD
Wave 3 vault 3	bc1qt7ktwf...pfsewn	12.26829462 BTC \$776,546	12.26829462 BTC	1	HELD
Wave 3 vault 4	bc1qh0kkrn...m96ruj	9.74151747 BTC \$616,609	9.74151747 BTC	1	HELD
Wave 3 vault 5	bc1qajca7e...d23qsa	6.88509195 BTC \$435,806	6.88509195 BTC	1	HELD
Wave 3 vault 6 Chainabuse victim · ~5.39 BTC Mkt2 drain (park → this)	bc1qysjc4j...pkkx7h	5.39098601 BTC \$341,233	5.39098601 BTC	1	HELD

EVENING WAVE · JULY 31 [Source](#)

Distinct from Galaxy Wave 2. Ocean miner peel later met stolen hops at the same P2SH service hub (same exit venue, not proof of same operator); Ocean sats not counted as stolen.

SCOPE FEE
1.20115791 BTC watched ~1-2 sat/vB
emptied Aug 1-2

AUG 2-3 CASH-OUT · THREE RAILS

BTC · ~0.69 **Aug 1 hop vault** → **3KMmeqPe...** hub · likely custodial/swap deposit — hops already mixed out; stolen BTC effectively gone from watchable stack

ETH · ~11.7 **Evening vault** → **THOR** → **0x6A08...** → **0xC61F...** → vanity hops → **KuCoin 17** · emptied Aug 2 20:29 UTC (~11.70 ETH); consolidated with ~11.08 ETH from a parallel stack into a 23 ETH deposit; also funded via **Orbiter Bridge 3** peels

BTC · ~0.27 **Evening vault** → **bc1qdt6c...** → **bc1qs86u...** **consol.** → **KuCoin 328Gx...** · **KuCoin 3JEQ...** · emptied Aug 3 01:22 UTC; ~0.27 mixed into a 1.54 BTC multi-input stack (block 960800), then peeled to two KuCoin deposits (~0.70 + ~0.84)

LABEL	ADDRESS	BALANCE	REPORT	UTXOS	STATUS
Evening vault Jul 31 consolidation (~0.51 BTC). Emptied Aug 2-3 (ETH + BTC rails above). Chainabuse victim .	bc1q7rmsw0... lrrcgf	0.00 BTC \$0	0.50980268 BTC	0	EMPTIED
Aug 1 hop vault 0.4998 + 0.1915 BTC stack. Emptied Aug 2 (BTC rail above). Ocean peel also met at the hub (not in report balance).	bc1qayw8nr... 7w2u0s	0.00 BTC \$0	0.69135523 BTC	0	EMPTIED

MORNING WAVE · AUG 1 **Source**

Honey-pot / duress-wallet report. Mk4 claim later withdrawn — seed was Mk3-origin.

SCOPE BLOCKS FEE PATTERN
0.33295323 BTC 960,518-960,523 ~15-50 sat/vB direct victim → vault

LABEL	ADDRESS	BALANCE	REPORT	UTXOS	STATUS
Aug 1 vault	bc1qzm5pau...v34mf3	0.33203236 BTC \$21,017	0.33203236 BTC	16	HELD

EARLY AUG 2 CONSOLIDATION **Source**

Distinct fee/structure from Galaxy Waves 1-3. Community Mk2 drain report plus a Mk3 testing-device victim in the same consolidation; sampled inputs long-dormant and funded after the March 2021 vuln window. **Chainabuse victim** lands in the same vault/tx (block 960668). Likely one of Galaxy's lettered footprints.

SCOPE BLOCKS FEE WINDOW
64.90947964 BTC · 902 inputs 960,668 ~9 sat/vB 04:03 UTC Aug 2
795 addresses

PATTERN
multi-path → one P2WPKH

AUG 4-5 MIX · WASABI-STYLE CASCADE

1 · Empty **Aug 2 vault** → **Taproot hop** · ~64.90 BTC · blk 961065 · ~5 sat/vB · **e3274a1b...2b3ddf**

2 • CJ1	residual ~54.32 @ bc1qajcrhj...vp2d3t · plus 20× ~1.2914 · blk 961069 · ~2 sat/vB · 324 → 382 · f3ee6e61...c37b24
3 • CJ2	residual ~47.12 @ bc1qq6s7ws...4jy2fr · equal denoms · blk 961082 · ~2 sat/vB · 320 → 374 · 3bdac8ed...cdf935
4 • CJ3	residual ends · 7× ~7.7484 (anonymity set) · 2 still live: bc1qf35ycf...puad8k , bc1qs3lj4x...y9v9ze · also 2× ~3.8742 · blk 961093 · ~1 sat/vB · 454 → 502 · 80f11c77...8cbf90
5 • Remix	other large outs remixed in further CJs (blks 961102–961160) · some equal-denom peels (anonymity set — not proven same operator) hit Hyperunit ; no labeled CEX on the unique-residual path. Still watching 2× ~7.75 + unique ~3.40 residual

LABEL	ADDRESS	BALANCE	REPORT	UTXOS	STATUS
Aug 2 vault	bc1q0rvn88...j5q6m	0.00 BTC	64.90373764 BTC	0	EMPTIED
Emptied Aug 4 → Taproot hop → Wasabi CJ cascade (trail above).					

P2TR WAVE • AUG 1–3 Source					
Distinct from Wave 4: ~5 sat/vB (later also 25/40) 1-vout multi-path sweeps into Taproot consolidations. Small vault corroborated by a Chainabuse Coldcard-hack victim report; larger sibling/hop verified on-chain with the same fingerprint. Watched set is Kelbie’s published sample, not every P2TR sink.					
SCOPE	BLOCKS	FEE	PATTERN		
46.97389047 BTC watched	960,624–960,897	~5 sat/vB	1-vout → P2TR		
3 Kelbie P2TR sinks		later also ~25–40			
LABEL	ADDRESS	BALANCE	REPORT	UTXOS	STATUS
P2TR vault	bc1pum5zf6...8ftmy8	0.50992489 BTC	0.50992489 BTC	62	HELD
Chainabuse victim · 62× ~5 sat/vB sweeps (blocks 960737–960750).					
P2TR hop vault	bc1pd133jt...luu9ce	36.01585057 BTC	36.01585057 BTC	1	HELD
Consolidate from emptied collector bc1ptd5x... (101 inputs @ block 960736).					

P2TR vault	bc1p0l0xs2...6qlk0h	0.00000872 BTC	10.44811501 BTC	2	PARTIAL
Later sibling; fees mostly ~5 sat/vB with 25/40 bands (blocks 960773–960897). Emptied Aug 4 — trail below. ETH side (@osint_based): ~205 ETH via THORChain into 0x41B752... → 200 ETH Tornado (2×100); BTC→THOR hop soft (commingled hubs). ~4.44 BTC still on Taproot park bc1prjnv....					

AUG 4 CASH-OUT • LATER P2TR VAULT (~10.45) ~0.01 → OP_RETURN messenger hub · 961019 ·					
---	--	--	--	--	--

LABEL	ADDRESS	BALANCE	REPORT	UTXOS	STATUS
Wave 4 park	bc1q05g201... nju0m1	8.55600708 BTC \$541,570	8.55600708 BTC	1	HELD
Wave 4 park	bc1qjenjhm... mv4z23	5.07348539 BTC \$321,136	5.07348539 BTC	1	HELD
Wave 4 park Thorn's unique dual-sweep destination (2 victims → this park). ~2.79 → Bullish.com · 960793 ~2.82 → Coinbase Prime · 960818 · same cluster as bc1qactq...	1N8knQCfjq... wVqfDo	0.00 BTC \$0	5.61303754 BTC	0	EMPTIED
Wave 4 park Emptied Aug 4 (block 961064, ~2 sat/vB): 14-input P2SH consolidate with sibling parks → 334iKwmh... still holding ~136.41 BTC (f02164a9... 50db281). Same tx as 342L6n3b... + 36XfMDAYu... + 34nHYNnc.... Mix includes parks funded outside Wave 4 window.	35dHFzKHn4... X4wNxB	0.00 BTC \$0	2.17767618 BTC	0	EMPTIED
Wave 4 park Emptied Aug 4 (block 961064): same 14-input consolidate as 35dHFzKH... → 334iKwmh... (~136.41 BTC still held).	342L6n3b61... TSjZtz	0.00 BTC \$0	2.02374869 BTC	0	EMPTIED
Wave 4 park	bc1q65e6cd... yce9u8	1.14852067 BTC \$72,698	1.14852067 BTC	1	HELD
Wave 4 park Emptied Aug 4 (block 961064): same 14-input consolidate as 35dHFzKH... → 334iKwmh... (~136.41 BTC still held).	36XfMDAYuC... 1F1x3G	0.00 BTC \$0	1.09429601 BTC	0	EMPTIED
Wave 4 park	bc1qcmnjt0... rfjvt1	1.04998888 BTC \$66,461	1.04998888 BTC	1	HELD
Wave 4 park	bc1pj7f355... 4sulc2	1.03514173 BTC \$65,521	1.03514173 BTC	1	HELD

LABEL	ADDRESS	BALANCE	REPORT	UTXOS	STATUS
Wave 4 park	34nHYNnc9D...	0.00 BTC	0.96227191 BTC	0	EMPTIED
Emptied Aug 4 (block 961064): same 14-input consolidate as 35dHFzKH... → 334iKwmh... (~136.41 BTC still held).					

Movement feed

Outbound spends of the reported consolidation from watched holdings, then followed destinations (up to hop 2). Stops at known exchange, bridge, and service-hub exits — later custodian churn is not listed. Surplus through a vault that still holds its reported balance, later peels through a hop after it already cashed out to a known exit, and CoinJoin-scale fan-outs are ignored.

HOP 2	f5d48ba4...0f7131	-5.35785418 BTC
From Hop 2 from Hop 1 from Wave 4 park bc1qy4ez...uh9z Block 962,295		
To bc1qq4xu...76sf, bc1qng98...hfte		
HOP 1	d52c27a3...53e555	-0.01573188 BTC
From Hop 1 from Wave 4 park 3EkYzYXT...DWeF Block 962,196		
To bc1qy4ez...uh9z		
HOP 1	a2e65c44...7596bd	-0.0077407 BTC
From Hop 1 from Wave 4 park bc1q72k7...aamt Block 961,731		
To Bybit deposit 17fqFGPG...FcFL		
HOP 1	da5064ee...21977f	-0.00308496 BTC
From Hop 1 from Wave 4 park bc1q72k7...aamt Block 961,730		
To bc1q551l...g4q2		

Am I at risk?

Short checklist from Coinkite’s Aug 1 advisory, Block’s root-cause writeup, WizardSardine’s analysis, and Nunchuk’s multisig migration guidance. This tracker does not check your wallet — follow the official steps before moving funds.

LIKELY EXPOSED

Your seed is likely exposed if it was generated on vulnerable firmware. Fixed releases and later are safe for new seeds.

DEVICE	VULNERABLE	FIXED
Mk3	4.0.1–4.1.9, 5.0.1–5.0.3 (~40-bit)	4.2.0+

DEVICE	VULNERABLE	FIXED
Mk4 / Mk5	Before Aug 1 patch (~72-bit)	5.6.0+
Q	Before Aug 1 patch (~72-bit)	1.5.0Q+
Edge (Mk4 / Mk5)	Before Aug 1 patch	6.6.0X+
Edge (Q)	Before Aug 1 patch	6.6.0QX+

FIRMWARE UPDATE IS NOT ENOUGH

Patching does not repair an existing seed. Generate a new seed on fixed firmware and migrate funds carefully.

MIGRATE BEFORE YOU UPGRADE

If this Coldcard is your only signer for a weak seed, move funds first. Community reports (including [Jameson Lopp](#)) flag a non-zero chance the hotfix upgrade bricks the unit; an open [firmware PR](#) argues a sticky TRNG fault after the hotfix can lock the keypad before login. Prefer sweeping to a new seed on a second fixed device when possible.

MULTISIG URGENCY & SLIPSTREAM

If Coldcard-generated keys alone could meet your signing threshold (e.g. 2-of-3 with two Coldcard keys), migrate now — those wallets can be swept. One Coldcard key below threshold is lower urgency but still migrate. Broadcasting a migration to the public mempool opens a brief RBF-sniping window while weak keys remain spendable; [Nunchuk](#) recommends submitting the signed hex via [MARA Slipstream](#) instead (now public, no code). That keeps the tx out of the public mempool but trusts MARA and can confirm slower (~5–6% hashrate). No multisig sweeps reported yet.

ORIGIN OF THE SEED

Exposure follows where the seed was generated, not the device holding it today. Seeds imported elsewhere, or whose origin you cannot establish, should be treated as affected.

BEYOND THE MAIN SEED

Weak RNG also hit paper-wallet keys, clone / Key Teleport material, and some Secure Notes passwords — even when the BIP-39 seed itself came from dice (WizardSardine / Block).

LOWER RISK

At least 50 private dice rolls at seed creation. A long truly random BIP-39 passphrase (not the device PIN) may buy time, but weak passphrases are not enough — [BTC Sessions](#) reported a confirmed Mk3 drain with a two-word passphrase; [ColeTU](#) saw 1–3 BIP39-word passphrases on a compromised Mk3 seed swept in ~6–7 days. [CK tripwire](#) is mapping live how far added dice/passphrase entropy currently stops sweeps (zero-entropy control swept in ~1h; frontier still ~11 bits as of Aug 13 after two low/pass honeypot sweeps; mid/high bands still live). Still migrate when practical.

NOT THIS BUG

TAPSIGNER, Opendime, and Satscard use different codebases and are not affected. Mk1 and pre-4.0.1 Mk2/Mk3 firmware used the real TRNG.

SOURCES

Galaxy Research · \$111M update

Aug 7: high-confidence 1,719 BTC / 8,092 addresses (~\$111M); chart established losses 1,719.19. Outstanding candidates → 2,300+ BTC if promoted; total losses likely exceed \$130M. 25+ attack patterns / multiple threat actors. Scope still Coldcard Mk3/Mk4/Mk5/Q post-2021-03-17 firmware. 250+ victim reports via @intangiblecoins.

Galaxy Research · \$100M update

Aug 3: high-confidence 1,596 BTC / ~7,300 addresses across Waves 1–3 + 14 owner-confirmed footprints; candidate Wave 4 would bring ~2,055 BTC. Multiple independent attackers. Waves 1–3 coins then still unmoved (Wave 2 collector later emptied Aug 7). Superseded by the Aug 7 \$111M cut.

Alex Thorn · Footprint O

Aug 4: ≥15 attackers (footprints A–O). Overnight footprint O ~12 BTC from 126 addresses from one victim report; later folded into Galaxy's Aug 7 confirmed footprint set (no public address list).

James O'Beirne · CK tripwire

Aug 4: live honeypot scoreboard mapping attacker brute-force depth via decoys with added dice/passphrase entropy (cktripwire.com; [announcement](#)). Zero-entropy control swept in ~1h. By Aug 8, multiple ~5-bit low (dice) honeypots were swept ([jamesob](#)). Frontier still ~11 bits after a second low (pass) honeypot (HP-E786) was swept Aug 13, following HP-9C4F on Aug 12; mid/high/extreme bands still live. ColeTU's weak BIP-39 passphrase experiment is listed as an external honeypot (1–3 word Mk3 passphrases swept in ~6–7d; claimed Mk4 seed still live). Defensive research only — do not add honeypot sinks to holdings.

Galaxy Research · Wave 3

Aug 1: third wave (~207.73 BTC into 293 P2WSH vaults). Observed total 1,367.05 BTC across 4,585 addresses.

Galaxy Research · Wave 2

Aug 1: second wave attributed to the same operator — 1,158.81 BTC / 2,673 addresses across seven holdings.

Galaxy Research · Wave 1

Mapped the July 30 fingerprint set: 1,082.65 BTC across ~1,195 addresses into four holdings.

Kevin Kelbie

Independently flagged the ~45.9 BTC July 31 vault (now Galaxy Wave 2) after Block's scan window; RBF differed from Wave 1.

Kevin Kelbie · P2TR wave

Aug 3: ~0.51 BTC Chainabuse-corroborated P2TR sink plus two larger sibling Taproot consolidations (~36 + ~10 BTC) at ~5 sat/vB — distinct from Wave 4.

@osint_based · P2TR later-vault ETH rail

Aug 5: later P2TR vault cash-out — ~205 ETH via THORChain into 0x41B752... → 200 ETH Tornado Cash (2×100). Same Kelbie later vault (bc1p0l0...), not a new cluster; BTC → THOR amount/path soft through commingled hubs. ~4.44 BTC still parked on bc1prjnv....

Evan Schoenberg

Evening July 31 low-fee (~2 sat/vB) sweeps into a separate vault; Aug 1 hop consolidation (incl. delayed ~0.19 BTC) raised the watched cluster to ~1.20 BTC.

Ocean block 960511

Coinbase of block 960511 (tag OCEAN.XYZ) paid ~0.060 BTC that later touched the Aug 1 hop vault and was peeled off (not counted as stolen). That peel later hit the same P2SH service hub ([3KMmeqPe...](#)) as the stolen evening-wave hops — same exit venue, not proof of same operator.

Tomer Strolight

Aug 1 morning wave: duress-wallet honey pot swept into a ~0.33 BTC vault; Mk4 attribution later corrected to Mk3-origin seed.

Alex Thorn · Likely Wave 4

Aug 3: likely 4th wave by pattern match (no victim report yet). Filtered core ~443.34 BTC / 703 addrs after removing 89 multisigs (~20.58 BTC, per Nunchuk) and 6 prior-history destinations (~5.39 BTC). Original pastebins still list the unfiltered set.

Marius Offchain

Early Aug 2 consolidation (04:03 UTC): ~65 BTC from ~795 addresses into one vault (community Mk2 drain report); not a Galaxy-published wave.

Erik

Mk3 testing-device victim (~9k sats, native segwit) swept in the Early Aug 2 consolidation — same tx / vault as the Marius report.

Coinkite advisory

Official guidance (updated Aug 1): who is exposed, fixed firmware versions, and migration steps.

Block Engineering

Root-cause writeup on the RNG fallback, 32-bit reseed, and blast radius beyond BIP-39 seeds.

WizardSardine

Aug 1 deep dive: who is affected (including Mk3 5.0.x), advanced features still broken with dice seeds, and migration guidance.

SlowMist

Aug 12: reproduces the Mk3 4.1.9 attack chain (Yasmarang fallback, button-press profiles, GPU pad search) and MistTrack consolidations aligned with Galaxy W1–3 / Early Aug 2 / P2TR cash-outs. Uses Galaxy’s 1,719 BTC headline; their “Wave 4” label for bc1q0rvn88... is our Early Aug 2 vault, not Thorn’s Likely Wave 4.

Nunchuk · Slipstream migration

Aug 3: multisig urgency tiers (Coldcard keys alone vs below threshold) and MARA Slipstream to avoid RBF-sniping during migration; Slipstream now public with no code.

Kevin Loaec

Announcement thread for the WizardSardine writeup.

CoinDesk

Aug 1 reporting on Galaxy’s expanded totals and why further waves remain possible.

Clay Garrett

July 30 operator used a paid blockchain-data account during the sweeps; findings shared with authorities.

Not affiliated with Coinkite or Coldcard.