

```
-- phpMyAdmin SQL Dump
-- version 4.9.5
-- https://www.phpmyadmin.net/
```

```
--
-- Host: localhost:8889
-- Generation Time: Dec 16, 2020 at 01:43 PM
-- Server version: 5.7.30
-- PHP Version: 7.4.9
```

```
SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO";
SET time_zone = "+00:00";
```

```
--
-- Database: `instagram_179`
```

```
--
CREATE DATABASE IF NOT EXISTS `instagram_179` DEFAULT CHARACTER SET utf8
COLLATE utf8_general_ci;
USE `instagram_179`;
```

```
-- -----
```

```
--
-- Table structure for table `comments`
--
```

```
CREATE TABLE `comments` (
  `id` bigint(20) UNSIGNED NOT NULL,
  `post_id` bigint(20) UNSIGNED NOT NULL,
  `user_id` bigint(20) UNSIGNED NOT NULL,
  `comment` varchar(255) COLLATE utf8mb4_unicode_ci NOT NULL,
  `created_at` timestamp NULL DEFAULT NULL,
  `updated_at` timestamp NULL DEFAULT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_unicode_ci;
```

```
--
-- Table structure for table `followers`
--
```

```
CREATE TABLE `followers` (
  `id` bigint(20) UNSIGNED NOT NULL,
  `user_id` bigint(20) UNSIGNED NOT NULL,
  `follower_user_id` bigint(20) UNSIGNED NOT NULL,
  `created_at` timestamp NULL DEFAULT NULL,
  `updated_at` timestamp NULL DEFAULT NULL
```

```
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_unicode_ci;
```

```
--
```

```
-- Table structure for table `followings`
```

```
--
```

```
CREATE TABLE `followings` (  
  `id` bigint(20) UNSIGNED NOT NULL,  
  `user_id` bigint(20) UNSIGNED NOT NULL,  
  `follower_user_id` bigint(20) UNSIGNED NOT NULL,  
  `created_at` timestamp NULL DEFAULT NULL,  
  `updated_at` timestamp NULL DEFAULT NULL  
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_unicode_ci;
```

```
--
```

```
-- Table structure for table `likes_dislikes`
```

```
--
```

```
CREATE TABLE `likes_dislikes` (  
  `id` bigint(20) UNSIGNED NOT NULL,  
  `post_id` int(11) NOT NULL,  
  `user_id` bigint(20) UNSIGNED NOT NULL,  
  `like` int(11) NOT NULL,  
  `created_at` timestamp NULL DEFAULT NULL,  
  `updated_at` timestamp NULL DEFAULT NULL  
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_unicode_ci;
```

```
--
```

```
-- Table structure for table `posts`
```

```
--
```

```
CREATE TABLE `posts` (  
  `id` bigint(20) UNSIGNED NOT NULL,  
  `user_id` bigint(20) UNSIGNED NOT NULL,  
  `description` varchar(255) COLLATE utf8mb4_unicode_ci NOT NULL,  
  `misc_tags` varchar(255) COLLATE utf8mb4_unicode_ci NOT NULL,  
  `views` bigint(20) UNSIGNED NOT NULL,  
  `created_at` timestamp NULL DEFAULT NULL,  
  `updated_at` timestamp NULL DEFAULT NULL  
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_unicode_ci;
```

```
--  
-- Table structure for table `users`  
--
```

```
CREATE TABLE `users` (  
  `id` bigint(20) UNSIGNED NOT NULL,  
  `name` varchar(255) COLLATE utf8mb4_unicode_ci NOT NULL,  
  `email` varchar(255) COLLATE utf8mb4_unicode_ci NOT NULL,  
  `email_verified_at` timestamp NULL DEFAULT NULL,  
  `password` varchar(255) COLLATE utf8mb4_unicode_ci NOT NULL,  
  `remember_token` varchar(100) COLLATE utf8mb4_unicode_ci DEFAULT NULL,  
  `created_at` timestamp NULL DEFAULT NULL,  
  `updated_at` timestamp NULL DEFAULT NULL  
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_unicode_ci;
```

```
--  
-- Table structure for table `user_tags`  
--
```

```
CREATE TABLE `user_tags` (  
  `id` bigint(20) UNSIGNED NOT NULL,  
  `post_id` bigint(20) UNSIGNED NOT NULL,  
  `user_id` bigint(20) UNSIGNED NOT NULL,  
  `user_name` varchar(255) COLLATE utf8mb4_unicode_ci NOT NULL,  
  `created_at` timestamp NULL DEFAULT NULL,  
  `updated_at` timestamp NULL DEFAULT NULL  
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_unicode_ci;
```