

A Stylized Simulation Study of Time-of-Use Pricing for Fixed-Capacity Inference Services: Provider Competition, QoS Protection, and the Profit Boundary

Anonymous Author

Abstract

Large language model (LLM) inference services operate under short-run fixed graphics processing unit (GPU) capacity, while time-varying arrivals can create off-peak idleness and peak quality-of-service (QoS) degradation. This paper develops a stylized, synthetic-calibrated simulation model to test whether time-of-use pricing can shift time-flexible inference demand away from congested periods and protect QoS without capacity expansion. The model combines two heterogeneous inference providers, one application programming interface (API) intermediary, time-rigid and time-flexible users, direct access, and an outside option. Provider prices are restricted to a low-dimensional time-shape family, and competition is evaluated as a finite candidate game with fictitious play and regret diagnostics. Verification uses fixed-point residuals and solver traces; validation is bounded to public price scales and controlled vLLM overload measurements. In the congested uniform-pricing baseline, peak utilization is 0.782 and minimum QoS is 0.756. Dynamic coarse-grid and fine-grid snapshots reduce peak utilization to 0.706 and 0.666, respectively, and raise minimum QoS to 0.968 and 0.990. The principal finite-grid mixed diagnostic on the full 225-point grid gives a 5×5 support profile with maximum regret 0.203, expected peak utilization 0.703, and minimum QoS 0.970. Additional service-management baselines and stress checks keep the QoS direction positive, whereas profit is solver-dependent: +9.3% for the coarse snapshot, -1.9% for the fine snapshot, and about -2.8% for the low-regret mixed profile. Evidence supports time-of-use pricing as a bounded QoS-protection mechanism, not as a production forecast or reliable profit-improvement result.

Keywords: inference-service simulation; time-of-use pricing; peak shaving; fixed capacity; QoS protection; verification and validation; finite-grid regret

1 Introduction

Large language model (LLM) inference has shifted from offline batch processing to continuously operating online services. Interactive chat, code generation, agentic workflows, scheduled evaluation, and periodic batch jobs exhibit different intraday arrival patterns. As a result, graphics processing unit (GPU) inference clusters experience pronounced peak-valley load variation that cannot be eliminated easily by short-run capacity expansion [1, 2, 3, 4, 5]. When utilization approaches a local capacity threshold, time to first token (TTFT), queueing delay, and completion rates may deteriorate rapidly. Quality-of-service (QoS) degradation then reduces the volume of requests that can be completed and billed, while also lowering user satisfaction.

This study focuses on a fixed-capacity operating regime. GPU procurement and deployment require lead time and involve sunk costs, and idle off-peak capacity still incurs holding costs. An operational alternative to immediate expansion is to use prices as a demand-shaping instrument. Peak-period prices are raised, off-peak prices are lowered, and time-flexible demand is encouraged to move toward periods with spare capacity. The motivation is related to real-time electricity pricing and demand response [6, 7, 8, 9, 10]; however, the engineering mechanism is different. Inference-service quality is governed by local GPU utilization, latency, and completion rates, rather than by generation constraints or power-flow equations.

Inference-service markets also differ from the single-platform monopoly commonly used in simplified pricing models. The same open-source model family, such as GLM, can be deployed by multiple providers. When user-visible model capability is approximately homogeneous, competition is driven primarily by price, available capacity, and realized QoS. Provider capacity is also heterogeneous. A smaller provider may enter congestion earlier when an intermediary routes traffic to it. These observations motivate the simulated market used in this paper: two capacity-heterogeneous providers, one routing intermediary, direct-provider access, and an outside option.

The main gap is not the absence of another pricing heuristic. It is the absence of a reproducible simulation model that places congestion-sensitive QoS, provider competition, intermediary routing, direct-provider choice, and market exit in the same fixed-capacity setting. The closest modelling template comes from electricity demand-response studies, where time-varying prices are tested through explicit demand, utility, load, and welfare calculations. The present paper adapts that style of modelling and numerical reporting to inference services while keeping the engineering mechanism distinct.

The study makes three contributions. First, it formulates a market-level simulation framework for fixed-capacity inference services in which provider prices, intermediary routing, user exit, and congestion-sensitive QoS are evaluated in one accounting system. Second, it states the equilibrium evidence as a finite-grid diagnostic rather than as a continuous-space solution: candidate pricing shapes are evaluated through a QoS fixed point, fictitious play provides averaged responses, and unilateral-deviation regret reports the remaining exploitability. Third, it identifies a separation between service-quality and profit effects. In the congested calibration, time-of-use pricing consistently improves the QoS direction across the reported diagnostics, but the sign of the profit effect changes across solver objects and perturbations. The paper therefore positions time-of-use pricing as a bounded service-quality management mechanism rather than a general revenue-enhancement result.

2 Related Research Review

Inference serving and QoS-aware market simulation. Online inference-serving research explains why QoS is sensitive to utilization. Prior systems have studied low-latency serving, batching, memory management, model parallelism, prefill/decode separation, and serving simulators [1, 2, 11, 3, 12, 13, 4, 5, 14, 15, 16]. These studies motivate the local QoS-degradation function used here. They do not usually model user exit, intermediary routing, direct-provider choice, and competing provider prices within one market-level simulation.

Recent AI-service market studies have begun to analyse inference costs, menu pricing, token-capacity contracts, and Stackelberg-style GPU-service pricing [17, 18, 19, 20, 21, 22, 23]. This paper is narrower. It does not estimate a production demand curve or solve a general continuous pricing game. Its contribution is a verifiable simulation setting in which price timing, QoS feedback, routing, and exit can be examined together.

Electricity dynamic pricing as a structural template. Electricity pricing provides the closest precedent for using prices to reshape time-varying demand under short-run capacity limits. Spot pricing and real-time pricing studies treat price as a scarcity signal and examine how demand response changes load profiles, efficiency, and consumer or producer surplus [6, 7, 24]. Survey and experimental work further show that household response differs across real-time, time-of-use, and critical-peak designs [8, 9, 10].

The mathematical style of this literature is useful for the present paper. Utility-maximization and demand-response models first specify user utility and demand, then define the supplier or system objective, and finally report peak-load, welfare, and sensitivity checks [25, 26, 27, 28]. The methodology below follows the same order. It defines agents, utilities, loads, QoS, profit, candidate strategies, solver checks, and reported metrics before interpreting the results.

The analogy is limited. Electricity systems are governed by generation, network, and reliability constraints. Inference services are governed by local GPU serving capacity, queueing, time-to-first-token, completion rates, and API routing. The model borrows the demand-response reporting structure, not the physical equations of a power system.

Congestion pricing, revenue management, and platform choice. The paper also draws on congestion pricing and revenue-management work, where prices allocate scarce capacity under time-varying demand [29, 30, 31, 32, 33, 34, 35]. In contrast with a single monopolist model, the present setting includes two providers, one intermediary, direct-provider options, and an outside option. User choice is represented through standard discrete-choice and platform-market tools [36, 37, 38, 39]. This modelling choice matters for the main result: QoS can improve while profit remains unstable because users and surplus can move across channels or leave the market.

3 Methodology

Market structure and sequence of decisions. A day is divided into T periods, $\mathcal{T} = \{1, \dots, T\}$, each of length h . The simulated market contains the following agents:

- **Two heterogeneous inference providers** $\mathcal{M} = \{A, B\}$ with fixed capacities $G_A > G_B$. Both deploy the same open-source model and are treated as nearly homogeneous in model capability. Provider m chooses a period-specific wholesale price $w_{m,t}$ for the intermediary and a period-specific direct retail price $p_{m,t}^D$ for users.
- **One API intermediary** that observes wholesale prices and chooses a period-specific retail price p_t and routing weights $r_{m,t}$, where $\sum_m r_{m,t} = 1$.
- **Two user types** who choose among the intermediary channel, direct access to provider A , direct access to provider B , and an outside option according to a logit random-utility model.

The sequence, summarized in Figure 1, is: providers post prices simultaneously in a Nash-pricing stage, the intermediary computes its best response, and user choices and QoS are determined through a congestion fixed point.




Figure 1: Framework of the fixed-capacity inference-service simulation and finite-grid diagnostic workflow. Panel (a) shows time-rigid and time-flexible users choosing among the API intermediary, direct provider access, and the outside option. The intermediary selects its retail price and routes demand to two capacity-heterogeneous providers; provider load determines utilization and QoS. Panel (b) evaluates provider price-shape candidates through the intermediary response, channel-period choice, the joint routing-QoS fixed point, the provider payoff matrix, fictitious play, and the double-oracle check. Solid arrows denote requests or routed traffic; dashed arrows denote price and QoS signals. The reported outputs are finite-grid regret, QoS protection, and the profit boundary; the diagram does not imply a continuous-space Nash proof. Icons are from [Streamline Ultimate Color](#) and are used under [CC BY 4.0](#).

User choice and the outside option. There are two user types, $\theta \in \{R, E\}$. Type R users are time-rigid, whereas type E users are time-flexible. For channel k and period t , deterministic utility is defined as

$$z_{k,t}^\theta = \log b_k + \log a_t - \alpha_\theta \left[\text{price}_{k,t} + c_s^\theta (1 - \pi_t^\theta) - p_0 \right] - \gamma (1 - q_{k,t}). \quad (1)$$

Here b_k denotes channel brand value or convenience, a_t denotes period preference, π_t^θ is the native-period distribution for type θ , and $q_{k,t}$ is channel QoS. Switching cost is represented in price-equivalent units and is scaled by the same price-sensitivity parameter α_θ . The choice set is the set of channel-period alternatives plus the outside option. The native-period distribution does not impose a hard sequential arrival process; instead, it enters Eq. (1) as the cost of serving or replaying demand away from a type's preferred period. Thus, "time-rigid" means high migration cost and peak-concentrated preference, not an absolute inability to move. Time-flexible users have higher price sensitivity, lower switching cost, and a more dispersed native-period distribution.

The logit denominator includes a no-purchase outside option with deterministic utility u_0 . The share of type θ users choosing channel k in period t , and the corresponding exit probability, are

$$s_{k,t}^\theta = \frac{\exp(z_{k,t}^\theta)}{\exp(u_0) + \sum_{k',t'} \exp(z_{k',t'}^\theta)}, \quad s_0^\theta = \frac{\exp(u_0)}{\exp(u_0) + \sum_{k',t'} \exp(z_{k',t'}^\theta)}. \quad (2)$$

The internal shares sum to less than one; the remaining mass s_0^θ is interpreted as genuine market exit and is not reallocated across the purchasable options. Consequently, a price increase may reduce internal demand rather than merely redistributing it among providers or channels.

Demand, load, and QoS. Demand from type θ users for channel k consists of an elastic component and a rigid/replay component. Both components are allocated by the channel's own choice share, which prevents the total rigid quantity in a period from scaling with the number of available channels:

$$D_{k,t}^\theta = \bar{F}_\theta m^\theta(\mathbf{p}, q) s_{k,t}^\theta + \bar{R}_t^\theta \sigma[\beta(v_r - \text{price}_{k,t})] s_{k,t}^\theta. \quad (3)$$

Here $\sigma(x) = (1 + \exp[-x])^{-1}$. In the implementation, the elastic market-size multiplier is

$$m^\theta(\mathbf{p}, q) = 1 + \eta [p_0 - \bar{p}_\theta(\mathbf{p}, q)]_+, \quad \bar{p}_\theta(\mathbf{p}, q) = \frac{\sum_{k,t} s_{k,t}^\theta(\mathbf{p}, q) \text{price}_{k,t}}{\sum_{k,t} s_{k,t}^\theta(\mathbf{p}, q)}, \quad (4)$$

with $\eta = 1.2$ in the main calibration. The rigid/replay response uses $v_r = 1.80$ and $\beta = 5.0$ in the main calibration. Equation (3) should be read as a compact simulation device rather than a structural estimate of user arrivals. The logit share selects where the demand is served, the native-period term penalizes temporal displacement, and the replay term adds price-sensitive residual demand tied to the period load profile. Total demand is the population-weighted sum over the two types, with weights (π_R, π_E) . The model is not a fixed-total-demand model. The outside option allows internal demand to contract, and the elastic market-size term allows demand to expand at lower prices. The later discussion of the profit boundary is a numerical decomposition, not a theorem based on fixed total demand.

Provider m 's load in period t equals direct demand plus the intermediary demand routed to that provider:

$$L_{m,t} = D_{m,t}^D + r_{m,t} D_t^I, \quad u_{m,t} = L_{m,t}/G_m, \quad q_{m,t} = q(u_{m,t}). \quad (5)$$

The main experiments use a smooth sigmoid QoS degradation function,

$$q(u) = \frac{1}{1 + \exp\{\text{clip}[30(u - \bar{u}), -50, 50]\}}, \quad \bar{u} = 0.82. \quad (6)$$

The parameter $\bar{u}$ is the centre of the degradation curve: service quality remains close to one below it and decreases rapidly as utilization approaches and exceeds it. Since $G_B < G_A$, the smaller provider reaches lower QoS earlier under comparable incoming load. Threshold, linear, and square-root shapes are retained as robustness checks in the artifact set. For a fixed routing matrix, the QoS fixed point is computed by damped iteration:

$$\tilde{q}_{m,t}^{(n+1)} = q\left(\frac{L_{m,t}(q^{(n)})}{G_m}\right), \quad q_{m,t}^{(n+1)} = (1 - \lambda)q_{m,t}^{(n)} + \lambda \tilde{q}_{m,t}^{(n+1)}, \quad (7)$$

with damping $\lambda = 0.35$, stopping tolerance 10^{-9} , and a 200-iteration limit in the reported implementation.

Profit with fixed-capacity holding cost. Provider m 's profit is wholesale revenue plus direct retail revenue, minus fixed capacity holding cost and QoS degradation cost:

$$\Pi_m = h \sum_t w_{m,t} r_{m,t} D_t^I q_{m,t} + h \sum_t p_{m,t}^D D_{m,t}^D q_{m,t} - h \sum_t c_g G_m - h \sum_t c_q (1 - q_{m,t}) L_{m,t}. \quad (8)$$

The factor $q_{m,t}$ is interpreted as an effective completion or SLA-attainment factor. Multiplying billed volume by $q_{m,t}$ is therefore a conservative assumption that only successfully served demand is fully monetized. The degradation term $c_q(1 - q_{m,t})L_{m,t}$ represents additional service-level cost, support cost, reputation loss, or contractual penalty associated with degraded service; it is not an estimate of a separately observed accounting charge. If failed API requests were partially billed in a production contract, the revenue term would be less conservative. The holding cost $c_g G_m$ is charged on fixed capacity rather than on realized utilization. It gives providers an incentive to

fill off-peak capacity by lowering prices in low-load periods. This specification distinguishes the present model from formulations that treat capacity only as a fixed upper bound and ignore the cost of idle resources.

The intermediary's channel QoS and average wholesale cost are

$$q_t^I = \sum_m r_{m,t} q_{m,t}, \quad \bar{w}_t = \sum_m r_{m,t} w_{m,t}. \quad (9)$$

Its profit is retail revenue minus wholesale cost and QoS degradation cost:

$$\Pi_I = h \sum_t p_t D_t^I q_t^I - h \sum_t \bar{w}_t D_t^I q_t^I - h \sum_t c_q (1 - q_t^I) D_t^I. \quad (10)$$

The same interpretation applies to q_t^I : it is the intermediary channel's effective completion factor induced by routing across providers. System profit is

$$\Pi^{\text{sys}} = \Pi_I + \sum_{m \in \mathcal{M}} \Pi_m. \quad (11)$$

Solution method and simulation diagnostics.

Low-dimensional pricing-shape family. If each provider directly optimized $2T$ continuous prices, comprising period-specific wholesale and direct retail prices, the Nash game would be high-dimensional, non-convex, and difficult to reproduce numerically. Provider prices are restricted to a low-dimensional time-shape family:

$$w_{m,t} = \bar{w}_m (1 + \delta_m \hat{\ell}_t), \quad p_{m,t}^D = \bar{p}_m^D (1 + \delta_m^D \hat{\ell}_t). \quad (12)$$

The vector $\hat{\ell}_t$ is a zero-mean normalized load shape obtained from the rigid-demand baseline and treated as exogenous. Each provider strategy is represented by four scalars, $(\bar{w}_m, \delta_m, \bar{p}_m^D, \delta_m^D)$. A value of $\delta_m = 0$ gives uniform pricing, while $\delta_m > 0$ raises prices during peak periods. This parameterization sacrifices global optimality in the full continuous price space, but it improves transparency, repeatability, and numerical control. All equilibrium language in this paper refers to the pricing-shape family unless explicitly stated otherwise; no claim is made about a global optimum in the unrestricted $2T$ -dimensional strategy space. Table 1 reports the finite grids used by the solver.

Table 1: Finite candidate grids used by the solver diagnostics

Grid object	Candidate values				Role in the paper	
Provider coarse grid	$\bar{w}$	$\in$	$\{0.30, 0.85\},$	δ	$\in$	64 strategy shapes per provider for the coarse fictitious-play diagnostic.
			$\{-0.4, -0.133, 0.133, 0.4\},$			
	$\bar{p}^D$	$\in$	$\{0.70, 1.50\},$	δ^D	$\in$	
			$\{-0.4, -0.133, 0.133, 0.4\}$			
Provider fine grid	$\bar{w}$	$\in$	$\{0.27, 0.575, 0.88\},$			225 strategy shapes per provider for the fine snapshot and mixed-oracle scan.
	δ	$\in$	$\{-0.4, -0.2, 0, 0.2, 0.4\},$			
	$\bar{p}^D$	$\in$	$\{0.60, 1.10, 1.60\},$	δ^D	$\in$	
			$\{-0.4, -0.2, 0, 0.2, 0.4\}$			
Intermediary grid	$\bar{p}$	$\in$	$\{0.60, 0.80, 1.10, 1.60\},$	δ_p	$\in$	Retail price and routing response grid evaluated for every provider candidate pair.
			$\{-0.2, 0, 0.2\}, \beta_r \in \{1.5, 4.0\}$			

Candidate evaluation and finite-game equilibrium certificate. Let $s_m = (\bar{w}_m, \delta_m, \bar{p}_m^D, \delta_m^D)$ denote provider m 's pricing-shape strategy, and let $\mathcal{S}_m$ be the finite candidate grid used in a given

diagnostic. For any candidate pair (s_A, s_B) , Eq. (12) gives wholesale and direct prices. The intermediary then chooses a retail-price shape and a routing sensitivity,

$$y = (\bar{p}, \delta_p, \beta_r) \in \mathcal{Y}, \quad p_t = \bar{p}(1 + \delta_p \hat{\ell}_t),$$

where $\mathcal{Y}$ is the intermediary's finite response grid. Conditional on y , routing is updated as a logit response to wholesale prices and provider QoS:

$$r_{m,t} = \frac{\exp[-\beta_r w_{m,t} + \omega q_{m,t}]}{\sum_{j \in \mathcal{M}} \exp[-\beta_r w_{j,t} + \omega q_{j,t}]}, \quad \omega = 3. \quad (13)$$

Because routing depends on QoS and QoS depends on routed load, Eq. (13) and Eq. (7) are solved as a joint damped fixed point during intermediary evaluation. The intermediary best response is

$$y^*(s_A, s_B) \in \arg \max_{y \in \mathcal{Y}} \Pi_I(s_A, s_B, y), \quad (14)$$

and the provider payoffs in the induced finite game are

$$U_m(s_A, s_B) = \Pi_m(s_A, s_B, y^*(s_A, s_B)). \quad (15)$$

A pure-strategy Nash equilibrium on the finite grid would require

$$U_m(s_m^*, s_{-m}^*) \geq U_m(s_m, s_{-m}^*) \quad \forall s_m \in \mathcal{S}_m, \quad m \in \mathcal{M}. \quad (16)$$

The paper does not derive a closed-form Nash equilibrium because the payoff in Eq. (15) is generated by a non-linear QoS fixed point, a discrete intermediary response, and finite candidate grids. Instead, it reports exploitability through unilateral-deviation regret. For a pure candidate pair,

$$\rho_m(s_A, s_B) = \max_{s'_m \in \mathcal{S}_m} U_m(s'_m, s_{-m}) - U_m(s_m, s_{-m}), \quad \rho(s_A, s_B) = \max_m \rho_m(s_A, s_B). \quad (17)$$

For a mixed profile $\mu = (\mu_A, \mu_B)$ over the finite grids, expected payoff and regret are

$$\bar{U}_m(\mu_A, \mu_B) = \sum_{i,j} \mu_A(i) \mu_B(j) U_m(s_A^i, s_B^j), \quad (18)$$

$$\begin{aligned} \rho_A(\mu) &= \max_i \sum_j \mu_B(j) U_A(s_A^i, s_B^j) - \bar{U}_A(\mu_A, \mu_B), \\ \rho_B(\mu) &= \max_j \sum_i \mu_A(i) U_B(s_A^i, s_B^j) - \bar{U}_B(\mu_A, \mu_B). \end{aligned} \quad (19)$$

A zero-regret profile would be a mixed Nash equilibrium of the finite candidate game. The reported value 0.203 is a finite-grid exploitability certificate, not a proof of equilibrium in the unrestricted continuous strategy space.

Fictitious play and finite-grid regret. Provider best responses are computed by grid search over the four pricing-shape parameters. Grid search is robust to non-smooth QoS responses, has a predictable computational budget, and facilitates independent replication. The intermediary response is also obtained by grid search. Each candidate evaluation embeds a joint fixed point over routing and QoS, which is solved by damped iteration. A deeper nested continuous optimizer is not used because it substantially increases computational cost in the congested regime.

Naive best-response iteration, in which providers alternately best-respond to the opponent's current strategy, produces cyclic behaviour in the congested regime. Strategies repeatedly switch between two configurations, generating a limit cycle. The solver therefore uses fictitious play: each provider best-responds to the opponent's running average strategy rather than only to the most recent strategy. The resulting object is not an unrestricted pure-strategy Nash equilibrium. It is a time-averaged fictitious-play strategy within the pricing-shape family. It is treated as an

acceptable equilibrium approximation only when the maximum profitable unilateral deviation, or regret, is sufficiently low. Parameter drift is not used as the primary convergence criterion, because it can give a false impression of convergence on a coarse grid.

For the fine grid, an additional double-oracle check is used. The procedure starts from a small candidate set and repeatedly adds best deviations against the current mixed profile on the complete 225-point fine grid. It then solves an empirical mixed profile on the restricted support by fictitious play and scans the full grid to compute regret.

Algorithmic outline. The reported solver follows five deterministic steps. First, construct the provider candidate grids and the intermediary response grid in Table 1. Second, for each provider candidate pair, enumerate intermediary responses, solve the joint routing-QoS fixed point, and select the intermediary response that maximizes Eq. (10). Third, use the induced provider payoff matrix in Eq. (15) to run fictitious play on the coarse or fine grid. Fourth, compute pure-regret values using Eq. (17) rather than treating parameter drift as convergence. Fifth, for the fine-grid mixed check, build a restricted support by double oracle and scan all 225 candidate strategies for each provider to obtain the mixed-regret certificate in Eq. (19). This outline plays the same role as the solution-algorithm block in electricity demand-response pricing papers, but every step here is evaluated through the inference-service QoS fixed point.

Remark 1 (Solver verification and evidence boundary). *In the uncongested regime, QoS is identically one, the fixed point converges in one step, and grid search is deterministic; the cross-seed relative standard deviation of system profit is 4.31×10^{-4} . The congested regime requires a separate solver check. On the coarse grid, fictitious-play regret decreases monotonically from 133.6 to 63.7 and eventually to 4.98, reaching regret < 5 after 22 rounds. In the fine-grid pure snapshot, regret reaches a local minimum of approximately 14 around round 10 and then increases, drifting to approximately 22 after 40 rounds. The added double-oracle mixed check obtains a 5×5 support profile on the complete 225-point fine grid, with final maximum regret 0.203. The QoS improvement is supported as a low-exploitability result for a finite-grid mixed/averaged strategy. It is not a theorem for the unrestricted continuous strategy space.*

Verification, validation, and credibility boundaries. The simulation is deterministic conditional on the reported grids, parameter settings, and solver seeds. Verification asks whether the implementation follows the accounting, routing, and fixed-point equations defined above. Validation asks a narrower question: whether the abstractions are credible enough for a mechanism study of fixed-capacity inference pricing. These checks bound the claims; they do not certify a production inference service or a real platform market.

Implementation verification. The implementation keeps the market equations, fixed-point QoS update, intermediary response, and provider candidate search in separate modules. The main verification checks are artifact based. In the uncongested setting, QoS is one and the degradation function is inactive, which verifies the below-threshold branch of the QoS model. Cross-seed runs in this regime give relative standard deviation 4.31×10^{-4} for system profit. In the congested setting, the reported artifacts store the static baseline, coarse and fine candidate responses, checkpoint traces, diagnostic figures, and mixed-strategy oracle output.

Table 2: Fixed-point verification for the reported congested-policy states

Policy state	Converged	Iterations	Final residual
Static pricing with QoS routing	Yes	52	8.32×10^{-10}
Off-peak discount only	Yes	32	8.23×10^{-10}
Peak surcharge only	Yes	34	9.71×10^{-10}
Dynamic coarse	Yes	33	8.52×10^{-10}
Dynamic fine snapshot	Yes	35	6.44×10^{-10}

Table 2 reports residual checks for the market states used in the main comparisons and service-management baseline diagnostics. A separate initialization and damping audit covers three initial QoS levels and three damping factors for the static, dynamic coarse, and dynamic fine states. It converges in 24 of 27 rows. The dynamic coarse and fine rows converge in all 18 combinations. The three non-converged rows occur for the static congested baseline with damping 0.5, where the residual remains about 0.312 at the 200-iteration limit. The reported static baseline itself uses the default damping $\lambda = 0.35$ and converges below 10^{-9} . This audit does not exhaust every candidate evaluation in the grid search, but it verifies the fixed-point states used in the paper’s reported policy comparisons and identifies the numerical boundary for the most congested static case.

Validation and calibration boundary. Public API prices are used only to check the scale of normalized prices. They are not used to estimate price elasticity, switching cost, or outside-option utility. Controlled vLLM overload measurements are used only to anchor the qualitative shape of the QoS degradation proxy. The measurement backend is vLLM 0.22.0 with PyTorch 2.11.0+cu130 on one NVIDIA GeForce RTX 4090. The two models are Qwen2.5-0.5B-Instruct and Qwen2.5-3B-Instruct, both served with maximum model length 2048 and maximum generated length 128. Each concurrency level has five controlled repeats, two warm-up requests, and 384–512 controlled requests per level, depending on model size. QoS is measured as the fraction of requests whose TTFT does not exceed 0.5 seconds. These measurements support the modelling assumption that service remains healthy below a local concurrency boundary and deteriorates after overload. They do not replace real arrival traces, production completion curves, multi-GPU serving measurements, long-context workloads, or user price-elasticity estimates.

The sensitivity evidence is separated into three layers. First, fixed-policy stress tests perturb capacity, price sensitivity, switching cost, and the QoS threshold. Second, a two-dimensional fixed-policy phase grid varies capacity scale and price-sensitivity scale. Third, a restricted local candidate re-solve is run for five selected perturbations using a small candidate set built from static, dynamic coarse, dynamic fine, off-peak-only, and peak-only shapes. The last layer is a re-solved simulation diagnostic, not a global equilibrium computation.

Experimental design. The numerical study follows the reporting logic commonly used in electricity demand-response simulations. It defines load and capacity scenarios, specifies price-policy baselines, computes peak-load and service-quality metrics, and tests sensitivity around the main mechanism. Two capacity regimes are used. The uncongested regime checks whether time-of-use prices can move demand when QoS is not binding. The congested regime activates the QoS degradation function and tests whether demand shifting protects service quality under fixed capacity.

The simulated day has $T = 8$ periods and $h = 3$ hours per period. Baseline capacity is $G_A = 1500$ and $G_B = 600$. The congested setting tightens capacity to $G_A = 300$ and $G_B = 120$. Baseline population weights are $(\pi_R, \pi_E) = (0.6, 0.4)$; the congested setting uses $(0.4, 0.6)$ to increase peak pressure. All economic parameters are synthetic calibrations. Their numerical values are used to support mechanism analysis and are not interpreted as production forecasts. Table 3 summarizes the main parameters needed to reproduce the reported experiments.

Table 3: Main simulation parameters used in the reported experiments

Parameter	Value	Interpretation
T, h	8 periods, 3 hours	One simulated day.
G_A, G_B	1500, 600; congested 300, 120	Fixed GPU serving capacities of providers A and B.
(π_R, π_E)	baseline (0.6, 0.4); congested (0.4, 0.6)	Population weights for time-rigid and time-flexible users.
α_R, α_E	2.0, 5.0	Price sensitivities in the logit utility.
c_s^R, c_s^E	0.60, 0.10	Time-shifting costs in price-equivalent units.
p_0, v_r, η	0.80, 1.80, 1.2	Baseline price, rigid/replay reservation value, and elastic market-growth slope.
$\bar{u}, \gamma, c_q$	0.82, 1.0, 0.35	QoS threshold, QoS utility weight, and QoS degradation cost.
c_g, u_0	0.015, 0.0	Fixed capacity holding cost and outside-option utility.

The experimental design has four evidence layers. The first compares uniform pricing with dynamic candidate responses in uncongested and congested regimes. The second reports solver diagnostics, including pure-strategy regret and the finite-grid mixed oracle. The third adds service-management baselines and structural ablations. The fourth uses fixed-policy stress tests, a capacity–elasticity phase grid, and restricted local re-solves. The main output measures are peak utilization, minimum QoS, served volume, system profit, exit probabilities, demand-centroid shifts, and regret. This design tests the QoS mechanism without treating every profit change as a robust finding.

The main reported indicators are computed from the fixed-point state as follows:

$$\begin{aligned}
u^{\text{peak}} &= \max_{m,t} u_{m,t}, & q^{\text{min}} &= \min_{m,t} q_{m,t}, \\
V^{\text{served}} &= h \sum_{k,t} D_{k,t} q_{k,t}, & \bar{p}^{\text{paid}} &= \frac{\sum_{k,t} \text{price}_{k,t} D_{k,t} q_{k,t}}{\sum_{k,t} D_{k,t} q_{k,t}}, \\
\Delta \Pi^{\text{sys}} &= \frac{\Pi^{\text{sys}}_{\text{policy}} - \Pi^{\text{sys}}_{\text{uniform}}}{\Pi^{\text{sys}}_{\text{uniform}}} \times 100\%, & e_\theta &= s_0^\theta.
\end{aligned} \tag{20}$$

The demand-centroid shift used in the uncongested diagnostic is

$$\Delta C_\theta = \frac{\sum_{k,t} t D_{k,t}^\theta}{\sum_{k,t} D_{k,t}^\theta} - \frac{\sum_{k,t} t D_{k,t}^{\theta, \text{uniform}}}{\sum_{k,t} D_{k,t}^{\theta, \text{uniform}}}. \tag{21}$$

The values in the result tables are direct transformations of the simulated fixed-point demand, utilization, QoS, and profit arrays rather than separately fitted statistics.

Public API prices are used only as scale references. The verified public prices are Z.AI GLM-4.7 at \$0.6 per million input tokens and \$2.2 per million output tokens, DeepSeek-chat at \$0.27 cache-miss input and \$1.10 output, and OpenAI GPT-4o at \$2.50 input and \$10.00 output [40, 41, 42]. These values show that the normalized prices used in the simulation are close to the order of magnitude of real API prices, but they are not used to estimate demand elasticity. Complete parameter values are provided in the supplementary material.

Two controlled vLLM single-GPU overload measurements are reused to anchor the QoS degradation shape. The QoS observation is defined as the service-level agreement (SLA) attainment rate for TTFT not exceeding 0.5 seconds. Figure 2 shows that both measurement profiles maintain an SLA attainment rate of one when normalized concurrency is no greater than one, and begin to decline after the healthy-concurrency point. For the 0.5B model, SLA attainment rates are 0.635 and 0.500 at normalized concurrency levels 1.71 and 2.29, respectively; the corresponding 95% confidence interval half-widths are 0.007 and 0.000. For the 3B model, the rate is 0.667

at normalized concurrency 1.71 with zero cross-repeat variation in the stored aggregate. Fitting the threshold-type function $q(u) = \exp[-\kappa(u - \bar{u})_+^2]$ gives $(\bar{u}, \kappa, \text{RMSE}) = (1.000, 0.517, 0.068)$ for the 0.5B profile and $(1.058, 0.942, 6.3 \times 10^{-10})$ for the 3B profile. These measurements provide a validation-style shape anchor for the QoS proxy; they do not replace real request traces, user elasticity estimates, or production SLA calibration. The raw aggregate tables and metadata are stored in `artifacts/vllm-study/20260531-190126/` and `artifacts/vllm-study-qwen25-3b/20260531-214710/`.




Figure 2: Controlled vLLM single-GPU overload measurements used as QoS degradation anchors. The x-axis is concurrency normalized by the largest healthy concurrency level, and the y-axis is the SLA attainment rate for a 0.5-second TTFT threshold. Points are means over five repeated measurements; lines are fitted threshold-type QoS functions.

4 Experimental Results

Uncongested regime. With baseline capacity, the market is not congested: peak utilization under uniform pricing is only 0.213, and QoS remains equal to one. Table 4 compares uniform pricing with time-of-use dynamic pricing.

Table 4: Uncongested regime: uniform pricing versus dynamic pricing under deterministic grid search

Metric	Uniform pricing	Dynamic pricing
System profit	1193.3	1139.4
Peak utilization	0.213	0.261
Elastic-demand centroid shift		+0.177
Rigid-demand centroid shift		+0.077

The demand-shifting pattern is stable. Under dynamic pricing, the centroid of time-flexible demand shifts by +0.177 periods, whereas the centroid of time-rigid demand shifts by +0.077 periods. The shift of time-flexible demand is about 2.3 times as large as that of time-rigid demand, which matches the intended response pattern. Because QoS is already one in the uncongested regime, however, there is little scope for quality improvement. The profit effect is neutral to mildly negative: across the elastic-population scan, the gains are 0%, −0.32%, −4.51%, −3.76%, and −3.00%. Time-of-use pricing becomes useful for QoS protection only when the market enters congestion.

Congested regime. After capacity is tightened, uniform pricing pushes the market into congestion. Table 5 places the uniform-pricing baseline next to the principal finite-grid mixed diagnostic.

The coarse-grid time-averaged strategy and the fine-grid pure snapshot are retained in the same table only as solver diagnostics, not as equivalent equilibrium objects. Table 6 then states how each object is used in the paper’s claim structure.

Table 5: Congested regime: main comparison and solver-diagnostic snapshots

Metric	Uniform baseline	Principal mixed diagnostic	Coarse-grid diagnostic	Fine-grid diagnostic
Peak utilization	0.782	0.703	0.706	0.666
Minimum QoS	0.756	0.970	0.968	0.990
System profit	1783	1733	1949	1749
Profit change	—	−2.8%	+9.3%	−1.9%
Maximum regret	—	0.203	4.98	22.30
Regret / system profit	—	0.012%	0.26%	1.28%

Table 6: Evidence boundary for the congested regime

Object	Solver status	Claim supported in this paper
Uniform-pricing baseline	Fictitious play reaches the criterion within 10 rounds	Used as the congested baseline.
Dynamic coarse grid	Regret is 4.98 after 22 rounds, but the coarse grid may hide finer deviations	Used as a low-resolution diagnostic; not used alone to support a quantitative profit conclusion.
Dynamic fine-grid snapshot	Maximum regret is approximately 22.3 after 40 rounds, above the < 5 criterion	Used only as a resolution stress test and directional comparison; not interpreted as a pure-strategy equilibrium.
Finite-grid mixed diagnostic	Full 225-point fine-grid scan gives maximum regret 0.203	Supports the QoS result for the finite-grid mixed/averaged profile; not extrapolated to the continuous strategy space.




Figure 3: Period-level utilization and QoS profiles in the congested regime. The dynamic strategies lower peak utilization and raise the minimum provider QoS in both coarse-grid and fine-grid snapshots. The dashed line in the utilization panel marks the utilization threshold at which QoS degradation begins.




Figure 4: Profit components and pure-strategy regret boundary. The left panel decomposes profit by market participant (Provider A, Provider B, and the intermediary), and the right panel reports stored best-response regret. The coarse snapshot reaches regret < 5 , whereas the fine-grid pure snapshot remains at 22.3 and is used only as a resolution stress test.




Figure 5: Double-oracle finite-grid mixed-strategy diagnostic. Each round adds the best deviation against the current mixed profile on the complete 225-point fine grid. The fifth round obtains a 5×5 support profile, and full-grid maximum regret falls to 0.203.

Figures 3, 4, and 5 visualize the same evidence from the period, profit-component, and regret perspectives. The central comparison is between the congested uniform baseline and the low-regret finite-grid mixed profile. Uniform pricing lowers the minimum QoS to 0.756 and raises peak utilization to 0.782, whereas the mixed profile has expected peak utilization 0.703 and minimum QoS 0.970. The coarse-grid and fine-grid snapshots show the same QoS direction, but they are used as solver-resolution diagnostics: the coarse snapshot is low-resolution, and the fine snapshot remains high-regret. The QoS conclusion is therefore stated for the finite-grid mixed/averaged profile and checked for directional consistency in the snapshots.

No stable positive profit effect is observed. System profit increases by +9.3% in the coarse-grid snapshot, decreases by -1.9% in the fine-grid snapshot, and decreases by approximately -2.8% in the low-regret mixed profile. The paper does not report profit improvement as a positive finding. Within the current solution budget and pricing-shape family, time-of-use pricing has QoS-protection value but does not provide evidence of a reliable positive profit gain.

The provider-heterogeneity hypothesis is also not stable. A natural conjecture is that the smaller-capacity provider would rely more heavily on dynamic pricing, implying $\delta_B > \delta_A$. The coarse grid gives $\delta_A = 0.383$ and $\delta_B = 0.023$, whereas the fine grid gives $\delta_A = 0.059$ and $\delta_B = 0.278$. The direction reverses with grid resolution, so the paper does not retain a claim about which provider prices more dynamically. The asymmetry in demand shifting is similarly clear in the uncongested regime but weak under the congested solution objects: in the fine-grid case, the centroids of elastic and rigid demand are 4.23 and 4.31, respectively, leaving little separation.

Service-management baselines and structural checks. Uniform pricing is a useful baseline, but it may be too weak on its own. To test whether the QoS result is only a uniform-baseline artifact, four service-management baselines are added around the congested setting. They are off-peak discount only, peak surcharge only, dynamic coarse pricing with fixed equal routing, and an admission-control check. Table 7 reports these baselines next to the static candidate response and the two main dynamic snapshots.

Table 7: Service-management baseline diagnostics in the congested setting

Policy or diagnostic	Peak util.	Min QoS	Profit change	Served volume
Static pricing with QoS routing	0.782	0.756	—	2610
Off-peak discount only	0.766	0.833	+5.0%	2849
Peak surcharge only	0.738	0.921	+5.8%	2672
Dynamic coarse	0.706	0.968	+9.3%	2865
Dynamic fine snapshot	0.666	0.990	−1.9%	3043
Dynamic coarse with equal routing	0.753	0.881	+5.9%	2817

The one-sided price-shape baselines improve QoS, but neither reaches the full dynamic coarse snapshot. Off-peak discounts increase served volume but leave more peak pressure than the full dynamic shape. Peak surcharges reduce peak utilization more directly but recover less served volume. Equal routing still improves on the static baseline, yet it leaves minimum QoS at 0.881 rather than 0.968, indicating that both price timing and QoS-aware routing contribute to the reported result. Matching the dynamic coarse peak utilization with a uniform-price admission-control check would require admitting as little as 90.2% of demand in the tightest period and 97.4% on average. This check is not a profit comparison, but it shows the service-quality cost of reaching a similar peak-utilization target by throttling rather than pricing.

Table 8: Structural ablations for the dynamic coarse policy

Ablation variant	Min-QoS gain	Peak-util. reduction	Profit change
Baseline model	+0.212	+0.076	+9.3%
No outside option	+0.307	+0.067	+11.3%
Suppressed direct-provider channel	+0.000	+0.209	+0.0%
Homogeneous capacity	−0.054	−0.154	−3.6%
No time-flexible users	+0.155	+0.046	+6.1%
Fixed equal routing	+0.125	+0.029	+5.9%

Table 8 narrows the mechanism claim. The dynamic coarse policy keeps a material positive QoS gain in four ablation rows. Two boundary cases are especially informative. Suppressing the direct-provider channel makes both policies nearly uncongested, so the dynamic advantage almost disappears. Equalizing provider capacity reverses the advantage, with QoS gain -0.054 and profit change -3.6% . The result is strongest when the market has heterogeneous capacity, direct-provider alternatives, and congestion severe enough for prices to matter.

Local parameter stress tests. To examine whether the QoS direction depends on a single synthetic calibration, four groups of local perturbations are evaluated around the congested baseline: capacity scale, price sensitivity, switching cost, and the QoS threshold. At each perturbation point, the reported uniform, dynamic coarse-grid, and dynamic fine-grid policy snapshots are evaluated without re-solving the game. The exercise is a fixed-policy stress test, not a cross-parameter equilibrium statement.




Figure 6: Parameter stress tests. Across nine perturbation scenarios, the dynamic coarse-grid and dynamic fine-grid snapshots maintain positive minimum-QoS gains and lower peak utilization relative to uniform pricing.

Figure 6 shows that both dynamic snapshots preserve positive QoS gains and lower peak utilization across all nine perturbation scenarios. The smallest minimum-QoS gain is 0.126 for the coarse-grid snapshot and 0.129 for the fine-grid snapshot. Profit remains unsuitable for a strong positive conclusion: the coarse-grid snapshot is profitable in all nine scenarios, whereas the fine-grid snapshot is profitable in only one. This scan supports local fixed-policy robustness of the QoS direction while again showing that profit improvement is not robust.




Figure 7: Fixed-policy phase grid over capacity scale and price-sensitivity scale. The dynamic coarse policy keeps positive QoS gains and peak-utilization reductions in all 25 grid points. Profit is positive on this fixed-policy grid, but the restricted re-solved sensitivity in Table 9 remains mixed.

The fixed-policy phase grid in Figure 7 gives a broader local view. QoS gain and peak-utilization reduction are positive in all 25 capacity–elasticity grid points, with minimum QoS gain 0.094. Profit

is positive on this fixed-policy coarse-policy grid, ranging from +2.0% to +15.5%. This does not overturn the profit-boundary result because the coarse policy is held fixed.

Table 9: Restricted local re-solve under selected perturbations

Scenario	Min-QoS gain	Peak-util. reduction	Profit change
Capacity scale 0.90	+0.280	+0.060	+12.5%
Price sensitivity scale 1.15	+0.241	+0.150	−1.4%
Flexible-user share 0.70	+0.242	+0.136	−1.9%
QoS threshold 0.78	+0.241	+0.066	+11.0%
Outside-option utility 0.50	+0.156	+0.069	+0.7%

For this stronger check, the local candidate set contains the static, dynamic coarse, dynamic fine, off-peak-only, and peak-only shapes, and each scenario runs four local best-response rounds. Table 9 keeps positive QoS gain in all five rows, with gains between 0.156 and 0.280. Profit remains mixed. Within the current design, this is the most restrictive robustness check for the paper’s central separation: the QoS direction persists under additional diagnostics, whereas the profit effect remains parameter- and solver-dependent.

5 Conclusion and Outlook

The central finding is simple: in the congested regime, time-of-use pricing protects QoS more reliably than it raises profit. Minimum QoS rises from 0.756 to approximately 0.97 or higher, whereas the profit effect changes sign across the coarse-grid snapshot, the fine-grid snapshot, and the low-regret mixed profile. Profit is therefore used as a diagnostic outcome, not as a positive result.




Figure 8: Mechanism diagnostics in the congested regime. Panels (a)–(d) report average paid price, no-purchase probability, QoS-adjusted served volume, and population-weighted inclusive value, respectively. Dynamic pricing improves served-volume and no-purchase outcomes while lowering average paid price, consistent with surplus reallocation rather than a stable provider-profit gain.

Surplus reallocation rather than additional supply. Fixed capacity is the central constraint in this simulation. Time-of-use pricing cannot add physical GPU supply; it can only change the distribution of demand across periods and channels. The patterns in Figure 8 are consistent with this interpretation. Under the uniform congested baseline, QoS-adjusted served volume is 2610. Under the dynamic coarse-grid and fine-grid snapshots, it increases to 2865 and 3043, respectively. At the same time, the exit probability of time-rigid users falls from 0.158 to 0.145/0.119, and the exit probability of time-flexible users falls from 0.087 to 0.075/0.044. These values show that dynamic pricing recovers part of the service loss caused by congestion. The mixed-strategy check also indicates that this QoS direction is not dependent on a single high-regret fine-grid point.

The recovered service volume, however, is not converted into stable profit. The main reason is that price and quantity move in opposite directions: the average paid price declines from 0.761 to 0.735/0.625. For providers, the positive forces include higher peak-period margins, better use of idle off-peak capacity, and increased effective billed volume as QoS recovers. Negative forces operate at the same time. Peak-period price increases can shift price-sensitive demand to a rival, a direct option, or the outside option. Off-peak discounts reduce per-request margins. Flexible users displaced from the peak may also become net lost demand. Peak-price gains may be offset by demand loss, and additional off-peak volume may be offset by lower margins.

This pattern should not be read as a theorem under fixed total demand. The model includes an outside option and a price-responsive market-size term, so internal demand changes with both price and QoS. A more accurate interpretation is surplus reallocation. Time-of-use pricing primarily reallocates demand across time and channels, rather than reliably creating new surplus that can

be fully captured by providers.

Why recovered QoS losses do not reliably become profit. A return of QoS from 0.756 to above 0.97 means that fewer requests are lost to congestion-related service degradation. Intuitively, this recovery might be expected to increase profit. Two forces weaken that conversion. First, peak shaving itself requires some peak demand to move, switch channels, or exit. To reduce utilization from approximately 0.78 to the 0.66–0.71 range, part of the high-peak demand must be displaced. The effective billed volume recovered through better QoS can be offset by lower prices and demand reallocation. Second, competition and the outside option restrict price increases. Because two heterogeneous providers compete and users can buy directly or exit, no provider can fully appropriate the value of QoS improvement. Some of the surplus is more likely to appear as better user experience, higher completion, or lower prices under competition, rather than as a stable increase in provider profit.

Operational and regulatory implications. Dynamic pricing and surge pricing are often interpreted as revenue instruments during congestion. The present simulation results support a more cautious interpretation. In an inference-service market with fixed capacity, provider competition, and user exit, time-of-use pricing is better understood as a QoS-protection instrument. Within the current model and solution budget, it does not provide strong evidence of profit improvement. For regulators, evaluation of time-of-use pricing should consider not only whether prices rise during peak periods, but also whether congestion and failed service are reduced. For operators, the stronger operational justification is service-level management, not reliable revenue growth.

Limitations. Several limitations should be made explicit. All economic parameters, including price sensitivity, switching cost, capacity cost, the elastic-user population share, and outside-option utility, are synthetic calibrations. Real request traces are not used for calibration. The reported percentage changes indicate mechanism direction rather than production forecasts. Public API prices provide only an order-of-magnitude price reference, and controlled vLLM single-GPU measurements provide only a QoS-shape reference. Neither replaces real arrival processes, long-context workloads, multi-model or multi-GPU measurements, production completion curves, or user price-elasticity estimates.

The solution evidence is also bounded. Provider strategies are restricted to a low-dimensional pricing-shape family; the paper does not claim a global optimum in the continuous strategy space. The fine-grid pure snapshot remains high-regret and cannot be interpreted as a pure-strategy equilibrium. The double-oracle check reduces regret to 0.203 on the finite 225-point grid, but it remains a mixed/averaged strategy result over a finite candidate set, not a global equilibrium result in the continuous strategy space. The nine-scenario stress test and the 25-point phase grid evaluate already reported policy snapshots under perturbed parameters rather than re-solving the game at every point. The restricted local re-solve is stronger, but it uses a small candidate set and four best-response rounds. The QoS-improvement direction is retained with greater confidence than any conclusion about profit, provider-specific dynamic intensity, or continuous-space equilibrium properties.

The scope is further limited by market structure and backend measurement. The paper studies two providers and one intermediary. Interactions among more providers, multiple intermediaries, long-term capacity contracts, and model routing are outside the current model. QoS degradation is represented by a synthetic sigmoid curve whose shape is anchored by controlled measurements; real backend completion and latency curves would need to be recalibrated using controlled production-like measurements or operational traces. Finally, the absence of a robust positive profit gain depends on the present fixed-capacity, competitive, and demand assumptions. The conclusion could change if total demand were more price-responsive or if capacity were adjustable in the short run.

Summary and outlook. This paper studied whether time-of-use dynamic pricing can improve the QoS of inference services under fixed GPU capacity. A market-level simulation model was developed with two heterogeneous competing providers, one routing intermediary, two user types, and an outside option. Provider pricing was restricted to a low-dimensional time-shape family, and provider competition was approximated through fictitious play. This approach mitigated the limit-cycle behaviour observed under naive best responses in the congested regime and made the simulation process reproducible and diagnostically transparent.

Across coarse-grid and fine-grid snapshots, a finite-grid mixed-strategy check, service-management baselines, structural ablations, local stress tests, a phase grid, and restricted local re-solves, the results support a bounded but consistent QoS conclusion. Under congestion, time-of-use pricing reduces peak load and raises minimum QoS from 0.756 to approximately 0.97 or above. The double-oracle check reduces maximum regret to 0.203 on the complete 225-point fine grid, and the additional service-management checks keep the QoS direction positive under broader diagnostic settings. Profit results are not stable: the sign of the profit effect changes across solver objects and grid resolutions. The paper does not claim that time-of-use pricing reliably increases profit. Instead, the results suggest surplus reallocation. Under fixed capacity, competition, and user exit, price changes can recover congestion losses and reduce exit, but the benefits may be offset by demand outflow, thinner margins, and surplus transfer. For operators and regulators, time-of-use pricing is better viewed as a service-quality management instrument than as a reliable revenue-growth tool. Future work should incorporate real trace calibration, verify low exploitability over larger or continuous strategy spaces, and extend the model to additional providers and intermediaries.

Reproducibility, data availability, and artifact boundary. The peak-shaving simulation modules are `pricing_sim/peak_shaving_config.py`, `pricing_sim/peak_shaving_market.py`, and `pricing_sim/peak_shaving_equilibrium.py`. The main experiment entry points are:

- `experiments/run_peak_shaving_experiments.py`: uncongested main experiment;
- `experiments/run_peak_shaving_congested_fp.py`: congested fictitious play;
- `experiments/run_fp_dynamic_converge.py`: regret convergence and checkpoint continuation;
- `experiments/run_peak_shaving_robustness.py`: QoS shape, outside-option, and cross-seed checks;
- `experiments/run_peak_shaving_mixed_oracle.py`: finite-grid mixed-strategy diagnostic;
- `experiments/run_peak_shaving_parameter_sweep.py`: local parameter stress tests;
- `experiments/run_peak_shaving_smpt_experiments.py`: service-management baselines, ablations, phase grid, restricted local re-solve, and fixed-point residual diagnostics;
- `experiments/run_peak_shaving_smpt_vv_audit.py`: initialization and damping-factor fixed-point audit;
- `experiments/build_peak_shaving_measurement_anchor.py`: controlled vLLM QoS-shape anchor.

Mechanism diagnostics and figures are rebuilt from existing strategy artifacts by `experiments/build_peak_shaving_diagnostics.py`. Machine-readable artifacts are stored under `artifacts/peak_shaving/`, with subdirectories `20260618/`, `20260619/`, `20260619_submission/`, and `20260619_smpt/`. Figures are stored under `figures/`, with subdirectories `peak_shaving_diagnostics/`, `peak_shaving_submission/`, and `peak_shaving_smpt/`. Parameter values, grid

definitions, artifact mappings, and reproduction commands are provided in the supplementary file `peak_shaving_dynamic_pricing_sci_en_supplement_2026-06-19.tex`.

The editable source for Figure 1 is `figure_sources/peak_shaving_framework_2026-07-11.drawio`, and its deterministic builder is `figure_sources/build_peak_shaving_framework_drawio.py`. The manuscript uses the PDF 1.3 compatibility export; lossless PNG and SVG exports are retained with the source. The locally pinned Streamline icon files, source mapping, attribution text, and CC BY 4.0 licence are stored under `figure_sources/iot_icon_candidates/streamline_ultimate_color/`.

A public project repository containing the current manuscript, code, figure scripts, and generated artifacts is available at https://github.com/cccht/paper_token_price. A versioned GitHub release for this submission candidate is available at https://github.com/cccht/paper_token_price/releases/tag/smpt-submission-candidate-2026-06-21. If a persistent archival identifier is required, this release should be mirrored to an archival service such as Zenodo or OSF before formal submission. Until such a digital object identifier is created, the GitHub release should be treated as a versioned reproducibility package rather than a persistent data identifier.

Declaration of generative AI and AI-assisted technologies. During manuscript preparation, AI-assisted tools were used for language polishing, consistency checks, internal reviewer-style checks, and layout and consistency checks for the editable vector diagram. No generative image model was used to create or alter the vector artwork in Figure 1. The figure was constructed from the model equations and simulation workflow using licensed Streamline icons and was reviewed by the authors. The authors remain responsible for the simulation model, experimental artifacts, numerical results, interpretation, text, and figures.

References

- [1] Daniel Crankshaw, Xin Wang, Guilio Zhou, Michael J. Franklin, Joseph E. Gonzalez, and Ion Stoica. Clipper: A low-latency online prediction serving system. In *14th USENIX Symposium on Networked Systems Design and Implementation (NSDI 17)*, pages 613–627, 2017. URL <https://www.usenix.org/conference/nsdi17/technical-sessions/presentation/crankshaw>.
- [2] Arpan Gujarati, Reza Karimi, Safya Alzayat, Wei Hao, Antoine Kaufmann, Ymir Vigfusson, and Jonathan Mace. Serving DNNs like clockwork: Performance predictability from the bottom up. In *14th USENIX Symposium on Operating Systems Design and Implementation (OSDI 20)*, 2020. URL <https://www.usenix.org/conference/osdi20/presentation/gujarati>.
- [3] Gyeong-In Yu, Joo Seong Jeong, Geon-Woo Kim, Soojeong Kim, and Byung-Gon Chun. Orca: A distributed serving system for transformer-based generative models. In *16th USENIX Symposium on Operating Systems Design and Implementation (OSDI 22)*, pages 521–538, 2022. URL <https://www.usenix.org/conference/osdi22/presentation/yu>.
- [4] Woosuk Kwon, Zhuohan Li, Siyuan Zhuang, Ying Sheng, Lianmin Zheng, Cody Hao Yu, Joseph E. Gonzalez, Hao Zhang, and Ion Stoica. Efficient memory management for large language model serving with PagedAttention. In *Proceedings of the 29th Symposium on Operating Systems Principles*, pages 611–626, 2023. doi: 10.1145/3600006.3613165. URL <https://doi.org/10.1145/3600006.3613165>.
- [5] Amey Agrawal, Nitin Kedia, Ashish Panwar, Jayashree Mohan, Nipun Kwatra, Bhargav Gulavani, Alexey Tumanov, and Ramachandran Ramjee. Taming Throughput-Latency tradeoff in LLM inference with Sarathi-Serve. In *18th USENIX Symposium on Operating Systems Design and Implementation (OSDI 24)*, pages 117–134. USENIX Association, 2024. URL <https://www.usenix.org/conference/osdi24/presentation/agrawal>.
- [6] Fred C. Schweppe, Michael C. Caramanis, Richard D. Tabor, and Roger E. Bohn. *Spot Pricing of Electricity*. Springer, 1988. doi: 10.1007/978-1-4613-1683-1. URL <https://doi.org/10.1007/978-1-4613-1683-1>.

- [7] Severin Borenstein. The long-run efficiency of real-time electricity pricing. *Energy Journal*, 26(3):93–116, 2005. doi: 10.5547/ISSN0195-6574-EJ-Vol26-No3-5. URL <https://doi.org/10.5547/ISSN0195-6574-EJ-Vol26-No3-5>.
- [8] M. H. Albadi and E. F. El-Saadany. A summary of demand response in electricity markets. *Electric Power Systems Research*, 78(11):1989–1996, 2008. doi: 10.1016/j.epsr.2008.04.002. URL <https://doi.org/10.1016/j.epsr.2008.04.002>.
- [9] Ahmad Faruqui and Sanem Sergici. Household response to dynamic pricing of electricity: A survey of 15 experiments. *Journal of Regulatory Economics*, 38:193–225, 2010. doi: 10.1007/s11149-010-9127-y. URL <https://doi.org/10.1007/s11149-010-9127-y>.
- [10] Pierluigi Siano. Demand response and smart grids—a survey. *Renewable and Sustainable Energy Reviews*, 30:461–478, 2014. doi: 10.1016/j.rser.2013.10.022. URL <https://doi.org/10.1016/j.rser.2013.10.022>.
- [11] Francisco Romero, Qian Li, Neeraja J. Yadwadkar, and Christos Kozyrakis. INFaaS: Automated model-less inference serving. In *2021 USENIX Annual Technical Conference (USENIX ATC 21)*, pages 397–411, 2021. URL <https://www.usenix.org/conference/atc21/presentation/romero>.
- [12] Zhuohan Li, Lianmin Zheng, Yinmin Zhong, Vincent Liu, Ying Sheng, Xin Jin, Yanping Huang, Zhifeng Chen, Hao Zhang, Joseph E. Gonzalez, and Ion Stoica. AlpaServe: Statistical multiplexing with model parallelism for deep learning serving. In *17th USENIX Symposium on Operating Systems Design and Implementation (OSDI 23)*, 2023. URL <https://www.usenix.org/system/files/osdi23-li-zhuohan.pdf>.
- [13] Ying Sheng, Lianmin Zheng, Binhang Yuan, Zhuohan Li, Max Ryabinin, Beidi Chen, Percy Liang, Christopher Ré, Ion Stoica, and Ce Zhang. FlexGen: High-throughput generative inference of large language models with a single GPU. In *Proceedings of the 40th International Conference on Machine Learning*, volume 202, pages 31094–31116, 2023. URL <https://proceedings.mlr.press/v202/sheng23a.html>.
- [14] Pratyush Patel, Esha Choukse, Chaojie Zhang, Aashaka Shah, Íñigo Goiri, Saeed Maleki, and Ricardo Bianchini. Splitwise: Efficient generative LLM inference using phase splitting. In *2024 ACM/IEEE 51st Annual International Symposium on Computer Architecture (ISCA)*, pages 118–132, 2024. doi: 10.1109/ISCA59077.2024.00019. URL <https://doi.org/10.1109/ISCA59077.2024.00019>.
- [15] Yinmin Zhong, Shengyu Liu, Junda Chen, Jianbo Hu, Yibo Zhu, Xuanzhe Liu, Xin Jin, and Hao Zhang. DistServe: Disaggregating prefill and decoding for goodput-optimized large language model serving. In *18th USENIX Symposium on Operating Systems Design and Implementation (OSDI 24)*, 2024. URL <https://www.usenix.org/conference/osdi24/presentation/zhong-yinmin>.
- [16] Amey Agrawal, Nitin Kedia, Jayashree Mohan, Ashish Panwar, Nipun Kwatra, Bhargav Gulavani, Ramachandran Ramjee, and Alexey Tumanov. Vidur: A large-scale simulation framework for LLM inference. In *Proceedings of Machine Learning and Systems*, volume 6, 2024. URL https://proceedings.mlsys.org/paper_files/paper/2024/hash/b74a8de47d2b3c928360e0a011f48351-Abstract-Conference.html.
- [17] Mert Demirel, Andrey Fradkin, Nadav Tadelis, and Sida Peng. The emerging market for intelligence: Pricing, supply, and demand for LLMs. Technical Report 34608, National Bureau of Economic Research, 2025. URL <https://www.nber.org/papers/w34608>.
- [18] Ege Erdil. Inference economics of language models. *arXiv preprint arXiv:2506.04645*, 2025. URL <https://arxiv.org/abs/2506.04645>.
- [19] Dirk Bergemann, Alessandro Bonatti, and Alex Smolin. Menu pricing of large language models. *arXiv preprint arXiv:2502.07736*, 2025. URL <https://arxiv.org/abs/2502.07736>.
- [20] Zhendong Guo, Wenchao Bai, and Jiahui Jin. PriLLM: Pricing online LLM services with data-calibrated stackelberg routing game. *Proceedings of the AAAI Conference on Artificial Intelligence*, 40(20):17005–17013, 2026. doi: 10.1609/aaai.v40i20.38748. URL <https://doi.org/10.1609/aaai.v40i20.38748>.

- [21] Junji Yan, Asrin Efe Yorulmaz, Hanchen Zhou, and Tamer Başar. A stackelberg game framework with drainability guardrails for pricing and scaling in multi-tenant GPU cloud platforms. *arXiv preprint arXiv:2604.16802*, 2026. URL <https://arxiv.org/abs/2604.16802>.
- [22] William J. Cunningham. Token management in multi-tenant AI inference platforms. *arXiv preprint arXiv:2603.00356*, 2026. URL <https://arxiv.org/abs/2603.00356>.
- [23] Shaohui Liu. Locational pricing for generative-AI services via token-flow market clearing. *arXiv preprint arXiv:2605.09047*, 2026. URL <https://arxiv.org/abs/2605.09047>.
- [24] Hunt Allcott. Rethinking real-time electricity pricing. *Resource and Energy Economics*, 33(4):820–842, 2011. doi: 10.1016/j.reseneeco.2011.06.003. URL <https://doi.org/10.1016/j.reseneeco.2011.06.003>.
- [25] Pedram Samadi, Amir-Hamed Mohsenian-Rad, Robert Schober, Vincent W. S. Wong, and Juri Jatskevich. Optimal real-time pricing algorithm based on utility maximization for smart grid. In *2010 First IEEE International Conference on Smart Grid Communications*, pages 415–420, 2010. doi: 10.1109/SMARTGRID.2010.5622077. URL <https://doi.org/10.1109/SMARTGRID.2010.5622077>.
- [26] Peng Yang, Gongguo Tang, and Arye Nehorai. A game-theoretic approach for optimal time-of-use electricity pricing. *IEEE Transactions on Power Systems*, 28(2):884–892, 2013. doi: 10.1109/TPWRS.2012.2207134. URL <https://doi.org/10.1109/TPWRS.2012.2207134>.
- [27] Mengmeng Yu and Seung Ho Hong. Supply–demand balancing for power management in smart grid: A stackelberg game approach. *Applied Energy*, 164:702–710, 2016. doi: 10.1016/j.apenergy.2015.12.039. URL <https://doi.org/10.1016/j.apenergy.2015.12.039>.
- [28] Dipti Srinivasan, Sanjana Rajgarhia, Bharat Menon Radhakrishnan, Anurag Sharma, and H. P. Khincha. Game-theory based dynamic pricing strategies for demand side management in smart grids. *Energy*, 126:132–143, 2017. doi: 10.1016/j.energy.2016.11.142. URL <https://doi.org/10.1016/j.energy.2016.11.142>.
- [29] William S. Vickrey. Congestion theory and transport investment. *American Economic Review*, 59(2): 251–260, 1969. URL <https://www.jstor.org/stable/1823678>.
- [30] Richard Arnott, André de Palma, and Robin Lindsey. Economics of a bottleneck. *Journal of Urban Economics*, 27(1):111–130, 1990. doi: 10.1016/0094-1190(90)90028-L. URL [https://doi.org/10.1016/0094-1190\(90\)90028-L](https://doi.org/10.1016/0094-1190(90)90028-L).
- [31] Guillermo Gallego and Garrett van Ryzin. Optimal dynamic pricing of inventories with stochastic demand over finite horizons. *Management Science*, 40(8):999–1020, 1994. doi: 10.1287/mnsc.40.8.999. URL <https://doi.org/10.1287/mnsc.40.8.999>.
- [32] Wedad Elmaghraby and Pinar Keskinocak. Dynamic pricing in the presence of inventory considerations: Research overview, current practices, and future directions. *Management Science*, 49(10): 1287–1309, 2003. doi: 10.1287/mnsc.49.10.1287.17315. URL <https://doi.org/10.1287/mnsc.49.10.1287.17315>.
- [33] Gabriel Bitran and René Caldentey. An overview of pricing models for revenue management. *Manufacturing & Service Operations Management*, 5(3):203–229, 2003. doi: 10.1287/msom.5.3.203.16031. URL <https://doi.org/10.1287/msom.5.3.203.16031>.
- [34] Kalyan T. Talluri and Garrett J. van Ryzin. *The Theory and Practice of Revenue Management*. Springer, 2004. doi: 10.1007/b139000. URL <https://doi.org/10.1007/b139000>.
- [35] Robert L. Phillips. *Pricing and Revenue Optimization*. Stanford University Press, 2005.
- [36] Daniel McFadden. Conditional logit analysis of qualitative choice behavior. In Paul Zarembka, editor, *Frontiers in Econometrics*, pages 105–142. Academic Press, 1974.
- [37] Simon P. Anderson, André de Palma, and Jacques-François Thisse. *Discrete Choice Theory of Product Differentiation*. MIT Press, 1992.

- [38] Kenneth E. Train. *Discrete Choice Methods with Simulation*. Cambridge University Press, 2 edition, 2009.
- [39] Jean-Charles Rochet and Jean Tirole. Platform competition in two-sided markets. *Journal of the European Economic Association*, 1(4):990–1029, 2003. doi: 10.1162/154247603322493212. URL <https://doi.org/10.1162/154247603322493212>.
- [40] Z.AI. Z.ai developer pricing. <https://docs.z.ai/guides/overview/pricing>, 2026. Accessed: 2026-06-19.
- [41] DeepSeek. Deepseek api pricing details. https://api-docs.deepseek.com/quick_start/pricing-details-usd/, 2026. Accessed: 2026-06-19.
- [42] OpenAI. Gpt-4o model and api pricing. <https://developers.openai.com/api/docs/models/gpt-4o>, 2026. Accessed: 2026-06-19.