

Rethinking False Spring Risk

C. J. Chamberlain ^{1,2}, E. M. Wolkovich ^{1,2}

May 31, 2017

Introduction

1. Introduce False Spring Concept

- (a) Plants growing in temperate environments are at risk of being exposed to late spring freezes, which can be detrimental to growth.
- (b) Individuals that leaf out before the last frost are at risk of leaf loss, damaging wood tissue, and slowed or stalled canopy development (Gu *et al.*, 2008; Hufkens *et al.*, 2012).
- (c) Therefore, temperate deciduous tree species must have plastic phenological responses in the spring in order to optimize photosynthesis and minimize frost or drought risk (Polgar & Primack, 2011).
- (d) These late spring freezing events are known as false springs. False spring events can result in highly adverse ecological and economic consequences (Ault *et al.*, 2013; Knudson, 2012).

2. Introduce Climate Change and Importance of False Spring Studies

- (a) Climate change is expected to increase damage from false spring events around the world due to earlier spring onset and greater fluctuations in temperature (Martin *et al.*, 2010; Inouye, 2008; Cannell & Smith, 1986).
- (b) Temperate forest species around the world are initiating leaf out about 4.6 days earlier per degree Celsius (Polgar *et al.*, 2014; Wolkovich *et al.*, 2012).
- (c) It is anticipated that there will be a decrease in false spring frequency overall but the magnitude of temperature variation is likely to increase, therefore amplifying the expected intensity of false spring events (Allstadt *et al.*, 2015; Kodra *et al.*, 2011).
- (d) Multiple studies have documented false spring events in recent years (Augspurger, 2013; Knudson, 2012; Augspurger, 2009; Gu *et al.*, 2008) and some have linked this to climate change (Muffler *et al.*, 2016; Xin, 2016; Allstadt *et al.*, 2015; Ault *et al.*, 2013).

- (e) Due to these reasons, it is crucial for researchers to properly evaluate the effects of false spring events on temperate forests and agricultural crops in order to make more accurate predictions on future trends.

3. Introduce Current False Spring Index Equation

- (a) Different species respond differently to late spring freezing events.
- (b) The level of damage sustained by plants from a false spring also varies across phenophases.
- (c) Various studies have assessed the risk of damage or the intensity of particular false spring events but at this time false spring studies fail to incorporate all potential factors that could affect the level of frost damage risk.
- (d) A False Spring Index (FSI) signifies the likelihood of a damage to occur from a late spring freeze.
- (e) Currently, FSI evaluates day of budburst, number of growing degree days, and day of last spring freeze through a simple equation as seen below (Marino *et al.*, 2011).
- (f)

$$FSI = JulianDate(LastSpringFreeze) - JulianDate(Budburst)$$

- (g) If FSI is a positive number and greater than 7, then crown dieback is more likely to occur.
- (h) False spring studies largely simplify the various ecological elements that could predict the level of plant damage from late spring freezing events.
- (i) In contrast to these simplifications, we argue that a wealth of factors greatly impacts plants' frost spring risk such that simple indices will most likely lead to inaccurate predictions and ultimately do little to advance the field.

4. State the Purpose of the Paper

- (a) In this paper we aim to highlight the complexity of factors driving a plant's false spring risk.
- (b) We outline in particular how life stage of the individual (Caffarra & Donnelly, 2011), location within a forest or canopy (Augspurger, 2013), winter chilling hours (Flynn & Wolkovich 2017?), proximity to water (Gu *et al.*, 2008), level of precipitation prior to the freezing event (Anderegg *et al.*, 2013), freeze duration/intensity, and range limits of the species (Martin *et al.*, 2010) unhinge simple metrics of false spring.
- (c) The ultimate intent is to demonstrate how an integrated view of false spring that incorporates these factors would rapidly advance progress in this field.

References

- Allstadt, A.J., Vavrus, S.J., Heglund, P.J., Pidgeon, A.M., Wayne, E. & Radeloff, V.C. (2015) Spring plant phenology and false springs in the conterminous U. S. during the 21st century. *Environmental Research Letters (submitted)* **10**, 104008.
- Anderegg, W.R.L., Plavcová, L., Anderegg, L.D.L., Hacke, U.G., Berry, J.A. & Field, C.B. (2013) Drought's legacy: Multiyear hydraulic deterioration underlies widespread aspen forest die-off and portends increased future risk. *Global Change Biology* **19**, 1188–1196.
- Augspurger, C.K. (2009) Spring 2007 warmth and frost: Phenology, damage and refoliation in a temperate deciduous forest. *Functional Ecology* **23**, 1031–1039.
- Augspurger, C.K. (2013) Reconstructing patterns of temperature, phenology, and frost damage over 124 years: Spring damage risk is increasing. *Ecology* **94**, 41–50.
- Ault, T.R., Henebry, G.M., de Beurs, K.M., Schwartz, M.D., Betancourt, J.L. & Moore, D. (2013) The False Spring of 2012, Earliest in North American Record. *Eos, Transactions American Geophysical Union* **94**, 181–182.
- Caffarra, A. & Donnelly, A. (2011) The ecological significance of phenology in four different tree species: Effects of light and temperature on bud burst. *International Journal of Biometeorology* **55**, 711–721.
- Cannell, M. & Smith, R. (1986) Climatic Warming , Spring Budburst and Forest Damage on Trees Author (s): M . G . R . Cannell and R . I . Smith Published by : British Ecological Society Stable URL : <http://www.jstor.org/stable/2403090> JSTOR is a not-for-profit service that helps schol. *Journal of Applied Ecology* **23**, 177–191.
- Gu, L., Hanson, P.J., Post, W.M., Kaiser, D.P., Yang, B., Nemani, R., Pallardy, S.G. & Meyers, T. (2008) The 2007 Eastern US Spring Freeze: Increased Cold Damage in a Warming World. *BioScience* **58**, 253.
- Hufkens, K., Friedl, M.A., Keenan, T.F., Sonnentag, O., Bailey, A., O'Keefe, J. & Richardson, A.D. (2012) Ecological impacts of a widespread frost event following early spring leaf-out. *Global Change Biology* **18**, 2365–2377.
- Inouye, D.W. (2008) Effects of climate change on phenology, frost damage, and floral abundance of montane wildflowers. *Ecology* **89**, 353–362.
- Knudson, W. (2012) The economic impact of the spring's weather on the fruit and vegetable sectors. *The Strategic Marketing Institute Working Paper* .

- Kodra, E., Steinhäuser, K. & Ganguly, A.R. (2011) Persisting cold extremes under 21st-century warming scenarios. *Geophysical Research Letters* **38**, 1–5.
- Marino, G.P., Kaiser, D.P., Gu, L. & Ricciuto, D.M. (2011) Reconstruction of false spring occurrences over the southeastern United States, 1901–2007: an increasing risk of spring freeze damage? *Environmental Research Letters* **6**, 24015.
- Martin, M., Gavazov, K., Körner, C., Hattenschwiler, S. & Rixen, C. (2010) Reduced early growing season freezing resistance in alpine treeline plants under elevated atmospheric CO₂. *Global Change Biology* **16**, 1057–1070.
- Muffler, L., Beierkuhnlein, C., Aas, G., Jentsch, A., Schweiger, A.H., Zohner, C. & Kreyling, J. (2016) Distribution ranges and spring phenology explain late frost sensitivity in 170 woody plants from the northern hemisphere. *Global Ecology and Biogeography* **25**, 1061–1071.
- Polgar, C., Gallinat, A. & Primack, R.B. (2014) Drivers of leaf-out phenology and their implications for species invasions: Insights from Thoreau’s Concord. *New Phytologist* **202**, 106–115.
- Polgar, C.A. & Primack, R.B. (2011) Leaf-out phenology of temperate woody plants: From trees to ecosystems. *New Phytologist* **191**, 926–941.
- Wolkovich, E.M., Cook, B.I., Allen, J.M., Crimmins, T.M., Betancourt, J.L., Travers, S.E., Pau, S., Regetz, J., Davies, T.J., Kraft, N.J.B., Ault, T.R., Bolmgren, K., Mazer, S.J., McCabe, G.J., McGill, B.J., Parmesan, C., Salamin, N., Schwartz, M.D. & Cleland, E.E. (2012) Warming experiments underpredict plant phenological responses to climate change. *Nature* **485**, 18–21.
- Xin, Q. (2016) A risk-benefit model to simulate vegetation spring onset in response to multi-decadal climate variability: Theoretical basis and applications from the field to the Northern Hemisphere. *Agriculture and Forest Meteorology* pp. 139–163.