Website Pages Design for FoodBank Australia

Project Introduction

FoodBank Australia is dedicated to combating food insecurity and supporting vulnerable communities across the country. To achieve this mission, we developed this website to better serve and connect our community volunteers, donors, and beneficiaries. The design and functionality of the site are aimed at providing easy access to information, volunteer registration, donations, and resource distribution.

Roles Overview

General Users: Can browse site information, find food distribution locations, register as volunteers or donors, and log into their accounts to manage personal information.

Administrators: Responsible for the overall management of the website, including user information management, branch updates, and website maintenance.

Managers: Manage specific food distribution centers, including resource allocation, volunteer coordination, and data reporting.


Precedents Research

1. Foodbank Australia:




Use eye-catching colors, such as purple and white, to attract users' attention and reinforce thematic information with relevant icons. A good visual layout not only helps users understand the information better, but also reduces visual fatigue, especially for users who spend a lot of time browsing charity information. The website offers an online donation function, as well as a detailed guide to food donation and volunteering.

2. Mittun's Food Bank Website Design:



Stylized with a focus on clear calls to action and strong visual elements to promote donations and participation. Structurally the design considers the user's navigational path and ensures that the donate button is clearly visible on every page. The site emphasizes storytelling, connecting donors and recipients through personal stories and community impact.

3. Girl Scouts of Northeastern New York:




For text content, use large, clear fonts, such as Arial or Helvetica, as well as adequate line spacing and margins to improve the reading experience. Clear typography and easy-to-read fonts are key factors in improving website usability.

4. Yosemite Conservancy:



Providing a clear information architecture allows users to easily find the information they are interested in without having to go through complex paths. This direct and clear navigation structure helps to increase user engagement and the overall effectiveness of the site.

Home page:





About page:

Nav bar : SAME as Homepage Picture FOODBANK AUSTRALIA Home About Location Contact Login Fight hunger, xxxx... Get in touch text-content: width: 600px h1 Title: Font: 32px Margin : 21.44px P: Fort: (6px button: Font: 16px Cotor: blue

Location page

Nav bar : SAME as Homepage





User Page Sidebar: Fant: 16px Padding: 20px Nav bar : SAME as Homepage Width: 200px h2 Title: Font: 24 px FOODBANK AUSTRALIA Home About Location Contact Login Welcome to Your Profile Dashboard Personal Info Security Organization Activities bold Logout Username: XXX margin (bpx Emarl: XXX@XXX.com Fortilbpx Fullname: Age: Branch: Edit User Info


Fadding: 20px


240 px

| Dashboard | Loopx, | Activity Name | Date | Participants | Description | Join | \$ 32 |
|------------------------------------------------------|-----------|---------------------------|------------|--------------|-------------|--------------|------------------------|
| Personal Lufo Security Organization Activities | Event ima | xxx activity Font 1 1 bpx | 2024-05-15 | 50 people | Helpwith | Ճ | 20 <u> </u> |
| -og out | | xxx activity | 2024-05-15 | 50 people | Helpwith | Ø | |
| | | xxx activity | 2024-05-15 | 50 people | Helpwith | \sqrt | |

__

Manager / Admin Page:





Pages Overview

Homepage (index.html)

Purpose: Introduces the mission and vision of FoodBank Australia.

Features: Quick navigation links to key pages such as About, Location, and Login.

About Page (about.html)

Purpose: Provides a detailed introduction to FoodBank Australia, its history, and goals.

Features: Showcases efforts and achievements in combating food insecurity.

Registration Pages

General User Registration (register.html)

Purpose: Allows general users to fill out basic information and create accounts.

Features: Form fields for name, email, phone number, etc.

Manager Registration (manager_register.html)

Purpose: Allows managers to register with additional information relevant to their roles.

Features: Form fields for name, email, phone number, and specific managerial

responsibilities.

Login Pages

General User Login (login.html)

Purpose: Provides access for general users to log into their accounts.

Features: Secure login form with username and password fields.

Administrator Login (admin_login.html)

Purpose: Provides access for administrators to log into the system.

Features: Secure login form with enhanced security features.

Manager Login (manager login.html)

Purpose: Provides access for managers to log into their accounts.

Features: Secure login form with username and password fields.

Location Page (location.html)

Purpose: Displays the locations and information of various food distribution centers.

Features: Interactive map and search functionality to help users find the nearest help

point.

User part

1. Profile.html

This is the user profile page, featuring the following content and functionalities:

Navigation Bar:

Contains links such as Home, About, Location, Contact, and Login.

Sidebar:

Contains navigation links that allow users to access Personal Info, Security Settings, Organization Activities, and Logout.

Content Area

Welcomes the user and displays user information, including Username, Email, Full Name, Age, and Organization.

User avatar can be clicked to change the image.

Button to edit user information, which opens a modal allowing the user to update their information.

Modals:

One modal for editing user information and another for changing the password.

The password change functionality includes verifying that the new password meets specific criteria and is not the same as the old password.

2. AddDetail.html

This is a registration details page, featuring the following content and functionalities: Form:

Includes fields for entering phone number, full name, age, and selecting a registering organization.

Upon submission, the form redirects to Profile.html.

3. profileSections.js

This is a server-side script for handling partial content loading, featuring the following functionalities:

Routing Setup:

Handles requests for different sections, such as security settings and organization activities.

Returns the corresponding HTML content.

Organization Activities Section:

Returns an HTML table containing activity details, including Activity Name, Date, Participants, and Description.

Users can choose to join activities.

Implemented Functionalities

User Registration and Detail Entry:

Users complete their registration by entering details on the AddDetail.html page.

User Information Display and Edit:

Users can view and edit their personal information on the Profile.html page.

Dynamic Content Loading:

Uses AJAX to load different content sections, such as security settings and organization activities.

User Avatar Change:

Users can click on their avatar to change the image.

Password Change Functionality:

Users can change their password through a modal, with the new password required to meet specific criteria.

Activity Participation Selection:

Users can select whether to participate in activities in the organization activities section, dynamically updating the participant count.

Manager Page (manager.html)

Dashboard:

Personal Info: Provides access to the user's personal information where they can view and edit their profile details.

Security: Allows users to manage their security settings, including password changes and two-factor authentication settings.

Organization Activities: Displays a list of organization activities that the user can participate in, view details, or join.

Member Management: The current page where the manager can oversee members of the organization, view their details, and perform actions such as editing or deleting member information.

Events Management: A page to manage events associated with the branch, including adding new events, editing existing ones, and deleting events.

Post Updates: A section to post updates relevant to the organization or branch.

Header:

Title: Reflects the current branch being managed (e.g., "Melbourne Branch Management").

Navigation Links: Contains links to Home, About, Location, Contact, and Logout.

Content Area:

Member Management Table:

Columns: Username, Full Name, Email, Phone Number, and Actions.

Actions: Edit and Delete buttons for each member.

Functionality: Allows the manager to edit or delete members' details. Clicking 'Edit' enables inline editing of the member's information, and 'Delete' removes the member from the list.

Member Page (members.html)

Content and Functionalities:

Navigation Bar:

Contains links to Home, About, Location, Contact, and Logout.

Sidebar:

Same as the manager.html, includes links to Personal Info, Security, Organization

Activities, Member Management, Events Management, and Post Updates.

Content Area:

Members Table:

Columns: Username, Full Name, Email, Phone Number, Branch, and Actions.

Functionality: Displays a list of all members in the organization. Allows for viewing, editing, and deleting member information.

Edit Member: Opens a form within the table row to update member details such as Username, Full Name, Email, Phone Number, and Branch.

Delete Member: Removes the member from the organization.

Events Page (events.html)

Content and Functionalities:

Navigation Bar:

Contains links to Home, About, Location, Contact, and Logout.

Sidebar:

Same as the manager.html, includes links to Personal Info, Security, Organization Activities, Member Management, Events Management, and Post Updates.

Content Area:

Events Table:

Columns: Event Name, Event Date, Number of Participants, Event Information, and Actions.

Functionality: Displays a list of all events associated with the branch. Allows for viewing, editing, and deleting events.

Edit Event: Opens a form within the table row to update event details such as Event Name, Event Date, Number of Participants, and Event Information.

Delete Event: Removes the event from the branch.

Administrator Management System: Page Descriptions

Overview

The Administrator Management System provides a comprehensive interface for

managing users, organization details, branches, and administrators. The interface

includes a sidebar with different management sections, a content area displaying

relevant information, and functionalities for adding, editing, and deleting records. Each

page is designed to handle specific management tasks.

Pages and Functionalities

Member Management (member.html)

Navigation Bar: Links to Members, Organization, Branch Management, Administrator

Management, and Logout.

Sidebar: Contains links for Dashboard, Personal Info, Security, Organization Activities,

Member Management, Events Management, and Post Updates.

Content Area:

Displays a table listing all current members.

Columns include Username, Full Name, Email, Phone Number, Branch, and Actions.

Actions:

Edit: Opens a modal or inline form to edit member details.

Delete: Removes the member from the system.

Add New Member: Button to open a form for adding a new member.

Organization Management (organization.html)

Navigation Bar: Links to Members, Organization, Branch Management, Administrator

Management, and Logout.

Sidebar: Contains links for Dashboard, Personal Info, Security, Organization Activities,

Member Management, Events Management, and Post Updates.

Content Area:

Displays a table listing all managers within the organization.

Columns include Username, Full Name, Email, Phone Number, Branch, and Actions.

Actions:

Edit: Opens a modal or inline form to edit manager details.

Delete: Removes the manager from the system.

Add New Manager: Button to open a form for adding a new manager.

Branch Management (branch.html)

Navigation Bar: Links to Members, Organization, Branch Management, Administrator Management, and Logout.

Sidebar: Contains links for Dashboard, Personal Info, Security, Organization Activities, Member Management, Events Management, and Post Updates.

Content Area:

Displays a table listing all branches.

Columns include Branch Name, Description, Image URL, and Actions.

Actions:

Edit: Opens a modal or inline form to edit branch details.

Delete: Removes the branch from the system.

Sign Up New Branch: Button to open a form for adding a new branch.

Administrator Management (administrator.html)

Navigation Bar: Links to Members, Organization, Branch Management, Administrator Management, and Logout.

Sidebar: Contains links for Dashboard, Personal Info, Security, Organization Activities, Member Management, Events Management, and Post Updates.

Content Area:

Displays a table listing all administrators.

Columns include Username, Email, and Actions.

Actions:


Edit: Opens a modal or inline form to edit administrator details.

Delete: Removes the administrator from the system.

Sign Up New Admins: Button to open a form for adding a new administrator.

Database design

Database Schema Diagram:



This database is designed for FoodBank management system, which is a volunteer organization, and includes several tables to manage different aspects of the organization, such as branches, users, managers, activities, and updates.

The database aims to streamline the operations of the food bank by efficiently managing resources, coordinating volunteer activities, and ensuring effective communication within the organization. Here's a detailed description of each table and their relationships:

Tables and Relationships

Branches

| Field | Туре | Null | Key | Default | Extra |
|-------------|--------------|------|------|---------|-------|
| branch_id | int | NO | PRI | NULL | |
| branch_name | varchar(255) | YES | NULL | NULL | |
| description | varchar(255) | YES | NULL | NULL | |
| image_url | varchar(255) | YES | NULL | NULL | |

Description: Stores information about each branch of the food bank.

User

| Field | Туре | Null | Key | Default | Extra |
|--------------|--------------|------|------|---------|----------------|
| user_id | int | NO | PRI | NULL | auto_increment |
| user_name | varchar(255) | YES | NULL | NULL | |
| email | varchar(255) | YES | UNI | NULL | |
| password | varchar(255) | YES | NULL | NULL | |
| phone_number | varchar(20) | YES | NULL | NULL | |
| full_name | varchar(255) | YES | NULL | NULL | |
| branch_id | int | YES | MUL | NULL | |

Description: Stores information about users, including their assigned branch.

Manager

| Field | Туре | Null | Key | Default | Extra |
|--------------|--------------|------|------|---------|----------------|
| user_id | int | NO | PRI | NULL | auto_increment |
| user_name | varchar(255) | YES | NULL | NULL | |
| email | varchar(255) | YES | UNI | NULL | |
| password | varchar(255) | YES | NULL | NULL | |
| phone_number | varchar(20) | YES | NULL | NULL | |
| full_name | varchar(255) | YES | NULL | NULL | |
| branch_id | int | YES | MUL | NULL | |

Description: Similar to the User table but specifically for managers, linking them to a branch.

Activity

| Field | Туре | Null | Key | Default | Extra |
|---------------------------|--------------|------|------|---------|----------------|
| activity_id | int | NO | PRI | NULL | auto_increment |
| activity_name | varchar(255) | YES | NULL | NULL | |
| activity_date | date | YES | NULL | NULL | |
| activity_number_of_people | int | YES | NULL | NULL | |
| activity_information | varchar(255) | YES | NULL | NULL | |
| branch_id | int | YES | MUL | NULL | |
| manager_id | int | YES | MUL | NULL | |

Description: Stores information about activities organized by branches, with each activity linked to a branch and a manager.

User_in_activities

| Field | Туре | Null | Key | Default | Extra |
|-------------|---------------|------|------|-------------------|-------------------|
| user_id | int | NO | PRI | NULL | |
| activity_id | int | NO | PRI | NULL | |
| status | enum('Yes', | NO | NULL | NULL | |
| | 'No','Maybe') | | | | |
| remarks | varchar(255) | YES | NULL | NULL | |
| reply_date | timestamp | YES | NULL | CURRENT_TIMESTAMP | DEFAULT_GENERATED |

Description: Manages user participation in activities, tracking their status and any remarks.

Administrator

| Field | Туре | Null | Key | Default | Extra |
|-----------|--------------|------|------|---------|----------------|
| User_ID | int | NO | PRI | NULL | auto_increment |
| User_Name | varchar(255) | NO | NULL | NULL | |
| Password | varchar(255) | NO | NULL | NULL | |
| Email | varchar(255) | NO | NULL | NULL | |

Description: Stores information about administrators who manage the system.

Updates

| Field | Туре | Null | Key | Default | Extra |
|------------|----------------|------|------|-------------------|-------------------|
| update_id | int | NO | PRI | NULL | auto_increment |
| branch_id | int | YES | MUL | NULL | |
| manager_id | int | YES | MUL | NULL | |
| title | text | YES | NULL | NULL | |
| content | text | YES | NULL | NULL | |
| visibility | enum('public', | YES | NULL | NULL | |
| | 'inside | | | | |
| | branch', | | | | |
| | 'private') | | | | |
| post_time | timestamp | YES | NULL | CURRENT_TIMESTAMP | DEFAULT_GENERATED |

Description: Manages updates posted by managers, including the visibility level of each update.

Updates_Users

| Field | Туре | Null | Key | Default | Extra |
|-----------|------|------|-----|---------|-------|
| update_id | int | NO | PRI | NULL | |
| user_id | int | NO | PRI | NULL | |

Description: Links updates to specific users, especially for private updates.

Views

PublicUpdates

```
SELECT * FROM Updates WHERE visibility = 'public';
```

Description: A view to display all public updates, accessible to everyone including guests.

InsideBranchUpdates

```
CREATE OR REPLACE VIEW InsideBranchUpdates AS
SELECT * FROM Updates WHERE visibility = 'inside branch';
```

Description: A view to display updates intended for users within the same branch, requiring user login and branch verification.

PrivateUpdates

```
CREATE OR REPLACE VIEW PrivateUpdates AS

SELECT Updates.* FROM Updates

JOIN Updates_Users ON Updates.update_id = Updates_Users.update_id

WHERE visibility = 'private';
```

Description: A view to display private updates, restricted to specific users.