



Acunetix Website Audit
19 February, 2018

Developer Report

Scan of http://www.iuka.cn:80/

Scan details

Scan information	
Start time	2018/2/19 9:52:13
Finish time	The scan was aborted
Scan time	28 minutes, 13 seconds
Profile	Default

Server information	
Responsive	True
Server banner	IIS
Server OS	Unknown
Server technologies	

Threat level



Acunetix Threat Level 3

One or more high-severity type vulnerabilities have been discovered by the scanner. A malicious user can exploit these vulnerabilities and compromise the backend database and/or deface your website.

Alerts distribution

Total alerts found	75
• High	18
Medium	23
Low	6
Informational	28

Alerts summary



SQL injection

Affects	Variation
	1
/chaxun	2
/class/	1
/class/t2	1
/class/t3	1
/class/t5	1
/index/checkuser	1
/index/jianyi	1
/index/pass2	1
/index/reg	1
/jubao	2
/notice/	2
/tousu	2

Application error message

Affects	Variation
1	2
/chaxun	3
/class/	1
/class/t2	1
/class/t3	1
/class/t5	1
/index/checkuser	1
/index/jianyi	1
/index/pass2	1
/index/reg	1
/jubao	3
/notice/	1
/tousu	3

HTML form without CSRF protection

Affects	Varia	ation
/tousu	1	

User credentials are sent in clear text

Affects	Variation
/index/log	1
/index/reg	1

OPTIONS method is enabled

Affects	Variation
Web Server	1

Possible sensitive files

Affects	Variation
/.bash_history	1
/.bashrc	1
/.gitignore	1
/id_rsa	1

Possible Virtual Host found

Affects	Variation
admin.iuka.cn	1

Email address found

Affects	Variation
/chaxun	1
/class/t2	1
/class/t3	1
/class/t5	1
/index.html	1
/index/fuwu	1
/index/guanyu	1
/index/jianyi	1
/index/log	1
/index/lx	1
/index/pass	1
/index/pass2	1
/index/reg	1
/index/zj	1
/jubao	1
/notice/1	1
/notice/3	1
/notice/33	1
/notice/5	1
/notice/7	1
/notice/79	1
/notice/8	1
/notice/9	1
/tousu	1

Password type input with auto-complete enabled

Affects	Variation
/index/log	1
/index/reg	2
/tousu	1

Alert details

Cross Site Scripting

Severity	High
Туре	Validation
Reported by module	Scripting (XSS.script)

Description

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

Impact

Malicious users may inject JavaScript, VBScript, ActiveX, HTML or Flash into a vulnerable application to fool a user in order to gather data from them. An attacker can steal the session cookie and take over the account, impersonating the user. It is also possible to modify the content of the page presented to the user.

Recommendation

Your script should filter metacharacters from user input.

References

XSS Filter Evasion Cheat Sheet

Acunetix Cross Site Scripting Attack

How To: Prevent Cross-Site Scripting in ASP.NET

OWASP PHP Top 5

Cross site scripting

OWASP Cross Site Scripting

VIDEO: How Cross-Site Scripting (XSS) Works

XSS Annihilation

The Cross Site Scripting Faq

Affected items

/chaxun

Details

URL encoded POST input con was set to 1 onmouseover=prompt(927243) y= The input is reflected inside a tag parameter without quotes.

Request headers

```
POST /chaxun HTTP/1.1 Content-Length: 83
```

Content-Type: application/x-www-form-urlencoded

Referer: http://www.iuka.cn:80/

Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG; getopenidstr=b4DtYISDnXZ0hu0xlA4r; iplog=000; GetCode=1255

Host: www.iuka.cn Connection: Keep-alive

Accept-Encoding: gzip, deflate

User-Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)

Accept: */*

act=cha&con=1%20onmouseover%3dprompt(927243)%20y%3d&Submit=%c1%a2%bc%b4%b2%e9%d1%af

SQL injection

Severity	High
Туре	Validation
Reported by module	Scripting (Sql_Injection.script)

Description

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

Impact

An attacker may execute arbitrary SQL statements on the vulnerable system. This may compromise the integrity of your database and/or expose sensitive information.

Depending on the back-end database in use, SQL injection vulnerabilities lead to varying levels of data/system access for the attacker. It may be possible to not only manipulate existing queries, but to UNION in arbitrary data, use sub selects, or append additional queries. In some cases, it may be possible to read in or write out to files, or to execute shell commands on the underlying operating system.

Certain SQL Servers such as Microsoft SQL Server contain stored and extended procedures (database server functions). If an attacker can obtain access to these procedures it may be possible to compromise the entire machine.

Recommendation

Your script should filter metacharacters from user input.

Check detailed information for more information about fixing this vulnerability.

References

How to check for SQL injection vulnerabilities

OWASP PHP Top 5

OWASP Injection Flaws

VIDEO: SQL Injection tutorial

Acunetix SQL Injection Attack

SQL Injection Walkthrough

Affected items

/

Details

HTTP Header input x-forwarded-for was set to 1"

Error message found: Microsoft OLE DB Provider for SQL Server

Request headers

```
GET / HTTP/1.1
user-agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
x-forwarded-for: 1'"
Referer: http://www.iuka.cn:80/
Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG;
getopenidstr=b4DtYISDnXZ0hu0xlA4r; iplog=000; GetCode=1255
Host: www.iuka.cn
Connection: Keep-alive
Accept-Encoding: gzip,deflate
Accept: */*
```

/chaxun

Details

URL encoded POST input con was set to 1"

Error message found: Microsoft OLE DB Provider for SQL Server

Request headers

```
POST /chaxun HTTP/1.1

Content-Length: 49

Content-Type: application/x-www-form-urlencoded

Referer: http://www.iuka.cn:80/

Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG;
getopenidstr=b4DtYISDnXZ0hu0xlA4r; iplog=000; GetCode=1255

Host: www.iuka.cn

Connection: Keep-alive

Accept-Encoding: gzip,deflate

User-Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)

Accept: */*

act=cha&con=1'%22&Submit=%c1%a2%bc%b4%b2%e9%d1%af
```

/chaxun

Details

HTTP Header input x-forwarded-for was set to 1"

Error message found: Microsoft OLE DB Provider for SQL Server

Request headers

```
GET /chaxun HTTP/1.1
user-agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
x-forwarded-for: 1'"
Referer: http://www.iuka.cn:80/
Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG;
getopenidstr=b4DtYISDnXZ0hu0xlA4r; iplog=000; GetCode=1255
Host: www.iuka.cn
Connection: Keep-alive
Accept-Encoding: gzip,deflate
Accept: */*
```

/class/

Details

HTTP Header input x-forwarded-for was set to 1"

Error message found: Microsoft OLE DB Provider for SQL Server

Request headers

```
GET /class/ HTTP/1.1
user-agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
x-forwarded-for: 1'"
Referer: http://www.iuka.cn:80/
Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG;
getopenidstr=b4DtYISDnXZ0hu0xlA4r; iplog=000; GetCode=1255
Host: www.iuka.cn
Connection: Keep-alive
Accept-Encoding: gzip,deflate
Accept: */*
```

/class/t2

Details

HTTP Header input x-forwarded-for was set to 1"

Error message found: Microsoft OLE DB Provider for SQL Server

Request headers

```
GET /class/t2 HTTP/1.1
user-agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
x-forwarded-for: 1'"
Referer: http://www.iuka.cn:80/
Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG;
getopenidstr=b4DtYISDnXZ0hu0xlA4r; iplog=000; GetCode=1255
Host: www.iuka.cn
```

```
Connection: Keep-alive
Accept-Encoding: gzip,deflate
Accept: */*
```

/class/t3

Details

HTTP Header input x-forwarded-for was set to 1"

Error message found: Microsoft OLE DB Provider for SQL Server

Request headers

```
GET /class/t3 HTTP/1.1
user-agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
x-forwarded-for: 1'"
Referer: http://www.iuka.cn:80/
Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG;
getopenidstr=b4DtYISDnXZ0hu0xlA4r; iplog=000; GetCode=1255
Host: www.iuka.cn
Connection: Keep-alive
Accept-Encoding: gzip,deflate
Accept: */*
```

/class/t5

Details

HTTP Header input x-forwarded-for was set to 1"

Error message found: Microsoft OLE DB Provider for SQL Server

Request headers

```
GET /class/t5 HTTP/1.1
user-agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
x-forwarded-for: 1'"
Referer: http://www.iuka.cn:80/
Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG;
getopenidstr=b4DtYISDnXZ0hu0xlA4r; iplog=000; GetCode=1255
Host: www.iuka.cn
Connection: Keep-alive
Accept-Encoding: gzip,deflate
Accept: */*
```

/index/checkuser

Details

HTTP Header input x-forwarded-for was set to 1"

Error message found: Microsoft OLE DB Provider for SQL Server

Request headers

```
GET /index/checkuser HTTP/1.1
user-agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
x-forwarded-for: 1'"
Referer: http://www.iuka.cn:80/
Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG;
getopenidstr=b4DtYISDnXZ0hu0xlA4r; iplog=000; GetCode=1255
Host: www.iuka.cn
Connection: Keep-alive
Accept-Encoding: gzip,deflate
Accept: */*
```

/index/jianyi

Details

HTTP Header input x-forwarded-for was set to 1"

Error message found: Microsoft OLE DB Provider for SQL Server

Request headers

```
GET /index/jianyi HTTP/1.1
user-agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
x-forwarded-for: 1'"
Referer: http://www.iuka.cn:80/
Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG;
getopenidstr=b4DtYISDnXZ0hu0xlA4r; iplog=000; GetCode=1255
Host: www.iuka.cn
```

Connection: Keep-alive
Accept-Encoding: gzip,deflate
Accept: */*

/index/pass2

Details

HTTP Header input x-forwarded-for was set to 1"

Error message found: Microsoft OLE DB Provider for SQL Server

Request headers

```
GET /index/pass2 HTTP/1.1
user-agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
x-forwarded-for: 1'"
Referer: http://www.iuka.cn:80/
Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG;
getopenidstr=b4DtYISDnXZ0hu0xlA4r; iplog=000; GetCode=1255
Host: www.iuka.cn
Connection: Keep-alive
Accept-Encoding: gzip,deflate
Accept: */*
```

/index/reg

Details

HTTP Header input x-forwarded-for was set to 1"

Error message found: Microsoft OLE DB Provider for SQL Server

Request headers

```
GET /index/reg HTTP/1.1
user-agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
x-forwarded-for: 1'"
Referer: http://www.iuka.cn:80/
Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG;
getopenidstr=b4DtYISDnXZ0hu0xlA4r; iplog=000; GetCode=1255
Host: www.iuka.cn
Connection: Keep-alive
Accept-Encoding: gzip,deflate
Accept: */*
```

/jubao

Details

URL encoded POST input ddh was set to 1"

Error message found: Microsoft OLE DB Provider for SQL Server

Request headers

```
POST /jubao?cact=tscx HTTP/1.1
Content-Length: 53
Content-Type: application/x-www-form-urlencoded
Referer: http://www.iuka.cn:80/
Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG;
getopenidstr=b4DtYISDnXZ0hu0xlA4r; iplog=000; GetCode=1255
Host: www.iuka.cn
Connection: Keep-alive
Accept-Encoding: gzip,deflate
User-Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
Accept: */*

ddh=1'%22&i=&tijiao=%cc%e1%20%bd%bb%20%cd%b6%20%cb%df
```

/jubao

Details

HTTP Header input x-forwarded-for was set to 1"

Error message found: Microsoft OLE DB Provider for SQL Server

Request headers

```
GET /jubao HTTP/1.1
user-agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
x-forwarded-for: 1'"
Referer: http://www.iuka.cn:80/
```

```
Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG;
getopenidstr=b4DtYISDnXZ0hu0xlA4r; iplog=000; GetCode=1255
Host: www.iuka.cn
Connection: Keep-alive
Accept-Encoding: gzip,deflate
Accept: */*
```

/notice/

Details

URI and/or header was set to 1"

Error message found: Microsoft OLE DB Provider for SQL Server

Request headers

```
GET /notice/?id=1'"1000 HTTP/1.1
User-Agent: 1'"2000
referer: 1'"3000
client-ip: 1'"4000
x-forwarded-for: 1'"5000
accept-language: 1'"6000
via: 1'"7000
Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG;
getopenidstr=b4DtYISDnXZ0hu0xlA4r; iplog=000; GetCode=1255
Host: www.iuka.cn
Connection: Keep-alive
Accept-Encoding: gzip,deflate
Accept: */*
```

/notice/

Details

HTTP Header input x-forwarded-for was set to 1"

Error message found: Microsoft OLE DB Provider for SQL Server

Request headers

```
GET /notice/ HTTP/1.1
user-agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
x-forwarded-for: 1'"
Referer: http://www.iuka.cn:80/
Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG;
getopenidstr=b4DtYISDnXZ0hu0xlA4r; iplog=000; GetCode=1255
Host: www.iuka.cn
Connection: Keep-alive
Accept-Encoding: gzip,deflate
Accept: */*
```

/tousu

Details

HTTP Header input x-forwarded-for was set to 1"

Error message found: Microsoft OLE DB Provider for SQL Server

Request headers

```
GET /tousu HTTP/1.1
user-agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
x-forwarded-for: 1'"
Referer: http://www.iuka.cn:80/
Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG;
getopenidstr=b4DtYISDnXZ0hu0xlA4r; iplog=000; GetCode=1255
Host: www.iuka.cn
Connection: Keep-alive
Accept-Encoding: gzip,deflate
Accept: */*
```

/tousu

Details

URL encoded POST input yiju was set to 1"

Error message found: Microsoft OLE DB Provider for SQL Server

Request headers

```
POST /tousu?act=cx HTTP/1.1
```

Content-Length: 67

 ${\tt Content-Type: application/x-www-form-urlencoded}$

Referer: http://www.iuka.cn:80/

Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG; getopenidstr=b4DtYISDnXZ0hu0xlA4r; iplog=000; GetCode=1255

Host: www.iuka.cn Connection: Keep-alive

Accept-Encoding: gzip, deflate

User-Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)

Accept: */*

 $\verb|act=cx&tijiao=$b2$e9$d1afd3ebb3$b7$cffacd$b6$cb$df&yiju=1'$22$

Application error message

Severity	Medium
Туре	Validation
Reported by module	Scripting (Error_Message.script)

Description

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

Impact

The error messages may disclose sensitive information. This information can be used to launch further attacks.

Recommendation

Review the source code for this script.

References

PHP Runtime Configuration

Affected items

•

Details

Path Fragment input / was set to 1e309

Error message found: Microsoft OLE DB Provider for SQL Server

Request headers

```
GET /notice/le309 HTTP/1.1
Referer: http://www.iuka.cn:80/
Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG;
getopenidstr=b4DtYISDnXZ0hu0xlA4r; iplog=000; GetCode=1255
Host: www.iuka.cn
Connection: Keep-alive
Accept-Encoding: gzip,deflate
User-Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
Accept: */*
```

/

Details

HTTP Header input x-forwarded-for was set to ""\\");[]*{%0d%0a<%00>%bf%27"

Error message found: Microsoft OLE DB Provider for SQL Server

Request headers

```
GET / HTTP/1.1
user-agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
x-forwarded-for: '"\'\");|]*{%0d%0a<%00>%bf%27'
Referer: http://www.iuka.cn:80/
Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG;
getopenidstr=b4DtYISDnXZ0hu0xlA4r; iplog=000; GetCode=1255
Host: www.iuka.cn
Connection: Keep-alive
Accept-Encoding: gzip,deflate
Accept: */*
```

/chaxun

Details

URL encoded POST input con was set to "\\");|]*{%0d%0a<%00>%bf%27'

Error message found: Microsoft OLE DB Provider for SQL Server

Request headers

```
POST /chaxun HTTP/1.1 Content-Length: 74
```

```
Content-Type: application/x-www-form-urlencoded
Referer: http://www.iuka.cn:80/
Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG;
getopenidstr=b4DtYISDnXZ0hu0xlA4r; iplog=000; GetCode=1255
Host: www.iuka.cn
Connection: Keep-alive
Accept-Encoding: gzip,deflate
User-Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
Accept: */*
act=cha&con='"\'\");|]*{%0d%0a<%00>%bf%27'&Submit=%c1%a2%bc%b4%b2%e9%d1%af
```

/chaxun

Details

URL encoded POST input con was set to "()

Error message found: Microsoft OLE DB Provider for SQL Server

Request headers

```
POST /chaxun HTTP/1.1
Content-Length: 50
Content-Type: application/x-www-form-urlencoded
Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG;
getopenidstr=b4DtYISDnXZ0hu0xlA4r; iplog=000; GetCode=1255
Host: www.iuka.cn
Connection: Keep-alive
Accept-Encoding: gzip,deflate
User-Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
Accept: */*
act=cha&con='%22()&Submit=%c1%a2%bc%b4%b2%e9%d1%af
```

/chaxun

Details

HTTP Header input x-forwarded-for was set to "\\");|]*{%0d%0a<%00>%bf%27' Error message found: Microsoft OLE DB Provider for SQL Server

Request headers

```
GET /chaxun HTTP/1.1
user-agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
x-forwarded-for: '"\'\");|]*{%0d%0a<%00>%bf%27'
Referer: http://www.iuka.cn:80/
Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG;
getopenidstr=b4DtYISDnXZ0hu0xlA4r; iplog=000; GetCode=1255
Host: www.iuka.cn
Connection: Keep-alive
Accept-Encoding: gzip,deflate
Accept: */*
```

/class/

Details

HTTP Header input x-forwarded-for was set to ""\"";]]*{%0d%0a<%00>%bf%27' Error message found: Microsoft OLE DB Provider for SQL Server

Request headers

```
GET /class/ HTTP/1.1
user-agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
x-forwarded-for: '"\'\");|]*{%0d%0a<%00>%bf%27'
Referer: http://www.iuka.cn:80/
Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG;
getopenidstr=b4DtYISDnXZ0hu0xlA4r; iplog=000; GetCode=1255
Host: www.iuka.cn
Connection: Keep-alive
Accept-Encoding: gzip,deflate
Accept: */*
```

/class/t2

Details

HTTP Header input x-forwarded-for was set to ""\\");|]*{%0d%0a<%00>%bf%27'

Error message found: Microsoft OLE DB Provider for SQL Server

Request headers

```
GET /class/t2 HTTP/1.1
user-agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
x-forwarded-for: '"\'\");|]*{%0d%0a<%00>%bf%27'
Referer: http://www.iuka.cn:80/
Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG;
getopenidstr=b4DtYISDnXZ0hu0xlA4r; iplog=000; GetCode=1255
Host: www.iuka.cn
Connection: Keep-alive
Accept-Encoding: gzip,deflate
Accept: */*
```

/class/t3

Details

HTTP Header input x-forwarded-for was set to ""\\");|]*{%0d%0a<%00>%bf%27'

Error message found: Microsoft OLE DB Provider for SQL Server

Request headers

```
GET /class/t3 HTTP/1.1
user-agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
x-forwarded-for: '"\'\");|]*{%0d%0a<%00>%bf%27'
Referer: http://www.iuka.cn:80/
Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG;
getopenidstr=b4DtYISDnXZ0hu0xlA4r; iplog=000; GetCode=1255
Host: www.iuka.cn
Connection: Keep-alive
Accept-Encoding: gzip,deflate
Accept: */*
```

/class/t5

Details

HTTP Header input x-forwarded-for was set to ""\""):|]*{%0d%0a<%00>%bf%27'

Error message found: Microsoft OLE DB Provider for SQL Server

Request headers

```
GET /class/t5 HTTP/1.1
user-agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
x-forwarded-for: '"\'\");|]*{%0d%0a<%00>%bf%27'
Referer: http://www.iuka.cn:80/
Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG;
getopenidstr=b4DtYISDnXZ0hu0xlA4r; iplog=000; GetCode=1255
Host: www.iuka.cn
Connection: Keep-alive
Accept-Encoding: gzip,deflate
Accept: */*
```

/index/checkuser

Details

HTTP Header input x-forwarded-for was set to ""\\");|]*{%0d%0a<%00>%bf%27

Error message found: Microsoft OLE DB Provider for SQL Server

Request headers

```
GET /index/checkuser HTTP/1.1
user-agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
x-forwarded-for: '"\'\");|]*{%0d%0a<%00>%bf%27'
Referer: http://www.iuka.cn:80/
Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG;
getopenidstr=b4DtYISDnXZ0hu0xlA4r; iplog=000; GetCode=1255
Host: www.iuka.cn
Connection: Keep-alive
Accept-Encoding: gzip,deflate
Accept: */*
```

/index/jianyi

Details

HTTP Header input x-forwarded-for was set to ""\\");|]*{%0d%0a<%00>%bf%27'

Error message found: Microsoft OLE DB Provider for SQL Server

Request headers

```
GET /index/jianyi HTTP/1.1
user-agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
x-forwarded-for: '"\'\");|]*{%0d%0a<%00>%bf%27'
Referer: http://www.iuka.cn:80/
Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG;
getopenidstr=b4DtYISDnXZ0hu0xlA4r; iplog=000; GetCode=1255
Host: www.iuka.cn
Connection: Keep-alive
Accept-Encoding: gzip,deflate
Accept: */*
```

/index/pass2

Details

HTTP Header input x-forwarded-for was set to ""\\");|]*{%0d%0a<%00>%bf%27'

Error message found: Microsoft OLE DB Provider for SQL Server

Request headers

```
GET /index/pass2 HTTP/1.1
user-agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
x-forwarded-for: '"\'\"); |]*{%0d%0a<%00>%bf%27'
Referer: http://www.iuka.cn:80/
Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG;
getopenidstr=b4DtYISDnXZ0hu0xlA4r; iplog=000; GetCode=1255
Host: www.iuka.cn
Connection: Keep-alive
Accept-Encoding: gzip,deflate
Accept: */*
```

/index/reg

Details

HTTP Header input x-forwarded-for was set to ""\""):|]*{%0d%0a<%00>%bf%27'

Error message found: Microsoft OLE DB Provider for SQL Server

Request headers

```
GET /index/reg HTTP/1.1
user-agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
x-forwarded-for: '"\'\");|]*{%0d%0a<%00>%bf%27'
Referer: http://www.iuka.cn:80/
Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG;
getopenidstr=b4DtYISDnXZ0hu0xlA4r; iplog=000; GetCode=1255
Host: www.iuka.cn
Connection: Keep-alive
Accept-Encoding: gzip,deflate
Accept: */*
```

/jubao

Details

URL encoded POST input ddh was set to ""()

Error message found: Microsoft OLE DB Provider for SQL Server

Request headers

```
POST /jubao?cact=tscx HTTP/1.1
Content-Length: 54
Content-Type: application/x-www-form-urlencoded
Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG;
getopenidstr=b4DtYISDnXZ0hu0xlA4r; iplog=000; GetCode=1255
Host: www.iuka.cn
Connection: Keep-alive
Accept-Encoding: gzip,deflate
User-Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
Accept: */*
```

ddh='%22()&i=&tijiao=%cc%e1%20%bd%bb%20%cd%b6%20%cb%df

/jubao

Details

URL encoded POST input ddh was set to ""\\");]]*{%0d%0a<%00>%bf%27'

Error message found: Microsoft OLE DB Provider for SQL Server

Request headers

```
POST /jubao?cact=tscx HTTP/1.1
Content-Length: 78
Content-Type: application/x-www-form-urlencoded
Referer: http://www.iuka.cn:80/
Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG;
getopenidstr=b4DtYISDnXZ0hu0xlA4r; iplog=000; GetCode=1255
Host: www.iuka.cn
Connection: Keep-alive
Accept-Encoding: gzip,deflate
User-Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
Accept: */*

ddh='"\'\"); |]*{%0d%0a<%00>%bf%27'&i=&tijiao=%cc%e1%20%bd%bb%20%cd%b6%20%cb%df
```

/jubao

Details

HTTP Header input x-forwarded-for was set to ""\\");|]*{%0d%0a<%00>%bf%27"

Error message found: Microsoft OLE DB Provider for SQL Server

Request headers

```
GET /jubao HTTP/1.1

user-agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)

x-forwarded-for: '"\'\"); | ]* {%0d%0a<%00>%bf%27'

Referer: http://www.iuka.cn:80/
Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG;
getopenidstr=b4DtYISDnXZ0hu0xlA4r; iplog=000; GetCode=1255

Host: www.iuka.cn
Connection: Keep-alive
Accept-Encoding: gzip,deflate
Accept: */*
```

/notice/

Details

HTTP Header input x-forwarded-for was set to ""\"");|]*{%0d%0a<%00>%bf%27"

Error message found: Microsoft OLE DB Provider for SQL Server

Request headers

```
GET /notice/ HTTP/1.1
user-agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
x-forwarded-for: '"\'\"); |]*{%0d%0a<%00>%bf%27'
Referer: http://www.iuka.cn:80/
Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG;
getopenidstr=b4DtYISDnXZ0hu0xlA4r; iplog=000; GetCode=1255
Host: www.iuka.cn
Connection: Keep-alive
Accept-Encoding: gzip,deflate
Accept: */*
```

/tousu

Details

HTTP Header input x-forwarded-for was set to ""\\");|]*{%0d%0a<%00>%bf%27

Error message found: Microsoft OLE DB Provider for SQL Server

Request headers

```
GET /tousu HTTP/1.1
user-agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
x-forwarded-for: '"\'\");|]*{%0d%0a<%00>%bf%27'
Referer: http://www.iuka.cn:80/
Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG;
```

```
getopenidstr=b4DtYISDnXZ0hu0xlA4r; iplog=000; GetCode=1255
Host: www.iuka.cn
Connection: Keep-alive
Accept-Encoding: gzip,deflate
Accept: */*
```

/tousu

Details

URL encoded POST input yiju was set to ""\\");|]*{%0d%0a<%00>%bf%27' Error message found: Microsoft OLE DB Provider for SQL Server

Request headers

```
POST /tousu?act=cx HTTP/1.1
Content-Length: 92
Content-Type: application/x-www-form-urlencoded
Referer: http://www.iuka.cn:80/
Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG;
getopenidstr=b4DtYISDnXZ0hu0xlA4r; iplog=000; GetCode=1255
Host: www.iuka.cn
Connection: Keep-alive
Accept-Encoding: gzip,deflate
User-Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
Accept: */*
act=cx&tijiao=%b2%e9%d1%af%d3%eb%b3%b7%cf%fa%cd%b6%cb%df&yiju='"\'\");|]*{%0d%0a<%00>%bf%27'
```

/tousu

Details

URL encoded POST input yiju was set to "()

Error message found: Microsoft OLE DB Provider for SQL Server

Request headers

```
POST /tousu?act=cx HTTP/1.1
Content-Length: 68
Content-Type: application/x-www-form-urlencoded
Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG;
getopenidstr=b4DtYISDnXZ0hu0xlA4r; iplog=000; GetCode=1255
Host: www.iuka.cn
Connection: Keep-alive
Accept-Encoding: gzip,deflate
User-Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
Accept: */*
act=cx&tijiao=%b2%e9%d1%af%d3%eb%b3%b7%cf%fa%cd%b6%cb%df&yiju='%22()
```

HTML form without CSRF protection

Severity	Medium
Туре	Informational
Reported by module	Crawler

Description

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

Impact

An attacker may force the users of a web application to execute actions of the attacker's choosing. A successful CSRF exploit can compromise end user data and operation in case of normal user. If the targeted end user is the administrator account, this can compromise the entire web application.

Recommendation

Check if this form requires CSRF protection and implement CSRF countermeasures if necessary.

Affected items

/tousu

Details

Form name: formtc

Form action: http://www.iuka.cn/jubao?cact=tscx

Form method: POST

Form inputs:

- ddh [Text]
- tijiao [Submit]
- i [Hidden]

Request headers

```
GET /tousu HTTP/1.1
Pragma: no-cache
```

Cache-Control: no-cache

Referer: http://www.iuka.cn/index.html

Acunetix-Aspect: enabled

Acunetix-Aspect-Password: ****

Acunetix-Aspect-Queries: filelist;aspectalerts

Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG; getopenidstr=01ow8cwpVN40Domaj9YX

Host: www.iuka.cn Connection: Keep-alive

Accept-Encoding: gzip, deflate

User-Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)

Accept: */*

User credentials are sent in clear text

Severity	Medium
Туре	Informational
Reported by module	Crawler

Description

User credentials are transmitted over an unencrypted channel. This information should always be transferred via an encrypted channel (HTTPS) to avoid being intercepted by malicious users.

Impact

A third party may be able to read the user credentials by intercepting an unencrypted HTTP connection.

Recommendation

Because user credentials are considered sensitive information, should always be transferred to the server over an encrypted connection (HTTPS).

Affected items

/index/log

Details

Form name: login

Form action: http://www.iuka.cn/index/checkuser

Form method: POST

Form inputs:

- username [Text]
- pass [Text]
- password [Password]
- chkcode [Text]
- denglu [Submit]
- act [Hidden]

Request headers

```
GET /index/log HTTP/1.1
```

Pragma: no-cache

Cache-Control: no-cache

Referer: http://www.iuka.cn/index.html

Acunetix-Aspect: enabled

Acunetix-Aspect-Password: ****

Acunetix-Aspect-Queries: filelist;aspectalerts

Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG; getopenidstr=01ow8cwpVN40Domaj9YX

Host: www.iuka.cn Connection: Keep-alive

Accept-Encoding: gzip, deflate

User-Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)

Accept: */*

/index/reg

Details

Form name: <empty>

Form action: http://www.iuka.cn/index/reg

Form method: POST

Form inputs:

- username [Text]
- pass1 [Password]
- pass2 [Password]
- email [Text]
- Mobile [Text]
- ptype [Select]
- card [Text]
- realname [Text]
- idcard [Text]
- chkcode [Text]
- tijiao [Submit]
- act [Hidden]
- err [Hidden]

Request headers

GET /index/reg HTTP/1.1

Pragma: no-cache

Cache-Control: no-cache

Referer: http://www.iuka.cn/index.html

Acunetix-Aspect: enabled

Acunetix-Aspect-Password: ****

Acunetix-Aspect-Queries: filelist;aspectalerts

Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG; getopenidstr=01ow8cwpVN40Domaj9YX

Host: www.iuka.cn Connection: Keep-alive

Accept-Encoding: gzip, deflate

User-Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)

Accept: */*

OPTIONS method is enabled

Severity	Low
Туре	Validation
Reported by module	Scripting (Options_Server_Method.script)

Description

HTTP OPTIONS method is enabled on this web server. The OPTIONS method provides a list of the methods that are supported by the web server, it represents a request for information about the communication options available on the request/response chain identified by the Request-URI.

Impact

The OPTIONS method may expose sensitive information that may help an malicious user to prepare more advanced attacks.

Recommendation

It's recommended to disable OPTIONS Method on the web server.

References

Testing for HTTP Methods and XST (OWASP-CM-008)

Affected items

Web Server

Details

Methods allowed: OPTIONS, TRACE, GET, HEAD, POST

Request headers

OPTIONS / HTTP/1.1

Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG: getopenidstr=a5CCu9BsWh0YndNasd9d

Host: www.iuka.cn Connection: Keep-alive

Accept-Encoding: gzip, deflate

User-Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)

Accept: */*

Possible sensitive files

Severity	Low
Туре	Validation
Reported by module	Scripting (Possible_Sensitive_Files.script)

Description

A possible sensitive file has been found. This file is not directly linked from the website. This check looks for common sensitive resources like password files, configuration files, log files, include files, statistics data, database dumps. Each one of these files could help an attacker to learn more about his target.

Impact

This file may expose sensitive information that could help a malicious user to prepare more advanced attacks.

Recommendation

Restrict access to this file or remove it from the website.

References

Web Server Security and Database Server Security

Affected items

/.bash history

Details

No details are available.

Request headers

GET /.bash_history HTTP/1.1

Accept: acunetix/wvs

Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG; getopenidstr=b4DtYISDnXZ0hu0xlA4r; iplog=000; GetCode=1255

Host: www.iuka.cn Connection: Keep-alive

Accept-Encoding: gzip, deflate

User-Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)

/.bashrc

Details

No details are available.

Request headers

GET /.bashrc HTTP/1.1
Accept: acunetix/wvs

Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG; getopenidstr=b4DtYISDnXZ0hu0xlA4r; iplog=000; GetCode=1255

Host: www.iuka.cn
Connection: Keep-alive
Accept-Encoding: gzip,deflate

User-Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)

/.gitignore

Details

No details are available.

Request headers

GET /.gitignore HTTP/1.1
Accept: acunetix/wvs

Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG; getopenidstr=b4DtYISDnXZ0hu0xlA4r; iplog=000; GetCode=1255

Host: www.iuka.cn Connection: Keep-alive

Accept-Encoding: gzip, deflate

User-Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)

/id_rsa

Details

No details are available.

Request headers

GET /id_rsa HTTP/1.1
Accept: acunetix/wvs

Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG; getopenidstr=b4DtYISDnXZ0hu0xlA4r; iplog=000; GetCode=1255

Host: www.iuka.cn Connection: Keep-alive

Accept-Encoding: gzip,deflate

User-Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)

Possible Virtual Host found

Severity	Low
Туре	Configuration
Reported by module	Scripting (VirtualHost_Audit.script)

Description

Virtual hosting is a method for hosting multiple domain names (with separate handling of each name) on a single server (or pool of servers). This allows one server to share its resources, such as memory and processor cycles, without requiring all services provided to use the same host name.

This web server is responding differently when the Host header is manipulated and various common virtual hosts are tested. This could indicate there is a Virtual Host present.

Impact

Possible sensitive information disclosure.

Recommendation

Consult the virtual host configuration and check if this virtual host should be publicly accessible.

References

Virtual hosting

Affected items

admin.iuka.cn

Details

VirtualHost: admin.iuka.cn

Response: <head><title>???óò?ò??~</title></head>

<body><h1>???óò?ò??⁻</h1>?éò??ú? |.</body>

Request headers

GET / HTTP/1.0
Host: admin.iuka.cn

Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8 User-Agent: Mozilla/5.0 (Windows; U; MSIE 9.0; Windows NT 9.0; en-US)

Email address found

Severity	Informational
Туре	Informational
Reported by module	Scripting (Text_Search.script)

Description

One or more email addresses have been found on this page. The majority of spam comes from email addresses harvested off the internet. The spam-bots (also known as email harvesters and email extractors) are programs that scour the internet looking for email addresses on any website they come across. Spambot programs look for strings like myname@mydomain.com and then record any addresses found.

Impact

Email addresses posted on Web sites may attract spam.

Recommendation

Check references for details on how to solve this problem.

References

Email Address Disclosed on Website Can be Used for Spam

Affected items

/chaxun

Details

Pattern found: ywb@iuka.cn

Request headers

```
GET /chaxun HTTP/1.1
Pragma: no-cache
Cache-Control: no-cache
Referer: http://www.iuka.cn/index.html
Acunetix-Aspect: enabled
Acunetix-Aspect-Password: ****
Acunetix-Aspect-Queries: filelist;aspectalerts
Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG; getopenidstr=01ow8cwpVN40Domaj9YX
Host: www.iuka.cn
Connection: Keep-alive
Accept-Encoding: gzip,deflate
User-Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
```

/class/t2

Accept: */*

Details

Pattern found: ywb@iuka.cn

Request headers

```
GET /class/t2 HTTP/1.1
Pragma: no-cache
Cache-Control: no-cache
Referer: http://www.iuka.cn/notice/8
Acunetix-Aspect: enabled
Acunetix-Aspect-Password: *****
Acunetix-Aspect-Queries: filelist;aspectalerts
Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG; getopenidstr=dNUvEijPnkMSXxt4M9M3
Host: www.iuka.cn
Connection: Keep-alive
Accept-Encoding: gzip,deflate
User-Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
```

Accept: */*

/class/t3

Details

Pattern found: ywb@iuka.cn

Request headers

GET /class/t3 HTTP/1.1
Pragma: no-cache
Cache-Control: no-cache
Referer: http://www.iuka.cn/notice/8
Acunetix-Aspect: enabled
Acunetix-Aspect-Password: ****
Acunetix-Aspect-Queries: filelist;aspectalerts
Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG; getopenidstr=dNUvEijPnkMSXxt4M9M3
Host: www.iuka.cn
Connection: Keep-alive
Accept-Encoding: gzip,deflate
User-Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
Accept: */*

/class/t5

Details

Pattern found: ywb@iuka.cn

Request headers

```
GET /class/t5 HTTP/1.1
Pragma: no-cache
Cache-Control: no-cache
Referer: http://www.iuka.cn/notice/8
Acunetix-Aspect: enabled
Acunetix-Aspect-Password: ****
Acunetix-Aspect-Queries: filelist;aspectalerts
Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG; getopenidstr=dNUvEijPnkMSXxt4M9M3
Host: www.iuka.cn
Connection: Keep-alive
Accept-Encoding: gzip,deflate
User-Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
Accept: */*
```

/index.html

Details

Pattern found: ywb@iuka.cn

Request headers

```
GET /index.html HTTP/1.1
Pragma: no-cache
Cache-Control: no-cache
Referer: http://www.iuka.cn/
Acunetix-Aspect: enabled
Acunetix-Aspect-Password: ****
Acunetix-Aspect-Queries: filelist;aspectalerts
Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG; getopenidstr=AFlTkJB8N1OvW4uhuZm0
Host: www.iuka.cn
Connection: Keep-alive
Accept-Encoding: gzip,deflate
User-Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
Accept: */*
```

/index/fuwu

Details

Pattern found: ywb@iuka.cn

Request headers

```
GET /index/fuwu HTTP/1.1
```

Pragma: no-cache

Cache-Control: no-cache

Referer: http://www.iuka.cn/index.html

Acunetix-Aspect: enabled

Acunetix-Aspect-Password: ****

Acunetix-Aspect-Queries: filelist; aspectalerts

Cookie: ASPSESSIONIDCAASDOBR=PLCEJFGACGFJFJJPDFOKPAKG; getopenidstr=01ow8cwpVN40Domaj9YX

Host: www.iuka.cn Connection: Keep-alive

Accept-Encoding: gzip, deflate

User-Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)

Accept: */*

/index/guanyu

Details

Pattern found: ywb@iuka.cn

Request headers

GET /index/guanyu HTTP/1.1

Pragma: no-cache

Cache-Control: no-cache

Referer: http://www.iuka.cn/index.html

Acunetix-Aspect: enabled

Acunetix-Aspect-Password: ****

Acunetix-Aspect-Queries: filelist;aspectalerts

Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG: getopenidstr=01ow8cwpVN40Domaj9YX

Host: www.iuka.cn Connection: Keep-alive

Accept-Encoding: gzip, deflate

User-Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)

Accept: */*

/index/jianyi

Details

Pattern found: ywb@iuka.cn

Request headers

GET /index/jianyi HTTP/1.1

Pragma: no-cache

Cache-Control: no-cache

Referer: http://www.iuka.cn/index.html

Acunetix-Aspect: enabled

Acunetix-Aspect-Password: ****

Acunetix-Aspect-Queries: filelist;aspectalerts

Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDF0KPAKG; getopenidstr=01ow8cwpVN40Domaj9YX

Host: www.iuka.cn Connection: Keep-alive

Accept-Encoding: gzip, deflate

User-Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)

Accept: */*

/index/log

Details

Pattern found: ywb@iuka.cn

Request headers

GET /index/log HTTP/1.1

Pragma: no-cache

Cache-Control: no-cache

Referer: http://www.iuka.cn/index.html

Acunetix-Aspect: enabled

Acunetix-Aspect-Password: ****

Acunetix-Aspect-Queries: filelist; aspectalerts

Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG; getopenidstr=01ow8cwpVN40Domaj9YX

Host: www.iuka.cn Connection: Keep-alive

Accept-Encoding: gzip, deflate

User-Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)

Accept: */*

/index/lx

Details

Pattern found: ywb@iuka.cn

Request headers

GET /index/lx HTTP/1.1

Pragma: no-cache

Cache-Control: no-cache

Referer: http://www.iuka.cn/index.html

Acunetix-Aspect: enabled

Acunetix-Aspect-Password: ****

Acunetix-Aspect-Queries: filelist;aspectalerts

Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG: getopenidstr=01ow8cwpVN40Domaj9YX

Host: www.iuka.cn Connection: Keep-alive

Accept-Encoding: gzip, deflate

User-Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)

Accept: */*

/index/pass

Details

Pattern found: ywb@iuka.cn

Request headers

GET /index/pass HTTP/1.1

Pragma: no-cache

Cache-Control: no-cache

Referer: http://www.iuka.cn/index.html

Acunetix-Aspect: enabled

Acunetix-Aspect-Password: ****

Acunetix-Aspect-Queries: filelist;aspectalerts

Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG; getopenidstr=01ow8cwpVN40Domaj9YX

Host: www.iuka.cn Connection: Keep-alive

Accept-Encoding: gzip, deflate

User-Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)

Accept: */*

/index/pass2

Details

Pattern found: ywb@iuka.cn

Request headers

```
GET /index/pass2 HTTP/1.1
```

Pragma: no-cache

Cache-Control: no-cache

Referer: http://www.iuka.cn/index/pass

Acunetix-Aspect: enabled

Acunetix-Aspect-Password: ****

Acunetix-Aspect-Queries: filelist; aspectalerts

Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG; getopenidstr=b4DtYISDnXZ0hu0xlA4r

Host: www.iuka.cn Connection: Keep-alive

Accept-Encoding: gzip, deflate

User-Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)

Accept: */*

/index/reg

Details

Pattern found: ywb@iuka.cn

Request headers

GET /index/reg HTTP/1.1

Pragma: no-cache

Cache-Control: no-cache

Referer: http://www.iuka.cn/index.html

Acunetix-Aspect: enabled

Acunetix-Aspect-Password: ****

Acunetix-Aspect-Queries: filelist;aspectalerts

Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG: getopenidstr=01ow8cwpVN40Domaj9YX

Host: www.iuka.cn Connection: Keep-alive

Accept-Encoding: gzip, deflate

User-Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)

Accept: */*

/index/zj

Details

Pattern found: ywb@iuka.cn

Request headers

GET /index/zj HTTP/1.1

Pragma: no-cache

Cache-Control: no-cache

Referer: http://www.iuka.cn/index.html

Acunetix-Aspect: enabled

Acunetix-Aspect-Password: ****

Acunetix-Aspect-Queries: filelist;aspectalerts

Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG; getopenidstr=01ow8cwpVN40Domaj9YX

Host: www.iuka.cn Connection: Keep-alive

Accept-Encoding: gzip, deflate

User-Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)

Accept: */*

/jubao

Details

Pattern found: ywb@iuka.cn

Request headers

```
GET /jubao HTTP/1.1
Pragma: no-cache
```

Cache-Control: no-cache

Referer: http://www.iuka.cn/tousu

Acunetix-Aspect: enabled

Acunetix-Aspect-Password: ****

Acunetix-Aspect-Queries: filelist; aspectalerts

Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG; getopenidstr=dNUvEijPnkMSXxt4M9M3

Host: www.iuka.cn Connection: Keep-alive

Accept-Encoding: gzip, deflate

User-Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)

Accept: */*

/notice/1

Details

Pattern found: ywb@iuka.cn

Request headers

GET /notice/1 HTTP/1.1

Pragma: no-cache

Cache-Control: no-cache

Referer: http://www.iuka.cn/index.html

Acunetix-Aspect: enabled

Acunetix-Aspect-Password: ****

Acunetix-Aspect-Queries: filelist;aspectalerts

Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG; getopenidstr=01ow8cwpVN40Domaj9YX

Host: www.iuka.cn Connection: Keep-alive

Accept-Encoding: gzip, deflate

User-Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)

Accept: */*

/notice/3

Details

Pattern found: ywb@iuka.cn

Request headers

GET /notice/3 HTTP/1.1

Pragma: no-cache

Cache-Control: no-cache

Referer: http://www.iuka.cn/index.html

Acunetix-Aspect: enabled

Acunetix-Aspect-Password: ****

Acunetix-Aspect-Queries: filelist;aspectalerts

Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG; getopenidstr=01ow8cwpVN40Domaj9YX

Host: www.iuka.cn Connection: Keep-alive

Accept-Encoding: gzip, deflate

User-Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)

Accept: */*

/notice/33

Details

Pattern found: ywb@iuka.cn

Request headers

GET /notice/33 HTTP/1.1

Pragma: no-cache

Cache-Control: no-cache

Referer: http://www.iuka.cn/index.html

Acunetix-Aspect: enabled

Acunetix-Aspect-Password: ****

Acunetix-Aspect-Queries: filelist; aspectalerts

Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG; getopenidstr=01ow8cwpVN40Domaj9YX

Host: www.iuka.cn Connection: Keep-alive

Accept-Encoding: gzip, deflate

User-Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)

Accept: */*

/notice/5

Details

Pattern found: ywb@iuka.cn

Request headers

GET /notice/5 HTTP/1.1

Pragma: no-cache

Cache-Control: no-cache

Referer: http://www.iuka.cn/index.html

Acunetix-Aspect: enabled

Acunetix-Aspect-Password: ****

Acunetix-Aspect-Queries: filelist;aspectalerts

Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG; getopenidstr=01ow8cwpVN40Domaj9YX

Host: www.iuka.cn Connection: Keep-alive

Accept-Encoding: gzip, deflate

User-Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)

Accept: */*

/notice/7

Details

Pattern found: ywb@iuka.cn

Request headers

GET /notice/7 HTTP/1.1

Pragma: no-cache

Cache-Control: no-cache

Referer: http://www.iuka.cn/index.html

Acunetix-Aspect: enabled

Acunetix-Aspect-Password: ****

Acunetix-Aspect-Queries: filelist;aspectalerts

Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG; getopenidstr=01ow8cwpVN40Domaj9YX

Host: www.iuka.cn Connection: Keep-alive

Accept-Encoding: gzip, deflate

User-Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)

Accept: */*

/notice/79

Details

Pattern found: ywb@iuka.cn

Request headers

```
GET /notice/79 HTTP/1.1
```

Pragma: no-cache

Cache-Control: no-cache

Referer: http://www.iuka.cn/index.html

Acunetix-Aspect: enabled

Acunetix-Aspect-Password: ****

Acunetix-Aspect-Queries: filelist; aspectalerts

Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG; getopenidstr=01ow8cwpVN40Domaj9YX

Host: www.iuka.cn Connection: Keep-alive

Accept-Encoding: gzip, deflate

User-Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)

Accept: */*

/notice/8

Details

Pattern found: ywb@iuka.cn

Request headers

GET /notice/8 HTTP/1.1

Pragma: no-cache

Cache-Control: no-cache

Referer: http://www.iuka.cn/index.html

Acunetix-Aspect: enabled

Acunetix-Aspect-Password: ****

Acunetix-Aspect-Queries: filelist;aspectalerts

Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG; getopenidstr=01ow8cwpVN40Domaj9YX

Host: www.iuka.cn Connection: Keep-alive

Accept-Encoding: gzip, deflate

User-Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)

Accept: */*

/notice/9

Details

Pattern found: ywb@iuka.cn

Request headers

GET /notice/9 HTTP/1.1

Pragma: no-cache

Cache-Control: no-cache

Referer: http://www.iuka.cn/class/t2

Acunetix-Aspect: enabled

Acunetix-Aspect-Password: ****

Acunetix-Aspect-Queries: filelist;aspectalerts

 ${\tt Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG;}$

getopenidstr=b4DtYISDnXZ0hu0xlA4r; iplog=000

Host: www.iuka.cn

Connection: Keep-alive

Accept-Encoding: gzip, deflate

User-Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)

Accept: */*

/tousu

Details

Pattern found: ywb@iuka.cn

Request headers

GET /tousu HTTP/1.1 Pragma: no-cache

Cache-Control: no-cache

Referer: http://www.iuka.cn/index.html

Acunetix-Aspect: enabled

Acunetix-Aspect-Password: ****

Acunetix-Aspect-Queries: filelist;aspectalerts

Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG; getopenidstr=01ow8cwpVN40Domaj9YX

Host: www.iuka.cn Connection: Keep-alive

Accept-Encoding: gzip,deflate

User-Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)

Accept: */*

Password type input with auto-complete enabled

Severity	Informational
Туре	Informational
Reported by module	Crawler

Description

When a new name and password is entered in a form and the form is submitted, the browser asks if the password should be saved. Thereafter when the form is displayed, the name and password are filled in automatically or are completed as the name is entered. An attacker with local access could obtain the cleartext password from the browser cache.

Impact

Possible sensitive information disclosure

Recommendation

The password auto-complete should be disabled in sensitive applications.

To disable auto-complete, you may use a code similar to:

<INPUT TYPE="password" AUTOCOMPLETE="off">

Affected items

/index/log

Details

Password type input named password from form named login with action /index/checkuser has autocomplete enabled.

Request headers

GET /index/log HTTP/1.1

Pragma: no-cache

Cache-Control: no-cache

Referer: http://www.iuka.cn/index.html

Acunetix-Aspect: enabled

Acunetix-Aspect-Password: ****

Acunetix-Aspect-Queries: filelist;aspectalerts

Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG; getopenidstr=01ow8cwpVN40Domaj9YX

Host: www.iuka.cn Connection: Keep-alive

Accept-Encoding: gzip, deflate

User-Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)

Accept: */*

/index/reg

Details

Password type input named pass1 from form with ID form1 with action reg has autocomplete enabled.

Request headers

GET /index/reg HTTP/1.1

Pragma: no-cache

Cache-Control: no-cache

Referer: http://www.iuka.cn/index.html

Acunetix-Aspect: enabled

Acunetix-Aspect-Password: ****

Acunetix-Aspect-Queries: filelist;aspectalerts

Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG; getopenidstr=01ow8cwpVN40Domaj9YX

Host: www.iuka.cn Connection: Keep-alive

Accept-Encoding: gzip, deflate

User-Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)

Accept: */*

/index/reg

Details

Password type input named pass2 from form with ID form1 with action reg has autocomplete enabled.

Request headers

```
GET /index/reg HTTP/1.1
Pragma: no-cache
Cache-Control: no-cache
Referer: http://www.iuka.cn/index.html
Acunetix-Aspect: enabled
Acunetix-Aspect-Password: ****
Acunetix-Aspect-Queries: filelist;aspectalerts
Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG; getopenidstr=0low8cwpVN40Domaj9YX
Host: www.iuka.cn
Connection: Keep-alive
Accept-Encoding: gzip,deflate
User-Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
Accept: */*
```

/tousu

Details

Password type input named yiju from form named formc with action /tousu?act=cx has autocomplete enabled.

```
Request headers

GET /tousu HTTP/1.1
Pragma: no-cache
Cache-Control: no-cache
Referer: http://www.iuka.cn/index.html
Acunetix-Aspect: enabled
Acunetix-Aspect-Password: *****
Acunetix-Aspect-Queries: filelist;aspectalerts
Cookie: ASPSESSIONIDCAASDQBR=PLCEJFGACGFJFJJPDFOKPAKG; getopenidstr=0low8cwpVN40Domaj9YX
Host: www.iuka.cn
Connection: Keep-alive
Accept-Encoding: gzip,deflate
User-Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
Accept: */*
```

Scanned items (coverage report)

Scanned 103 URLs. Found 28 vulnerable.

URL: http://www.iuka.cn/

Vulnerabilities has been identified for this URL

6 input(s) found for this URL

Inputs

Input scheme 1		
Input name Input type		
	Path Fragment	
	Path Fragment	

Input scheme 2

Input name	Input type
	Path Fragment
	Path Fragment

Input scheme 3

Input name	Input type
	Path Fragment

Input scheme 4

input sonome 4	
Input name	Input type
	Path Fragment (suffix .html)

URL: http://www.iuka.cn/index.html

Vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/robots.txt

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/iuk

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/pay

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/imagesi

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/updata

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/updata/tongzhi/

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/updata/tongzhi/20180126/

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/updata/tongzhi/20171203/

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/updata/tongzhi/20180128/

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/updata/tongzhi/20171126/

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/updata/tongzhi/20171202/

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/updata/tongzhi/20180214/

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/updata/tongzhi/20171223/

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/sis

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/global.asa

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/user

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/weixin

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/newb

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/vip

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/userold

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/u

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/open

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/kindeditor

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/kindeditor/themes/

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/kindeditor/themes/default/

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/kindeditor/themes/default/default.css

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/kindeditor/themes/common/

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/kindeditor/kindeditor.js

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/kindeditor/lang/

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/kindeditor/lang/zh-cn.js

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/inc

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/images

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/images/zz/

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/dc

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/tousu

Vulnerabilities has been identified for this URL

4 input(s) found for this URL

Inputs

Input scheme 1	
Input name	Input type
act	URL encoded GET
act	URL encoded POST
tijiao	URL encoded POST
yiju	URL encoded POST

URL: http://www.iuka.cn/chaxun

Vulnerabilities has been identified for this URL

3 input(s) found for this URL

Inputs

Input scheme 1	
Input name	Input type
act	URL encoded POST
con	URL encoded POST
Submit	URL encoded POST

URL: http://www.iuka.cn/notice

Vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/notice/8

Vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/notice/5

Vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/notice/3

Vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/notice/7

Vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/notice/1

Vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/notice/33

Vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/notice/79

Vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/notice/9

Vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/index

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/index/lx

Vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/index/zj

Vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/index/reg

Vulnerabilities has been identified for this URL

13 input(s) found for this URL

Inputs

Input scheme 1	
Input name	Input type
act	URL encoded POST

card	URL encoded POST
chkcode	URL encoded POST
email	URL encoded POST
err	URL encoded POST
idcard	URL encoded POST
Mobile	URL encoded POST
pass1	URL encoded POST
pass2	URL encoded POST
ptype	URL encoded POST
realname	URL encoded POST
tijiao	URL encoded POST
username	URL encoded POST

URL: http://www.iuka.cn/index/log

Vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/index/pass

Vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/index/guanyu

Vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/index/fuwu

Vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/index/jianyi

Vulnerabilities has been identified for this URL

5 input(s) found for this URL

Inputs

Input scheme 1	
Input name	Input type
act	URL encoded POST
chkcode	URL encoded POST
con	URL encoded POST
lxfs	URL encoded POST
tijiao	URL encoded POST

URL: http://www.iuka.cn/index/xieyi

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/index/checkuser

Vulnerabilities has been identified for this URL

6 input(s) found for this URL

Inputs

Input scheme 1	
Input name	Input type
act	URL encoded POST
chkcode	URL encoded POST
denglu	URL encoded POST
pass	URL encoded POST
password	URL encoded POST
username	URL encoded POST

URL: http://www.iuka.cn/index/pass2

Vulnerabilities has been identified for this URL

5 input(s) found for this URL

Inputs

Input scheme 1	
Input name	Input type
act	URL encoded POST
code	URL encoded POST
fangshi	URL encoded POST
tijiao	URL encoded POST
username	URL encoded POST

URL: http://www.iuka.cn/index/reg~

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/index/jianyi~

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/index/~reg

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/index/~jianyi

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/index/reg~1

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/index/jianyi~1

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/index/pass2~

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/index/~pass2

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/index/checkuser~

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/index/~checkuser

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/index/pass2~1

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/index/checkuser~1

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/template

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/template/template5/

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/template/template5/images/

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/template/template5/css/

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/template/template5/css/akstyle.css

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/template/template5/js/

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/template/template5/js/jquery.min.js

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/template/template5/js/jquery.flexslider-min.js

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/template/template5/banner/

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/template/template4/

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/template/template4/logo/

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/template/template4/img/

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/jubao

Vulnerabilities has been identified for this URL

19 input(s) found for this URL

Inputs

Input scheme 1	
Input name	Input type
cact	URL encoded GET
ddh	URL encoded POST
i	URL encoded POST
tijiao	URL encoded POST

Input scheme 2

Input name	Input type
HIDULHAIHE	

act	URL encoded POST
ayjupass	URL encoded POST
chkcode	URL encoded POST
con	URL encoded POST
i	URL encoded POST
jubaomail	URL encoded POST
jubaoname	URL encoded POST
jubaoqq	URL encoded POST
pic1	URL encoded POST
pic2	URL encoded POST
pic3	URL encoded POST
pic4	URL encoded POST
pic5	URL encoded POST
tijiao	URL encoded POST
xiangxicon	URL encoded POST

URL: http://www.iuka.cn/class

Vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/class/t2

Vulnerabilities has been identified for this URL

2 input(s) found for this URL

Inputs

Input scheme 1	
Input name	Input type
С	URL encoded GET
page	URL encoded GET

URL: http://www.iuka.cn/class/t3

Vulnerabilities has been identified for this URL

2 input(s) found for this URL

Inputs

Input scheme 1	
Input name	Input type
С	URL encoded GET
page	URL encoded GET

URL: http://www.iuka.cn/class/t5

Vulnerabilities has been identified for this URL

2 input(s) found for this URL

Inputs

Input scheme 1	
Input name	Input type
С	URL encoded GET
page	URL encoded GET

URL: http://www.iuka.cn/tousu~

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/chaxun~

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/~tousu

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/~chaxun

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/tousu~1

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/chaxun~1

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/copy%20of%20tousu

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/copy (1) of tousu

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/jubao~

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/.gitignore

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/~jubao

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/jubao~1

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/id rsa

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/.bash_history

No vulnerabilities has been identified for this URL

No input(s) found for this URL

URL: http://www.iuka.cn/.bashrc

No vulnerabilities has been identified for this URL

No input(s) found for this URL