ECE 495/595 – Web Architectures/Cloud Computing

Module 5, Lecture 2: Web Application Security - Authentication

Christopher Lamb Ph.D, CISSP, TCEA

University of New Mexico



What is Capistrano?

Capistrano is a distributed system management framework.

It supports:

- Distributed deployments.
- Command distribution.
- General large-scale system management.

So what?




Starting out...






...where to put it?






...and how to store stuff?






...now linking it together...





...and this is how you manage it.





Is this sufficient?

Well, probably okay for:

- School
- Departments
- Small organizations


But honestly, not very real world. Systems with any kind of availability requirements or volume usually have:

- More systems
- Specialized systems
- More providers

Really? Well, why not?




Typical small deployment...





...and you're responsible for it.





So how do you do it?

Well, you don't want to log into each system to administer manually. And why is that?

- Scalability You don't scale. Sorry.
- Reproducibility It's very difficult to recreate the same sequence of actions and configurations across multiple systems, so you'll generally script it. Which is what Capistrano does, in a distributed way.
- **Human Error** You make lots of mistakes too. If you can tell a machine what to do, it'll do a better job than you can.

So figure out how to tell machines to configure themselves. Or, use a system built by somebody else to tell machines to configure themselves, like Capistrano.



What you need to do first...

Capistrano can help you deploy applications, but it needs systems first.

You need to have systems set up and configured for use.

- Chef, Puppet
- Vagrant

They need to have supporting infrastructure installed, like **ruby**, **capistrano**, **bundler**, **rvm**, and **git**.

Setup isn't turnkey, but future use of Capistrano is.



Starting Out

Now, install Capistrano on your workstation:

```
$ gem install capistrano
```

Or use bundler, with a gem file:

```
source :rubygems
gem 'capistrano'
```

Now initialize the project:

This creates, in the project directory, a config directory containing a deploy.rb file, and a file in the project root named Capfile.



How do these files work?



Capistrano is Biased

Rails heritage Getting around it



Other Useful Plug-ins

