

Policy Overlay Networks

Christopher C. Lamb

Department of Electrical and Computer Engineering
University of New Mexico

June 10, 2011



Outline

- ① Introduction
- ② Motivation — Cloud-centric Usage Management
- ③ Introduction

Introduction

The Problems — Customer Perspectives

Current policy-centric systems are being forced to move to cloud environments and build much more open systems. Organizations also have problems with information sharing — information needs to be delivered to those who need it as soon as possible:

"...It is imperative to effectively exchange information among components, Federal agencies, coalition partners, foreign governments and international organizations as a critical element of our efforts to defend the nation and execute national strategy..." [1]

— *DoD Information Sharing Strategy*

"...The CIO of the National Security Agency is focusing on IT architecture and a cloud-centric approach to sharing information..." [3]

— *Informationweek*

The Problem — Characteristics

Cloud systems may save money, provide more flexibility, but they also [7]:

- *Are Not Private* — User data control in SaaS is lacking, causing policy concerns for agencies; Data owners have no technical control over secondary use; providers may use offshore development; data can be routed across sensitive countries or secondarily stored on CDNs; data privacy on bankruptcy is ill-defined
- *Are Less Secure* — Data owners no longer completely control data access, data may not be wiped in all XaaS scenarios, availability and backup leads to possible data proliferation, lack of standardization in intercloud communication and data transfer, multi-tenancy exposure to side-channel attacks, difficulty with reliable logging and auditing
- *Cannot Be Trusted* — Trust relationships, consumer trust

The Problem — Characteristics

Cloud systems may save money, provide more flexibility, but they also [7]:

- *Are Not Private* — User data control in SaaS is lacking, causing policy concerns for agencies; Data owners have no technical control over secondary use; providers may use offshore development; data can be routed across sensitive countries or secondarily stored on CDNs; data privacy on bankruptcy is ill-defined
- *Are Less Secure* — Data owners no longer completely control data access, data may not be wiped in all XaaS scenarios, availability and backup leads to possible data proliferation, lack of standardization in intercloud communication and data transfer, multi-tenancy exposure to side-channel attacks, difficulty with reliable logging and auditing
- *Cannot Be Trusted* — Trust relationships, consumer trust

The Problem — Characteristics

Cloud systems may save money, provide more flexibility, but they also [7]:

- *Are Not Private* — User data control in SaaS is lacking, causing policy concerns for agencies; Data owners have no technical control over secondary use; providers may use offshore development; data can be routed across sensitive countries or secondarily stored on CDNs; data privacy on bankruptcy is ill-defined
- *Are Less Secure* — Data owners no longer completely control data access, data may not be wiped in all XaaS scenarios, availability and backup leads to possible data proliferation, lack of standardization in intercloud communication and data transfer, multi-tenancy exposure to side-channel attacks, difficulty with reliable logging and auditing
- *Cannot Be Trusted* — Trust relationships, consumer trust

The Problem — Characteristics

Cloud systems may save money, provide more flexibility, but they also [7]:

- *Are Not Private* — User data control in SaaS is lacking, causing policy concerns for agencies; Data owners have no technical control over secondary use; providers may use offshore development; data can be routed across sensitive countries or secondarily stored on CDNs; data privacy on bankruptcy is ill-defined
- *Are Less Secure* — Data owners no longer completely control data access, data may not be wiped in all XaaS scenarios, availability and backup leads to possible data proliferation, lack of standardization in intercloud communication and data transfer, multi-tenancy exposure to side-channel attacks, difficulty with reliable logging and auditing
- *Cannot Be Trusted* — Trust relationships, consumer trust

Current Solutions

How are these problems being addressed by impacted organizations?

They're just starting to be actively addressed and are an open research question [2].

Cross-domain architectures are currently the standard for monitoring and information dissemination in an effort lead by the *Unified Cross Domain Management Office*, associated with the Department of Defense (DoD) and the National Security Agency (NSA).

Current Solutions

How are these problems being addressed by impacted organizations?

They're just starting to be actively addressed and are an open research question [2].

Cross-domain architectures are currently the standard for monitoring and information dissemination in an effort lead by the *Unified Cross Domain Management Office*, associated with the Department of Defense (DoD) and the National Security Agency (NSA).

Current Solutions — NSA

Legacy cross-domain notional architecture [5]




Figure: NSA Legacy Model

Domain A — Private cloud managed by the Air Force

Domain B — A public operational network

Current Solutions — NSA (SoA)

Future cross-domain notional architecture [5]




Figure: NSA Service-Oriented Model

GiG — Global Information Grid; a large public cloud operated by the DoD
DSCDS — Distributed Service-oriented Cross Domain Solution

Current Solutions — Raytheon

Raytheon's notional architecture supporting cross-domain information flow [6]:




Figure: Raytheon Model

...still uses a single perimeter guard...

Current Solutions — BAH

Booz—Allen—Hamilton presented a service-centric cross domain solution in 2009 [4]:




Figure: Booz—Allen—Hamilton Model

...still uses a single perimeter guard (called a filter segment)...

Future Solution

Organizations are falling back on what they know in the scope of new problems.




Figure: NSA Legacy Model

Even though we know they don't work [8].

Characteristics of Current Solutions

- *Centralized Policy* — They use centralized policy injection into communication flow. Note that in each sample model, policy is *only* evaluated at guard points.
- *Physical to Compartment Mapping* — In each of these cases, users are only allowed to exchange one type of information per domain. The physical domain systems are locked (by operational policy) to a single classification level limit. Users cannot, for example, have *Top Secret* material on a network accredited for *Secret* material.
- *Perimeter Protection* — The use of a single policy enforcement point at domain interconnects supplies a crunchy exterior to the creamy interior data filling.

Characteristics of Current Solutions

- *Centralized Policy* — They use centralized policy injection into communication flow. Note that in each sample model, policy is *only* evaluated at guard points.
- *Physical to Compartment Mapping* — In each of these cases, users are only allowed to exchange one type of information per domain. The physical domain systems are locked (by operational policy) to a single classification level limit. Users cannot, for example, have *Top Secret* material on a network accredited for *Secret* material.
- *Perimeter Protection* — The use of a single policy enforcement point at domain interconnects supplies a crunchy exterior to the creamy interior data filling.

Characteristics of Current Solutions

- *Centralized Policy* — They use centralized policy injection into communication flow. Note that in each sample model, policy is *only* evaluated at guard points.
- *Physical to Compartment Mapping* — In each of these cases, users are only allowed to exchange one type of information per domain. The physical domain systems are locked (by operational policy) to a single classification level limit. Users cannot, for example, have *Top Secret* material on a network accredited for *Secret* material.
- *Perimeter Protection* — The use of a single policy enforcement point at domain interconnects supplies a crunchy exterior to the creamy interior data filling.

Characteristics of Current Solutions

- *Centralized Policy* — They use centralized policy injection into communication flow. Note that in each sample model, policy is *only* evaluated at guard points.
- *Physical to Compartment Mapping* — In each of these cases, users are only allowed to exchange one type of information per domain. The physical domain systems are locked (by operational policy) to a single classification level limit. Users cannot, for example, have *Top Secret* material on a network accredited for *Secret* material.
- *Perimeter Protection* — The use of a single policy enforcement point at domain interconnects supplies a crunchy exterior to the creamy interior data filling.

What's Wrong with Current Solutions?

- *Centralized Policy* — A centralized policy enforcement system simplifies infrastructural attacks. Adversaries know exactly where to focus efforts to compromise policy enforcement, lowering overall system trustworthiness and reliability.
- *Physical to Compartment Mapping* —
- *Perimeter Protection* —

What's Wrong with Current Solutions?

- *Centralized Policy* — A centralized policy enforcement system simplifies infrastructural attacks. Adversaries know exactly where to focus efforts to compromise policy enforcement, lowering overall system trustworthiness and reliability.
- *Physical to Compartment Mapping* —
- *Perimeter Protection* —

What's Wrong with Current Solutions?

- *Centralized Policy* — A centralized policy enforcement system simplifies infrastructural attacks. Adversaries know exactly where to focus efforts to compromise policy enforcement, lowering overall system trustworthiness and reliability.
- *Physical to Compartment Mapping* —
- *Perimeter Protection* —

What's Wrong with Current Solutions?

- *Centralized Policy* — A centralized policy enforcement system simplifies infrastructural attacks. Adversaries know exactly where to focus efforts to compromise policy enforcement, lowering overall system trustworthiness and reliability.
- *Physical to Compartment Mapping* —
- *Perimeter Protection* —

Characteristics of the Correct Solutions

- *Decentralized Policy* —
- *Infrastructure Reuse* — Multiple compartments on same HW
- *Cloud Integration* —
- *Security in Depth* —

Characteristics of the Correct Solutions

- *Decentralized Policy* —
- *Infrastructure Reuse* — Multiple compartments on same HW
- *Cloud Integration* —
- *Security in Depth* —

Characteristics of the Correct Solutions

- *Decentralized Policy* —
- *Infrastructure Reuse* — Multiple compartments on same HW
- *Cloud Integration* —
- *Security in Depth* —

Characteristics of the Correct Solutions

- *Decentralized Policy* —
- *Infrastructure Reuse* — Multiple compartments on same HW
- *Cloud Integration* —
- *Security in Depth* —

Characteristics of the Correct Solutions

- *Decentralized Policy* —
- *Infrastructure Reuse* — Multiple compartments on same HW
- *Cloud Integration* —
- *Security in Depth* —

- [1] DoD Information Sharing Strategy.
<http://cio-nii.defense.gov/docs/InfoSharingStrategy.pdf>, May 2007.
- [2] Assured Information Sharing in Clouds.
<http://www.zyn.com/sbir/sbres/sttr/dod/af/af11-bt30.htm>, August 2011.
- [3] NSA Pursues Intelligence-Sharing Architecture.
<http://www.informationweek.com/news/government/cloud-saas/229401646>, April 2011.
- [4] Booz, Allen, and Hamilton. Distributed service oriented architecture (soa) compatible cross domain service (dscds). Presented at the Unified Cross Domain Management Office Conference, 2009.
- [5] NSA. Distributed service oriented architecture (soa)- compatible cross domain service (dscds) dscds overview. Presented at the Unified Cross Domain Management Office Conference, 2009.
- [6] J. Ostermann. Raytheon dscds intro. Presented at the Unified Cross Domain Management Office Conference, 2009.
- [7] S. Pearson and A. Benameur. Privacy, security and trust issues arising from cloud computing. In *Cloud Computing Technology and Science (CloudCom), 2010 IEEE Second International Conference on*, pages 693 –702, 30 2010-dec. 3 2010.
- [8] R. Ross. Next generation risk management. Presented at the Unified