df

Autogenerated data summary from dataMaid

2023-08-23 01:30:43

Data report overview

The dataset examined has the following dimensions:

Feature	Result
Number of observations	32564
Number of variables	140

Checks performed

The following variable checks were performed, depending on the data type of each variable:

	character	factor	labelled	haven labelled	numeric	integer	logical	Date
Identify miscoded missing values	×	×	×	×	×	×		×
Identify prefixed and suffixed whitespace	×	×	×	×				
Identify levels with < 6 obs.	×	×	×	×				
Identify case issues	×	×	×	×				
Identify misclassified numeric or integer variables	×	×	×	×				
Identify outliers					×	×		×

Please note that all numerical values in the following have been rounded to 2 decimals.

Summary table

	Variable class	# unique values	Missing observations	Any problems?
Cod_setor	numeric	32564	0.00 %	
Cod_municipio	numeric	853	0.00 %	
Nome_do_municipio	character	853	0.00 %	×
Cod_bairro	numeric	2517	0.00 %	
Nome_do_bairro	character	2095	0.00 %	×
Cod_subdistrito	numeric	1767	0.00 %	
Nome_do_subdistrito	character	1746	0.00 %	×
Situacao_setor	numeric	8	0.00 %	
V001	numeric	1611	0.00 %	×
V002	character	1598	0.00 %	×
V003	character	1547	0.00 %	×
V004	character	327	0.00 %	×
V005	character	856	0.00 %	×
V006	character	1244	0.00 %	×
V007	character	585	0.00 %	×
V008	character	503	0.00 %	×
V009	character	378	0.00 %	×
V010	character	301	0.00 %	×
V011	character	161	0.00 %	×
V012	character	1573	0.00 %	×
V013	character	673	0.00 %	×
V014	character	180	0.00 %	×
V015	character	661	0.00 %	×
V016	character	1593	0.00 %	×
V017	character	1510	0.00 %	×
V018	character	602	0.00 %	×
V019	character	1064	0.00 %	×
V020	character	315	0.00 %	×
V021	character	604	0.00 %	×
V022	character	242	0.00 %	×
V023	character	388	0.00 %	×
V024	character	1587	0.00 %	×
V025	character	1316	0.00 %	×
V026	character	584	0.00 %	×
V027	character	465	0.00 %	×
V028	character	360	0.00 %	×
V029	character	508	0.00 %	×
V030	character	1571	0.00 %	×
V031	character	1558	0.00 %	×
V032	character	731	0.00 %	×
V033	character	856	0.00 %	×
V034	character	108	0.00 %	×

	Variable class	# unique values	Missing observations	Any problems?
V035	character	273	0.00 %	×
V036	character	55	0.00 %	×
V037	character	175	0.00 %	×
V038	character	1601	0.00 %	×
V039	character	1592	0.00 %	×
V040	character	158	0.00 %	×
V041	character	205	0.00 %	×
V042	character	1507	0.00 %	×
V043	character	399	0.00 %	×
V044	character	362	0.00 %	×
V045	numeric	872	0.00 %	×
V046	character	855	0.00 %	×
V047	character	842	0.00 %	×
V048	character	239	0.00 %	×
V049	character	459	0.00 %	×
V050	character	664	0.00 %	×
V051	character	360	0.00 %	×
V052	character	277	0.00 %	×
V053	character	229	0.00 %	×
V054	character	179	0.00 %	×
V055	character	115	0.00 %	×
V056	character	846	0.00 %	×
V057	character	396	0.00 %	×
V058	character	120	0.00 %	×
V059	character	411	0.00 %	×
V060	character	866	0.00 %	×
V061	character	810	0.00 %	×
V062	character	370	0.00 %	×
V063	character	603	0.00 %	×
V064	character	194	0.00 %	×
V065	character	355	0.00 %	×
V066	character	170	0.00 %	×
V067	character	245	0.00 %	×
V068	character	845	0.00 %	×
V069	character	718	0.00 %	×
V070	character	321	0.00 %	×
V071	character	249	0.00 %	×
V072	character	218	0.00 %	×
V073	character	315	0.00 %	×
V074	character	853	0.00 %	×
V075	character	840	0.00 %	×
V076	character	454	0.00 %	×
V077	character	494	0.00 %	×
V078	character	67	0.00 %	×
V079	character	173	0.00 %	×
V080	character	36	0.00 %	×
V081	character	114	0.00 %	×
V082	character	862	0.00 %	×
V083	character	856	0.00 %	×
V084	character	112	0.00 %	×
V085	character	138	0.00 %	×
V086	character	813	0.00 %	×
V087	character	237	0.00 %	×
V088	character	233	0.00 %	×
V089	numeric	888	0.00 %	×

	Variable class	# unique values	Missing observations	Any problems?
V090	character	888	0.00 %	×
V091	character	856	0.00 %	×
V092	character	253	0.00 %	×
V093	character	526	0.00 %	×
V094	character	686	0.00 %	×
V095	character	380	0.00 %	×
V096	character	282	0.00 %	×
V097	character	203	0.00 %	×
V098	character	187	0.00 %	×
V099	character	107	0.00 %	×
V100	character	875	0.00 %	×
V101	character	362	0.00 %	×
V102	character	109	0.00 %	×
V103	character	380	0.00 %	×
V104	character	888	0.00 %	×
V105	character	837	0.00 %	×
V106	character	365	0.00 %	×
V107	character	607	0.00 %	×
V108	character	191	0.00 %	×
V109	character	353	0.00 %	×
V110	character	161	0.00 %	×
V111	character	224	0.00 %	×
V112	character	881	0.00 %	×
V113	character	730	0.00 %	×
V114	character	341	0.00 %	×
V115	character	285	0.00 %	×
V116	character	234	0.00 %	×
V117	character	301	0.00 %	×
V118	character	872	0.00 %	×
V119	character	863	0.00 %	×
V120	character	466	0.00 %	×
V121	character	461	0.00 %	×
V122	character	63	0.00 %	×
V123	character	176	0.00 %	×
V124	character	37	0.00 %	×
V125	character	102	0.00 %	×
V126	character	874	0.00 %	×
V127	character	877	0.00 %	×
V128	character	115	0.00 %	×
V129	character	120	0.00 %	×
V130	character	831	0.00 %	×
V131	character	218	0.00 %	×
V132	character	225	0.00 %	×

Variable list

Cod_setor

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	32564
Median	313380805000046
1st and 3rd quartiles	311200005000030; 315210505062544
Min. and max.	310010405000001; 317220210000002

Cod_municipio

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	853
Median	3133808
1st and 3rd quartiles	3112000; 3152105
Min. and max.	3100104; 3172202

Nome_do_municipio

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	853
Mode	"BELO HORIZONTE"

- Note that the following levels have at most five observations: "ALBERTINA", "ANTÔNIO PRADO DE MINAS", "CARMÉSIA", "CASA GRANDE", "CASCALHO RICO", . . . , "SERITINGA", "SERRA DA SAUDADE", "SERRANOS", "SILVEIRÂNIA", "WENCESLAU BRAZ" (28 values omitted).

Cod_bairro

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	2517
Median	3133808011.5
1st and 3rd quartiles	3.112e+09; 3152105024
Min. and max.	3100104000; 3172202000

Nome_do_bairro

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	2095
Mode	"CONTAGEM (todos os setores)"

- Note that the following levels have at most five observations: "Aarão Reis", "Abaetezinho", "Abner Afonso", "Abolição", "Acaba Mundo", . . . , "Xodo-Marize", "Zacarias Cimini", "Zarur", "Zilah Sposito", "Zona Central" (838 values omitted).

- Note that there might be case problems with the following levels: "Morada do vale", "Morada do Vale".

Cod_subdistrito

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	1767
Median	31338080500
1st and 3rd quartiles	31120000500; 31521050506.25
Min. and max.	31001040500; 31722021000

Nome_do_subdistrito

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	1746
Mode	"UBERLÂNDIA"

- Note that the following levels have at most five observations: "ABAETÉ DOS MENDES", "ABAETÉ DOS VENÂNCIOS", "ABAÍBA", "ABREUS", "ACURUÍ", ..., "VITORINOS", "VM5", "WENCESLAU BRAZ", "ZELÂNDIA", "ZITO SOARES" (666 values omitted).

Situacao_setor

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	8
Median	1
1st and 3rd quartiles	1; 3
Min. and max.	1; 8

V001

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	1611
Median	597
1st and 3rd quartiles	379; 805
Min. and max.	1; 3104

- Note that the following possible outlier values were detected: "1424", "1425", "1426", "1428", "1429", ..., "2467", "2532", "2570", "2583", "3104" (193 values omitted).

V002

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	1598
Mode	"X"

- The following suspected missing value codes enter as regular values: "8", "88", "888", "9", "99", "999".

- Note that the following levels have at most five observations: "10", "11", "1107", "1113", "1114", ..., "2583", "3104", "7", "8", "9" (391 values omitted).

V003

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	1547
Mode	"X"

- The following suspected missing value codes enter as regular values: "8", "88", "888", "9", "99", "999".

- Note that the following levels have at most five observations: "1107", "1108", "1112", "1113", "1114", ..., "2446", "2523", "2558", "2560", "3099" (348 values omitted).

V004

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	327
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "888", "9", "99".

- Note that the following levels have at most five observations: "100", "1007", "1009", "101", "102", ..., "958", "97", "98", "989", "99" (253 values omitted).

V005

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	856
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "1006", "1015", "1018", "1019", "1026", ..., "975", "977", "983", "986", "987" (476 values omitted).

V006

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	1244
Mode	"X"

- The following suspected missing value codes enter as regular values: "8", "88", "888", "9", "99".

- Note that the following levels have at most five observations: "1001", "1002", "1003", "1004", "1005", ..., "993", "994", "995", "996", "997" (304 values omitted).

V007

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	585
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "1016", "1031", "1107", "1108", "1123", ..., "922", "927", "928", "944", "987" (346 values omitted).

V008

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	503
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "1082", "327", "336", "340", "346", ..., "604", "616", "643", "665", "731" (122 values omitted).

V009

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	378
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "1224", "153", "154", "160", "170", ..., "565", "640", "665", "678", "697" (158 values omitted).

V010

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	301
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "1008", "1461", "162", "167", "170", ..., "600", "614", "672", "827", "837" (113 values omitted).

V011

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	161
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "9".

- Note that the following levels have at most five observations: "100", "103", "104", "105", "109", . . . , "93", "94", "96", "97", "98" (101 values omitted).


V012

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	1573
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "888", "9", "99", "999".

- Note that the following levels have at most five observations: "1053", "1071", "1112", "1115", "1117", . . . , "2565", "299", "302", "3099", "312" (372 values omitted).

V013

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	673
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "1715", "288", "312", "327", "337", . . . , "935", "947", "980", "981", "997" (247 values omitted).

V014

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	180
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "100", "101", "102", "103", "104", ..., "92", "93", "96", "98", "99" (113 values omitted).

V015

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	661
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "1032", "1033", "1049", "1053", "1070", ..., "913", "928", "949", "963", "998" (352 values omitted).

V016

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	1593
Mode	"X"

- The following suspected missing value codes enter as regular values: "8", "88", "888", "9", "99", "999".

- Note that the following levels have at most five observations: "10", "1068", "11", "1107", "1112", ..., "2583", "3104", "7", "8", "9" (384 values omitted).

V017

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	1510
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "888", "9", "99", "999".

- Note that the following levels have at most five observations: "1038", "1041", "1043", "1056", "1057", ..., "239", "2443", "2460", "2536", "3102" (365 values omitted).

V018

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	602
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "1013", "1018", "1039", "1055", "1084", ..., "966", "967", "970", "978", "986" (386 values omitted).

V019

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	1064
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99", "999".

- Note that the following levels have at most five observations: "1000", "1001", "1002", "1004", "1005", ..., "992", "993", "994", "998", "999" (527 values omitted).

V020

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	315
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "102", "104", "105", "108", "110", ..., "92", "931", "94", "95", "96" (189 values omitted).

V021

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	604
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "1032", "1050", "1058", "176", "187", ..., "918", "931", "942", "973", "996" (308 values omitted).

V022

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	242
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "100", "101", "102", "103", "104", ..., "95", "96", "97", "98", "99" (152 values omitted).

14

V023

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	388
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "100", "101", "102", "107", "111", ..., "783", "808", "853", "869", "96" (252 values omitted).

V024

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	1587
Mode	"X"

- The following suspected missing value codes enter as regular values: "8", "88", "888", "9", "99", "999".

- Note that the following levels have at most five observations: "1", "10", "1043", "1091", "11", ..., "3093", "4", "6", "8", "9" (387 values omitted).

V025

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	1316
Mode	"X"

- The following suspected missing value codes enter as regular values: "8", "88", "888", "9", "99", "999".

- Note that the following levels have at most five observations: "1000", "1002", "1003", "1004", "1008", ..., "991", "992", "995", "996", "997" (324 values omitted).

V026

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	584
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "1050", "1060", "366", "371", "379", ..., "886", "897", "921", "963", "975" (177 values omitted).

V027

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	465
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "187", "206", "213", "215", "216", ..., "643", "646", "661", "725", "907" (220 values omitted).

V028

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	360
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "108", "116", "121", "123", "125", ..., "772", "855", "882", "913", "946" (216 values omitted).

V029

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	508
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "1069", "111", "1121", "1150", "1205", ..., "853", "876", "884", "911", "913" (300 values omitted).

V030

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	1571
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "888", "9", "99", "999".

- Note that the following levels have at most five observations: "1110", "1117", "1119", "1122", "1124", ..., "2446", "2461", "2559", "302", "3104" (373 values omitted).

V031

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	1558
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "888", "9", "99", "999".

- Note that the following levels have at most five observations: "1004", "1048", "1115", "1117", "1131", ..., "2446", "2461", "2559", "3104", "349" (363 values omitted).

V032

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	731
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99", "999".

- Note that the following levels have at most five observations: "1000", "1002", "1003", "1012", "1031", ..., "989", "990", "995", "996", "999" (537 values omitted).

V033

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	856
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "1000", "1003", "1009", "1013", "1018", ..., "970", "971", "992", "994", "997" (359 values omitted).

V034

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	108
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "100", "107", "108", "110", "111", ..., "88", "92", "93", "94", "99" (46 values omitted).

V035

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	273
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "100", "102", "105", "107", "110", ..., "838", "900", "94", "955", "957" (151 values omitted).

V036

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	55
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "9".

- Note that the following levels have at most five observations: "118", "158", "17", "18", "19", ..., "77", "84", "87", "95", "96" (24 values omitted).

V037

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	175
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9".

- Note that the following levels have at most five observations: "100", "101", "102", "103", "104", ..., "89", "90", "95", "96", "98" (91 values omitted).

V038

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	1601
Mode	"X"

- The following suspected missing value codes enter as regular values: "8", "88", "888", "9", "99", "999".

- Note that the following levels have at most five observations: "1", "1112", "1118", "1137", "1146", . . . , "5", "6", "7", "8", "9" (391 values omitted).

V039

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	1592
Mode	"X"

- The following suspected missing value codes enter as regular values: "8", "88", "888", "9", "99", "999".

- Note that the following levels have at most five observations: "1", "10", "11", "1137", "1146", . . . , "5", "6", "7", "8", "9" (384 values omitted).

V040

| Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	158
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "9".

- Note that the following levels have at most five observations: "100", "103", "105", "106", "108", . . . , "95", "957", "96", "97", "98" (107 values omitted).

V041

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	205
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "100", "101", "102", "103", "104", . . . , "94", "96", "97", "98", "99" (116 values omitted).

V042

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	1507
Mode	"X"

- The following suspected missing value codes enter as regular values: "8", "88", "888", "9", "99", "999".

- Note that the following levels have at most five observations: "1", "1043", "1050", "1058", "1059", . . . , "2418", "2429", "2460", "2891", "972" (353 values omitted).

V043

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	399
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "188", "190", "195", "200", "203", . . . , "606", "608", "704", "764", "845" (165 values omitted).

V044

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	362
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "101", "103", "108", "111", "115", ..., "869", "927", "95", "951", "977" (227 values omitted).

V045

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	872
Median	292
1st and 3rd quartiles	189; 393
Min. and max.	0; 1799

- Note that the following possible outlier values were detected: "707", "708", "709", "710", "711", ..., "1295", "1493", "1516", "1527", "1799" (156 values omitted).

V046

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	855
Mode	"X"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "1003", "1005", "1008", "1041", "1066", ..., "980", "984", "985", "986", "989" (193 values omitted).

V047

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	842
Mode	"X"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99", "999".

- Note that the following levels have at most five observations: "1031", "1052", "1069", "1076", "1077", ..., "976", "983", "987", "989", "999" (194 values omitted).

V048

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	239
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "100", "101", "102", "103", "105", ..., "95", "96", "97", "98", "99" (176 values omitted).

V049

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	459
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "203", "212", "215", "226", "230", ..., "632", "668", "682", "703", "730" (183 values omitted).

V050

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	664
Mode	"X"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "1069", "462", "490", "494", "505", ..., "832", "833", "840", "876", "886" (138 values omitted).

V051

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	360
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "113", "1146", "119", "126", "131", ..., "715", "747", "857", "874", "936" (195 values omitted).

V052

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	277
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "185", "189", "193", "198", "203", ..., "332", "337", "340", "388", "490" (62 values omitted).

V053

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	229
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "120", "127", "131", "138", "139", ..., "322", "346", "369", "370", "712" (77 values omitted).

V054

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	179
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "100", "101", "102", "103", "104", ..., "370", "380", "471", "648", "99" (67 values omitted).

V055

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	115
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "9".

- Note that the following levels have at most five observations: "101", "102", "108", "112", "117", ..., "90", "92", "93", "94", "97" (69 values omitted).

V056

| Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	846
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99", "999".

- Note that the following levels have at most five observations: "1005", "1022", "1057", "1071", "1086", ..., "980", "986", "987", "989", "999" (193 values omitted).

V057

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	396
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "233", "237", "245", "248", "249", ..., "487", "514", "518", "536", "985" (125 values omitted).

V058

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	120
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "9", "99".

- Note that the following levels have at most five observations: "104", "105", "107", "108", "111", ..., "93", "95", "96", "98", "99" (69 values omitted).

V059

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	411
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "161", "171", "175", "176", "178", ..., "642", "649", "692", "714", "779" (196 values omitted).

V060

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	866
Mode	"X"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "1003", "1005", "1007", "1041", "1066", ..., "978", "980", "984", "986", "988" (207 values omitted).

V061

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	810
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "1005", "1020", "1068", "1075", "1086", ..., "971", "977", "979", "980", "998" (191 values omitted).

V062

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	370
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "118", "120", "124", "127", "129", ..., "559", "569", "584", "590", "855" (204 values omitted).

V063

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	603
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "1069", "272", "313", "317", "318", ..., "752", "757", "828", "895", "917" (231 values omitted).

V064

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	194
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "100", "101", "102", "104", "105", ..., "93", "94", "97", "98", "99" (97 values omitted).

V065

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	355
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "152", "157", "166", "169", "171", ..., "489", "490", "503", "517", "519" (152 values omitted).

V066

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	170
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "100", "101", "102", "104", "105", ..., "94", "95", "96", "97", "99" (99 values omitted).

V067

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	245
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "101", "103", "106", "107", "108", ..., "93", "96", "97", "98", "99" (132 values omitted).

V068

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	845
Mode	"X"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "1", "1002", "1005", "1022", "1058", ..., "972", "980", "981", "984", "990" (198 values omitted).

V069

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	718
Mode	"X"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "1007", "1019", "1040", "1050", "1085", ..., "918", "920", "926", "932", "963" (169 values omitted).

V070

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	321
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "200", "204", "206", "210", "213", ..., "449", "453", "464", "478", "535" (96 values omitted).

V071

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	249
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "131", "140", "143", "144", "145", ..., "303", "311", "323", "324", "408" (90 values omitted).

V072

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	218
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "101", "102", "103", "105", "106", ..., "94", "96", "97", "98", "99" (119 values omitted).

V073

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	315
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "107", "108", "116", "117", "118", ..., "488", "507", "589", "596", "601" (152 values omitted).

V074

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	853
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99", "999".

- Note that the following levels have at most five observations: "1005", "1037", "1047", "1066", "1071", ..., "978", "980", "984", "986", "999" (203 values omitted).

V075

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	840
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99", "999".

- Note that the following levels have at most five observations: "1005", "1037", "1042", "1066", "1071", ..., "978", "980", "984", "986", "999" (198 values omitted).

V076

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	454
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "1077", "112", "114", "116", "117", ..., "593", "595", "602", "689", "789" (278 values omitted).

V077

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	494
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "248", "255", "262", "267", "283", ..., "659", "674", "680", "697", "717" (171 values omitted).

V078

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	67
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "9".

- Note that the following levels have at most five observations: "105", "117", "121", "122", "151", ..., "67", "70", "80", "82", "86" (19 values omitted).

V079

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	173
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "100", "101", "102", "103", "104", ..., "95", "96", "97", "98", "99" (87 values omitted).

V080

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	36
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "9".

- Note that the following levels have at most five observations: "11", "12", "13", "15", "17", ..., "50", "51", "61", "77", "89" (12 values omitted).

V081

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	114
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "9", "99".

- Note that the following levels have at most five observations: "100", "103", "104", "105", "107", ..., "91", "94", "97", "98", "99" (52 values omitted).

V082

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	862
Mode	"X"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "1", "1003", "1005", "1006", "1034", ..., "975", "979", "980", "984", "986" (198 values omitted).

V083

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	856
Mode	"X"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "1", "1003", "1005", "1006", "1034", ..., "979", "980", "982", "984", "986" (197 values omitted).

V084

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	112
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9".

- Note that the following levels have at most five observations: "100", "105", "107", "108", "111", ..., "93", "94", "95", "96", "97" (72 values omitted).

V085

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	138
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "100", "106", "107", "108", "109", ..., "93", "94", "95", "97", "99" (68 values omitted).

V086

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	813
Mode	"X"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "1019", "1029", "1030", "1056", "1071", . . . , "935", "936", "958", "978", "979" (189 values omitted).

V087

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	237
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "130", "131", "134", "135", "138", . . . , "318", "319", "334", "367", "453" (86 values omitted).

V088

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	233
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "100", "101", "103", "104", "105", . . . , "94", "95", "97", "98", "99" (134 values omitted).

V089

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	888
Median	305
1st and 3rd quartiles	186; 414
Min. and max.	0; 1588

- Note that the following possible outlier values were detected: "729", "730", "731", "732", "733", ..., "1236", "1294", "1303", "1309", "1588" (149 values omitted).

V090

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	888
Mode	"X"

- The following suspected missing value codes enter as regular values: "8", "88", "888", "9", "99".

- Note that the following levels have at most five observations: "1", "1016", "1019", "1039", "1040", ..., "980", "983", "991", "994", "997" (204 values omitted).

V091

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	856
Mode	"X"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "1008", "1013", "1038", "1040", "1052", ..., "974", "978", "989", "992", "997" (198 values omitted).

V092

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	253
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9".

- Note that the following levels have at most five observations: "100", "101", "102", "103", "104", ..., "93", "94", "95", "96", "97" (191 values omitted).

V093

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	526
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "210", "216", "219", "223", "241", ..., "694", "740", "752", "769", "794" (215 values omitted).

V094

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	686
Mode	"X"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "1132", "500", "501", "503", "506", ..., "814", "824", "834", "936", "960" (153 values omitted).

V095

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	380
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "1005", "1166", "140", "141", "146", ..., "708", "795", "802", "805", "889" (203 values omitted).

V096

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	282
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "204", "206", "208", "209", "211", ..., "316", "317", "325", "343", "592" (58 values omitted).

V097

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	203
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "104", "117", "118", "125", "127", ..., "309", "318", "319", "327", "512" (63 values omitted).

V098

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	187
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "102", "104", "105", "107", "108", ..., "467", "537", "813", "96", "98" (72 values omitted).


V099

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	107
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "100", "105", "106", "109", "118", ..., "89", "91", "92", "97", "99" (62 values omitted).

V100

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	875
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "1016", "1024", "1038", "1048", "1052", ..., "980", "983", "991", "994", "997" (197 values omitted).


V101

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	362
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "202", "203", "209", "217", "221", ..., "450", "461", "467", "510", "730" (112 values omitted).

V102

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	109
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9".

- Note that the following levels have at most five observations: "100", "101", "108", "109", "114", ..., "91", "92", "95", "96", "97" (59 values omitted).

V103

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	380
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "147", "158", "159", "168", "178", ..., "629", "634", "644", "682", "724" (179 values omitted).

V104

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	888
Mode	"X"

- The following suspected missing value codes enter as regular values: "8", "88", "888", "9", "99".

- Note that the following levels have at most five observations: "1", "1011", "1016", "1027", "1039", ..., "980", "983", "991", "994", "997" (208 values omitted).

V105

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	837
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "1034", "1047", "1050", "1069", "1077", ..., "982", "983", "987", "990", "991" (187 values omitted).

V106

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	365
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "106", "112", "120", "128", "139", ..., "593", "610", "624", "630", "74" (204 values omitted).

V107

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	607
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "1142", "268", "293", "300", "303", . . . , "738", "740", "799", "855", "866" (242 values omitted).

V108

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	191
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "101", "102", "103", "105", "106", . . . , "94", "95", "96", "97", "98" (101 values omitted).

V109

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	353
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "135", "156", "159", "165", "167", . . . , "493", "498", "513", "541", "547" (151 values omitted).

V110

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	161
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "100", "102", "103", "104", "106", ..., "94", "95", "96", "98", "99" (89 values omitted).

V111

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	224
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "100", "101", "103", "104", "105", ..., "93", "94", "96", "98", "99" (121 values omitted).

V112

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	881
Mode	"X"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "1", "1011", "1036", "1053", "1054", ..., "980", "983", "989", "991", "994" (202 values omitted).

V113

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	730
Mode	"X"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "1018", "1043", "1091", "1101", "1107", . . . , "928", "935", "947", "968", "971" (174 values omitted).

V114

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	341
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "211", "220", "224", "225", "226", . . . , "475", "497", "499", "515", "525" (101 values omitted).

V115

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	285
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "118", "144", "146", "150", "151", . . . , "350", "351", "354", "402", "499" (116 values omitted).

V116

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	234
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "100", "101", "103", "105", "106", ..., "92", "93", "94", "96", "98" (134 values omitted).

V117

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	301
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "113", "115", "124", "125", "127", ..., "561", "562", "609", "91", "93" (146 values omitted).

V118

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	872
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "888", "9", "99".

- Note that the following levels have at most five observations: "1015", "1016", "1031", "1048", "1053", ..., "980", "983", "991", "994", "997" (194 values omitted).

V119

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	863
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "888", "9", "99".

- Note that the following levels have at most five observations: "1016", "1031", "1048", "1051", "1053", ..., "980", "983", "989", "994", "997" (195 values omitted).

V120

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	466
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "102", "1048", "107", "118", "119", ..., "590", "604", "610", "674", "695" (298 values omitted).

V121

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	461
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "227", "245", "249", "255", "260", ..., "639", "640", "641", "647", "713" (159 values omitted).

V122

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	63
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "9".

- Note that the following levels have at most five observations: "102", "104", "29", "33", "35", ..., "70", "82", "95", "96", "97" (19 values omitted).


V123

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	176
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "100", "101", "102", "103", "104", ..., "95", "96", "97", "98", "99" (99 values omitted).


V124

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	37
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "9".

- Note that the following levels have at most five observations: "105", "14", "15", "16", "17", ..., "44", "46", "47", "57", "81" (12 values omitted).


V125

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	102
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "110", "114", "115", "119", "120", ..., "91", "92", "93", "94", "99" (46 values omitted).

V126

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	874
Mode	"X"

- The following suspected missing value codes enter as regular values: "8", "88", "888", "9", "99".

- Note that the following levels have at most five observations: "1", "1016", "1019", "1034", "1037", ..., "980", "983", "990", "994", "997" (192 values omitted).

V127

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	877
Mode	"X"

- The following suspected missing value codes enter as regular values: "8", "88", "888", "9", "99".

- Note that the following levels have at most five observations: "1", "1016", "1017", "1032", "1037", ..., "980", "983", "990", "993", "997" (190 values omitted).

V128

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	115
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "9", "99".

- Note that the following levels have at most five observations: "100", "101", "104", "107", "108", ..., "89", "94", "95", "96", "99" (77 values omitted).

V129

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	120
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "100", "101", "103", "104", "108", ..., "91", "93", "95", "97", "99" (57 values omitted).

V130

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	831
Mode	"X"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "1007", "1016", "1020", "1025", "1039", ..., "950", "961", "970", "983", "993" (182 values omitted).

V131

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	218
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "109", "113", "127", "129", "131", ..., "299", "306", "370", "392", "397" (75 values omitted).

V132

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	225
Mode	"0"

- The following suspected missing value codes enter as regular values: "8", "88", "9", "99".

- Note that the following levels have at most five observations: "101", "102", "103", "104", "105", ..., "95", "96", "97", "98", "99" (128 values omitted).

Report generation information:

- Created by: Caio Gonçalves (username: `Caio`).

- Report creation time: qua ago 23 2023 01:31:25

- Report was run from directory: `C:/Users/Caio/Documents/GitHub/mqagp`

- dataMaid v1.4.1 [Pkg: 2021-10-08 from CRAN (R 4.2.3)]

- R version 4.2.1 (2022-06-23 ucrt).

- Platform: x86_64-w64-mingw32/x64 (64-bit)(Windows 10 x64 (build 19045)).

- Function call: `makeDataReport(data = df, replace = TRUE)`