Index

| Bag of words, 467 |
|--|
| Bagging, 252 |
| Batch normalization, 264, 422 |
| Bayes error, 116 |
| Bayes' rule, 69 |
| Bayesian hyperparameter optimization, 433 |
| Bayesian network, see directed graphical |
| model |
| Bayesian probability, 54 |
| Bayesian statistics, 134 |
| Belief network, see directed graphical model |
| Bernoulli distribution, 61 |
| BFGS, 314 |
| Bias, 123, 227 |
| Bias parameter, 109 |
| Biased importance sampling, 589 |
| Bigram, 458 |
| Binary relation, 478 |
| Block Gibbs sampling, 595 |
| Boltzmann distribution, 566 |
| Boltzmann machine, 566, 648 |
| BPTT, see back-propagation through time |
| Broadcasting, 33 |
| Burn-in, <u>593</u> |
| |
| CAE, see contractive autoencoder |
| Calculus of variations, 178 |
| Categorical distribution, see multinoulli dis- |
| tribution |
| CD, see contrastive divergence |
| Centering trick (DBM), 667 |
| Central limit theorem, 63 |
| Chain rule (calculus), 203 |
| Chain rule of probability, 58 |
| |

| Chess, 2 | Critical temperature, 599 |
|--|--|
| Chord, <u>575</u> | Cross-correlation, 329 |
| Chordal graph, 575 | Cross-entropy, 74, 131 |
| Class-based language models, 460 | Cross-validation, 121 |
| Classical dynamical system, 372 | CTC, see connectionist temporal classifica- |
| Classification, 99 | tion |
| Clique potential, see factor (graphical model) | Curriculum learning, 326 |
| CNN, see convolutional neural network | Curse of dimensionality, 153 |
| Collaborative Filtering, 474 | Cyc, 2 |
| Collider, see explaining away | • |
| Color images, 357 | D-separation, 568 |
| Complex cell, 362 | DAE, see denoising autoencoder |
| Computational graph, 202 | Data generating distribution, 110, 130 |
| Computer vision, 449 | Data generating process, 110 |
| Concept drift, 533 | Data parallelism, 444 |
| Condition number, 277 | Dataset, 103 |
| Conditional computation, see dynamic struc- | Dataset augmentation, 268, 454 |
| ture | DBM, see deep Boltzmann machine |
| Conditional independence, xiii, 59 | DCGAN, 547, 548, 695 |
| Conditional probability, 58 | Decision tree, 144 , 544 |
| Conditional RBM, 679 | Decoder, 4 |
| Connectionism, 17, 440 | Deep belief network, 26, 525, 626, 651, 654, |
| Connectionist temporal classification, 457 | 678,686 |
| Consistency, 128, 509 | Deep Blue, 2 |
| Constrained optimization, 92, 235 | Deep Boltzmann machine, 23, 26, 525, 626, |
| Content-based addressing, 416 | 647, 651, 657, 666, 678 |
| Content-based recommender systems, 475 | Deep feedforward network, 166, 422 |
| Context-specific independence, 569 | Deep learning, 2, 5 |
| Contextual bandits, 476 | Denoising autoencoder, 506, 683 |
| Continuation methods, 324 | Denoising score matching, 615 |
| Contractive autoencoder, 516 | Density estimation, 102 |
| Contrast, 451 | Derivative, xiii, 82 |
| Contrastive divergence, 289, 606, 666 | Design matrix, 105 |
| Convex optimization, 140 | Detector layer, 336 |
| Convolution, 327, 677 | Determinant, xii |
| Convolutional network, 16 | Diagonal matrix, 40 |
| Convolutional neural network, 250, 327, 422, | Differential entropy, 73, 641 |
| 456 | Dirac delta function, 64 |
| Coordinate descent, 319, 665 | Directed graphical model, 76, 503, 559, 685 |
| Correlation, 60 | Directional derivative, 84 |
| Cost function, see objective function | Discriminative fine-tuning, see supervised |
| Covariance, xiii, 60 | fine-tuning |
| Covariance matrix, 61 | Discriminative RBM, 680 |
| Coverage, 421 | Distributed representation, 17, 149, 542 |
| | Domain adaptation, 532 |
| | |

| Dot product, 33, 139 | F'-score, 420 |
|---|---|
| Double backprop, 268 | Factor (graphical model), 563 |
| Doubly block circulant matrix, 330 | Factor analysis, 486 |
| Dream sleep, 605, 647 | Factor graph, 575 |
| DropConnect, 263 | Factors of variation, 4 |
| Dropout, 255 , 422, 427, 428, 666, 683 | Feature, 98 |
| Dynamic structure, 445 | Feature selection, 234 |
| | Feedforward neural network, 166 |
| E-step, 629 | Fine-tuning, 321 |
| Early stopping, 244, 246, 270, 271, 422 | Finite differences, 436 |
| EBM, see energy-based model | Forget gate, 304 |
| Echo state network, 23, 26, 401 | Forward propagation, 201 |
| Effective capacity, 113 | Fourier transform, 357, 359 |
| Eigendecomposition, 41 | Fovea, 363 |
| Eigenvalue, 41 | FPCD, 610 |
| Eigenvector, 41 | Free energy, 567 , 674 |
| ELBO, see evidence lower bound | Freebase, 479 |
| Element-wise product, see Hadamard prod- | Frequentist probability, 54 |
| uct, see Hadamard product | Frequentist statistics, 134 |
| EM, see expectation maximization | Frobenius norm, 45 |
| Embedding, 512 | Fully-visible Bayes network, 699 |
| Empirical distribution, 65 | Functional derivatives, 640 |
| Empirical risk, 274 | FVBN, see fully-visible Bayes network |
| Empirical risk minimization, 274 | , , |
| Encoder, 4 | Gabor function, 365 |
| Energy function, 565 | GANs, see generative adversarial networks |
| Energy-based model, 565, 591, 648, 657 | Gated recurrent unit, 422 |
| Ensemble methods, 252 | Gaussian distribution, see normal distribu- |
| Epoch, 244 | tion |
| Equality constraint, 93 | Gaussian kernel, 140 |
| Equivariance, 335 | Gaussian mixture, 66, 187 |
| Error function, see objective function | GCN, see global contrast normalization |
| ESN, see echo state network | GeneOntology, 479 |
| Euclidean norm, 38 | Generalization, 109 |
| Euler-Lagrange equation, 641 | Generalized Lagrange function, see general- |
| Evidence lower bound, 628, 655 | ized Lagrangian |
| Example, 98 | Generalized Lagrangian, 93 |
| Expectation, 59 | Generative adversarial networks, 683, 693 |
| Expectation maximization, 629 | Generative moment matching networks, 696 |
| Expected value, see expectation | Generator network, 687 |
| Explaining away, 570, 626, 639 | Gibbs distribution, 564 |
| Exploitation, 477 | Gibbs sampling, 577, 595 |
| Exploration, 477 | Global contrast normalization, 451 |
| Exponential distribution, 64 | GPU, see graphics processing unit |
| | Gradient, 83 |
| Exponential distribution, 64 | , , , , |

| Gradient clipping, 287, 411 | Information retrieval, 520 |
|--|--|
| Gradient descent, 82, 84 | Initialization, 298 |
| Graph, xii | Integral, xiii |
| Graphical model, see structured probabilis- | Invariance, 339 |
| tic model | Isotropic, 64 |
| Graphics processing unit, 441 | |
| Greedy algorithm, 321 | Jacobian matrix, xiii, 71, 85 |
| Greedy layer-wise unsupervised pretraining, | Joint probability, 56 |
| 524 | |
| Greedy supervised pretraining, 321 | k-means, 361, 542 |
| Grid search, 429 | k-nearest neighbors, 141, 544 |
| , | Karush-Kuhn-Tucker conditions, 94, 235 |
| Hadamard product, xii, 33 | Karush–Kuhn–Tucker, 93 |
| Hard tanh, 195 | Kernel (convolution), 328, 329 |
| Harmonium, see restricted Boltzmann ma- | Kernel machine, 544 |
| chine | Kernel trick, 139 |
| Harmony theory, 567 | KKT, see Karush–Kuhn–Tucker |
| Helmholtz free energy, see evidence lower | KKT conditions, see Karush-Kuhn-Tucker |
| bound | conditions |
| Hessian, 221 | KL divergence, see Kullback-Leibler diver- |
| Hessian matrix, xiii, 86 | gence |
| Heteroscedastic, 186 | Knowledge base, 2, 479 |
| Hidden layer, 6, 166 | Krylov methods, 222 |
| Hill climbing, 85 | Kullback-Leibler divergence, xiii, 73 |
| Hyperparameter optimization, 429 | T 1 1 044 |
| Hyperparameters, 119, 427 | Label smoothing, 241 |
| Hypothesis space, 111, 117 | Lagrange multipliers, 93, 641 |
| | Lagrangian, see generalized Lagrangian |
| i.i.d. assumptions, 110, 121, 265 | LAPGAN, 695 |
| Identity matrix, 35 | Laplace distribution, 64 , 492 |
| ILSVRC, see ImageNet Large Scale Visual | Latent variable, 66 |
| Recognition Challenge | Layer (neural network), 166 |
| ImageNet Large Scale Visual Recognition | LCN, see local contrast normalization |
| Challenge, 22 | Leaky ReLU, 191 |
| Immorality, 573 | Leaky units, 404 |
| Importance sampling, 588, 620, 691 | Learning rate, 84 |
| Importance weighted autoencoder, 691 | Line search, 84, 85, 92 |
| Independence, xiii, 59 | Linear combination, 36 |
| Independent and identically distributed, see | Linear dependence, 37 |
| i.i.d. assumptions | Linear factor models, 485 |
| Independent component analysis, 487 | Linear regression, 106 , 109, 138 |
| Independent subspace analysis, 489 | Link prediction, 480 |
| Inequality constraint, 93 | Lipschitz constant, 91 |
| Inference,558,579,626,628,630,633,643, | Lipschitz continuous, 91 |
| 646 | Liquid state machine, 401 |

| Local conditional probability distribution, | Mixture density networks, 187 |
|---|--------------------------------------|
| 560 | Mixture distribution, 65 |
| Local contrast normalization, 452 | Mixture model, 187, 506 |
| Logistic regression, 3, 138, 139 | Mixture of experts, 446, 544 |
| Logistic sigmoid, 7, 66 | MLP, see multilayer perception |
| Long short-term memory, 18, 24, 304, 407, | MNIST, 20, 21, 666 |
| 422 | Model averaging, 252 |
| Loop, <u>575</u> | Model compression, 444 |
| Loopy belief propagation, 581 | Model identifiability, 282 |
| Loss function, see objective function | Model parallelism, 444 |
| L^p norm, 38 | Moment matching, 696 |
| LSTM, see long short-term memory | Moore-Penrose pseudoinverse, 44, 237 |
| | Moralized graph, 573 |
| M-step, 629 | MP-DBM, see multi-prediction DBM |
| Machine learning, 2 | MRF (Markov Random Field), see undi- |
| Machine translation, 100 | rected model |
| Main diagonal, 32 | MSE, see mean squared error |
| Manifold, 159 | Multi-modal learning, 535 |
| Manifold hypothesis, 160 | Multi-prediction DBM, 668 |
| Manifold learning, 160 | Multi-task learning, 242, 533 |
| Manifold tangent classifier, 268 | Multilayer perception, 5 |
| MAP approximation, 137, 501 | Multilayer perceptron, 26 |
| Marginal probability, 57 | Multinomial distribution, 61 |
| Markov chain, 591 | Multinoulli distribution, 61 |
| Markov chain Monte Carlo, 591 | , |
| Markov network, see undirected model | n-gram, 458 |
| Markov random field, see undirected model | NADE, 702 |
| Matrix, xi, xii, 31 | Naive Bayes, 3 |
| Matrix inverse, 35 | Nat, 72 |
| Matrix product, 33 | Natural image, 555 |
| Max norm, 39 | Natural language processing, 457 |
| Max pooling, 336 | Nearest neighbor regression, 114 |
| Maximum likelihood, 130 | Negative definite, 88 |
| Maxout, 191, 422 | Negative phase, 466, 602, 604 |
| MCMC, see Markov chain Monte Carlo | Neocognitron, 16, 23, 26, 364 |
| Mean field, 633, 634, 666 | Nesterov momentum, 298 |
| Mean squared error, 107 | Netflix Grand Prize, 255, 475 |
| Measure theory, 70 | Neural language model, 460, 472 |
| Measure zero, 70 | Neural network, 13 |
| Memory network, 413, 415 | Neural Turing machine, 415 |
| Method of steepest descent, see gradient | Neuroscience, 15 |
| descent | Newton's method, 88, 309 |
| Minibatch, 277 | NLM, see neural language model |
| Missing inputs, 99 | NLP, see natural language processing |
| Mixing (Markov chain), 597 | No free lunch theorem, 115 |
| | |

| Noise-contrastive estimation, 616 | Preprocessing, 450 |
|---|---|
| Non-parametric model, 113 | Pretraining, 320, 524 |
| Norm, xiv, 38 | Primary visual cortex, 362 |
| Normal distribution, 62, 63, 124 | Principal components analysis, 47, 145, 146, |
| Normal equations, 108 , 108, 111, 232 | 486, 626 |
| Normalized initialization, 301 | Prior probability distribution, 134 |
| Numerical differentiation, see finite differ- | Probabilistic max pooling, 677 |
| ences | Probabilistic PCA, 486, 487, 627 |
| | Probability density function, 57 |
| Object detection, 449 | Probability distribution, 55 |
| Object recognition, 449 | Probability mass function, 55 |
| Objective function, 81 | Probability mass function estimation, 102 |
| OMP-k, see orthogonal matching pursuit | Product of experts, 566 |
| One-shot learning, 534 | Product rule of probability, see chain rule |
| Operation, 202 | of probability |
| Optimization, 79, 81 | PSD, see predictive sparse decomposition |
| Orthodox statistics, see frequentist statistics | Pseudolikelihood, 611 |
| Orthogonal matching pursuit, 26, 252 | |
| Orthogonal matrix, 41 | Quadrature pair, 366 |
| Orthogonality, 40 | Quasi-Newton methods, 314 |
| Output layer, 166 | · |
| - v , | Radial basis function, 195 |
| Parallel distributed processing, 17 | Random search, 431 |
| Parameter initialization, 298, 403 | Random variable, 55 |
| Parameter sharing, 249, 332, 370, 372, 386 | Ratio matching, 614 |
| Parameter tying, see Parameter sharing | RBF, 195 |
| Parametric model, 113 | RBM, see restricted Boltzmann machine |
| Parametric ReLU, 191 | Recall, 420 |
| Partial derivative, 83 | Receptive field, 334 |
| Partition function, 564, 601, 663 | Recommender Systems, 474 |
| PCA, see principal components analysis | Rectified linear unit, 170, 191, 422, 503 |
| PCD, see stochastic maximum likelihood | Recurrent network, 26 |
| Perceptron, 15, 26 | Recurrent neural network, 375 |
| Persistent contrastive divergence, see stochas- | Regression, 99 |
| tic maximum likelihood | Regularization, 119 , 119, 176, 226, 427 |
| Perturbation analysis, see reparametrization | Regularizer, 118 |
| trick | REINFORCE, 683 |
| Point estimator, 121 | Reinforcement learning, 24, 105, 476, 683 |
| Policy, 476 | Relational database, 479 |
| Pooling, 327, 677 | Relations, 478 |
| Positive definite, 88 | Reparametrization trick, 682 |
| Positive phase, 466, 602, 604, 650, 662 | Representation learning, 3 |
| Precision, 420 | Representational capacity, 113 |
| Precision (of a normal distribution), 62, 64 | Restricted Boltzmann machine, 353, 456, |
| Predictive sparse decomposition, 519 | 475, 583, 626, 650, 651, 666, 670, |
| - · · · · · · · · · · · · · · · · · · · | |

| 672,674,677 | Square matrix, 37 |
|---|---|
| Ridge regression, see weight decay | ssRBM, see spike and slab restricted Boltz- |
| Risk, 273 | mann machine |
| RNN-RBM, 679 | Standard deviation, 60 |
| | Standard error, 126 |
| Saddle points, 283 | Standard error of the mean, 126, 276 |
| Sample mean, 124 | Statistic, 121 |
| Scalar, xi, xii, 30 | Statistical learning theory, 109 |
| Score matching, 509, 613 | Steepest descent, see gradient descent |
| Second derivative, 85 | Stochastic back-propagation, see reparametriza- |
| Second derivative test, 88 | tion trick |
| Self-information, 72 | Stochastic gradient descent, 15, 149, 277, |
| Semantic hashing, 521 | 292 , 666 |
| Semi-supervised learning, 241 | Stochastic maximum likelihood, 608, 666 |
| Separable convolution, 359 | Stochastic pooling, 263 |
| Separation (probabilistic modeling), 568 | Structure learning, 578 |
| Set, xii | Structured output, 100, 679 |
| SGD, see stochastic gradient descent | Structured probabilistic model, 76, 554 |
| Shannon entropy, xiii, 73 | Sum rule of probability, 57 |
| Shortlist, 462 | Sum-product network, 549 |
| Sigmoid, xiv, see logistic sigmoid | Supervised fine-tuning, 525, 656 |
| Sigmoid belief network, 26 | Supervised learning, 104 |
| Simple cell, 362 | Support vector machine, 139 |
| Singular value, see singular value decompo- | Surrogate loss function, 274 |
| sition | SVD, see singular value decomposition |
| Singular value decomposition, 43, 146, 475 | Symmetric matrix, 40, 42 |
| Singular vector, see singular value decom- | , , |
| position | Tangent distance, 267 |
| Slow feature analysis, 489 | Tangent plane, 511 |
| SML, see stochastic maximum likelihood | Tangent prop, 267 |
| Softmax, 182, 415, 446 | TDNN, see time-delay neural network |
| Softplus, xiv, 67, 195 | Teacher forcing, 379, 380 |
| Spam detection, 3 | Tempering, 599 |
| Sparse coding, 319, 353, 492, 626, 686 | Template matching, 140 |
| Sparse initialization, 302, 403 | Tensor, xi, xii, 32 |
| Sparse representation, 145, 224, 251, 501, | Test set, 109 |
| 552 | Tikhonov regularization, see weight decay |
| Spearmint, 433 | Tiled convolution, 349 |
| Spectral radius, 401 | Time-delay neural network, 364, 371 |
| Speech recognition, see automatic speech | Toeplitz matrix, 330 |
| recognition | Topographic ICA, 489 |
| Sphering, see whitening | Trace operator, 45 |
| Spike and slab restricted Boltzmann ma- | Training error, 109 |
| chine, 674 | Transcription, 100 |
| SPN, see sum-product network | Transfer learning, 532 |

Transpose, xii, 32 Triangle inequality, 38 Triangulated graph, see chordal graph Trigram, 458 Unbiased, 123 Undirected graphical model, 76, 503 Undirected model, 562 Uniform distribution, 56 Unigram, 458 Unit norm, 40 Unit vector, 40 Universal approximation theorem, 196 Universal approximator, 549 Unnormalized probability distribution, 563 Unsupervised learning, 104, 144 Unsupervised pretraining, 456, 524 V-structure, see explaining away V1, 362 VAE, see variational autoencoder Vapnik-Chervonenkis dimension, 113 Variance, xiii, 60, 227 Variational autoencoder, 683, 690 Variational derivatives, see functional deriva-Variational free energy, see evidence lower bound VC dimension, see Vapnik-Chervonenkis dimension Vector, xi, xii, 31 Virtual adversarial examples, 266 Visible layer, 6 Volumetric data, 357 Wake-sleep, 646, 655 Weight decay, 117, 176, 229, 428 Weight space symmetry, 282 Weights, 15, 106 Whitening, 452 Wikibase, 479 Wikibase, 479 Word embedding, 460 Word-sense disambiguation, 480 WordNet, 479

Zero-data learning, see zero-shot learning Zero-shot learning, 534