

Figure 5. M2 phase map and flip boundaries

Across the prompt rho/sigma grid, SRHT/Hadamard pairwise correction dominates strict equal-frame blind comparisons.

Status: compact-protocol complete; final artwork draft

A Strict equal-frame winners

M2 strict equal frame non-oracle winners		rho=0.01		rho=0.03		rho=0.1		rho=0.3		rho=1		rho=3		rho=10	
sigma=0.05	srht	win	win	win	win	win	win	win	win	win	win	win	win	win	win
	hadamard	win	win	win	win	win	win	win	win	win	win	win	win	win	win
sigma=0.1	srht	win	win	win	win	win	win	win	win	win	win	win	win	win	win
	hadamard	win	win	win	win	win	win	win	win	win	win	win	win	win	win
sigma=0.15	srht	win	win	win	win	win	win	win	win	win	win	win	win	win	win
	hadamard	win	win	win	win	win	win	win	win	win	win	win	win	win	win
sigma=0.2	srht	win	win	win	win	win	win	win	win	win	win	win	win	win	win
	hadamard	win	win	win	win	win	win	win	win	win	win	win	win	win	win
sigma=0.5	srht	win	win	win	win	win	win	win	win	win	win	win	win	win	win
	hadamard	win	win	win	win	win	win	win	win	win	win	win	win	win	win
Cell test winning basestemction and mean PSNR															

B All non-oracle winners

M2 all non-oracle winners with reference method		rho=0.01		rho=0.03		rho=0.1		rho=0.3		rho=1		rho=3		rho=10	
sigma=0.05	srht	win	win	win	win	win	win	win	win	win	win	win	win	win	win
	hadamard	win	win	win	win	win	win	win	win	win	win	win	win	win	win
sigma=0.1	srht	win	win	win	win	win	win	win	win	win	win	win	win	win	win
	hadamard	win	win	win	win	win	win	win	win	win	win	win	win	win	win
sigma=0.15	srht	win	win	win	win	win	win	win	win	win	win	win	win	win	win
	hadamard	win	win	win	win	win	win	win	win	win	win	win	win	win	win
sigma=0.2	srht	win	win	win	win	win	win	win	win	win	win	win	win	win	win
	hadamard	win	win	win	win	win	win	win	win	win	win	win	win	win	win
sigma=0.5	srht	win	win	win	win	win	win	win	win	win	win	win	win	win	win
	hadamard	win	win	win	win	win	win	win	win	win	win	win	win	win	win
Cell test winning basestemction and mean PSNR															

C Boundary fits

M2 observed log-rho boundary fits						
correction	challenger	baseline	observed_points	sigma_a_exponent	r2	rmse_log10
reference_k8	srht_paired	hadamard_paired	5	-1.9285	0.99951	0.015015
agc	random_binary	hadamard_paired	3	-0.35267	0.99501	0.0053538
none	srht_paired	hadamard_paired	3	-0.94178	0.99213	0.016523
scgi_proxy	srht_paired	hadamard_paired	5	-1.5899	0.9889	0.05916
reference_k32	srht_paired	hadamard_paired	5	-1.4256	0.98628	0.059047

Prompt-range M2 phase maps and observed flip-boundary fits. Reference-frame methods are shown separately because they spend extra physical frames.