XMLSTARLET USER'S GUIDE

see also http://xmlstar.sourceforge.net/

1. BASIC COMMAND LINE OPTIONS
======================================================

xml
XMLStarlet Toolkit: Command line utilities for XML
Usage: xml [<**options**>] <**command**> [<**cmd-options**>]
where <**command**> is one of:
    ed   (or edit)      - Edit/Update XML document(s)
    sel  (or select)    - Select data or query XML document(s) (XPATH, etc)
    tr   (or transform) - Transform XML document(s) using XSLT
    val  (or validate)  - Validate XML document(s) (well-formed/DTD/XSD/RelaxNG)
    fo   (or format)    - Format XML document(s)
    el   (or elements)  - Display element structure of XML document
    c14n (or canonic)   - XML canonicalization
    ls   (or list)      - List directory as XML
    esc  (or escape)    - Escape special XML characters
    unesc (or unescape) - Unescape special XML characters
    pyx  (or xmln)      - Convert XML into PYX format (based on ESIS - ISO 8879)
<**options**> are:
    --version           - show version
    --help              - show help
Wherever file name mentioned in command help it is assumed
that URL can be used instead as well.

Type: xml <**command**> --help <**ENTER**> for command help

XMLStarlet is a command line toolkit to query/edit/check/transform
XML documents (for more information see http://xmlstar.sourceforge.net/)

2. Select/Query XML documents
======================================================

xml sel --help
XMLStarlet Toolkit: Select from XML document(s)
Usage: xml sel <**global-options**> {<**template**>} [ <**xml-file**> ... ]
where
  <**global-options**> - global options for selecting
  <**xml-file**> - input XML document file name/uri (stdin is used if missing)
  <**template**> - template for querying XML document with following syntax:

<**global-options**> are:
  -C or --comp        - display generated XSLT
  -R or --root        - print root element <**xsl-select**>
  -T or --text        - output is text (default is XML)
  -I or --indent      - indent output
  -D or --xml-decl    - do not omit xml declaration line
  -B or --noblanks    - remove insignificant spaces from XML tree
  -N <**name**>=<**value**>  - predefine namespaces (name without 'xmlns:')
                        ex: xsql=urn:oracle-xsql
                        Multiple -N options are allowed.
  --net               - allow fetch DTDs or entities over network
  --help              - display help

Syntax for templates: -t|--template <**options**>
where <**options**>
  -c or --copy-of <**xpath**>  - print copy of XPATH expression
  -v or --value-of <**xpath**> - print value of XPATH expression
  -o or --output <**string**>  - output string literal
  -n or --nl                   - print new line
  -f or --inp-name             - print input file name (or URL)
  -m or --match <**xpath**>    - match XPATH expression
  -i or --if <**test-xpath**>  - check condition <**xsl:if test**="test-xpath">
  -e or --elem <**name**>      - print out element <**xsl:element name**="name">
  -a or --attr <**name**>      - add attribute <**xsl:attribute name**="name">
  -b or --break                - break nesting

```
   -s or --sort op xpath    - sort in order (used after -m) where
   op is X:Y:Z,
       X is A - for order="ascending"
       X is D - for order="descending"
       Y is N - for data-type="numeric"
       Y is T - for data-type="text"
       Z is U - for case-order="upper-first"
       Z is L - for case-order="lower-first"

 There can be multiple --match, --copy-of, --value-of, etc options
 in a single template. The effect of applying command line templates
 can be illustrated with the following XSLT analogue

 xml sel -t -c "xpath0" -m "xpath1" -m "xpath2" -v "xpath3" \
         -t -m "xpath4" -c "xpath5"

 is equivalent to applying the following XSLT
```

```xml
<?xml version="1.0"?>
<xsl:stylesheet version="1.0" xmlns:xsl="http://www.w3.org/1999/XSL/Transform">
<xsl:template match="/">
  <xsl:call-template name="t1"/>
  <xsl:call-template name="t2"/>
</xsl:template>
<xsl:template name="t1">
  <xsl:copy-of select="xpath0"/>
  <xsl:for-each select="xpath1">
    <xsl:for-each select="xpath2">
      <xsl:value-of select="xpath3"/>
    </xsl:for-each>
  </xsl:for-each>
</xsl:template>
<xsl:template name="t2">
  <xsl:for-each select="xpath4">
    <xsl:copy-of select="xpath5"/>
  </xsl:for-each>
</xsl:template>
</xsl:stylesheet>
```

```
 XMLStarlet is a command line toolkit to query/edit/check/transform
 XML documents (for more information see http://xmlstar.sourceforge.net/)

 Current implementation uses libxslt from GNOME codebase as XSLT processor
 (see http://xmlsoft.org/ for more details)




 3. Editing XML documents
 ====================================================

 xml ed --help
 XMLStarlet Toolkit: Edit XML document(s)
 Usage: xml ed {<action>} [ <xml-file-or-uri> ... ]
 where <action>
    -d or --delete <xpath>
    -i or --insert <xpath> -t (--type) elem|text|attr -n <name> -v (--value) <value>
    -a or --append <xpath> -t (--type) elem|text|attr -n <name> -v (--value) <value>
    -s or --subnode <xpath> -t (--type) elem|text|attr -n <name> -v (--value) <value>
    -m or --move <xpath1> <xpath2>
    -r or --rename <xpath1> -v <new-name>
    -u or --update <xpath> -v (--value) <value>
                          -x (--expr) <xpath> (-x is not implemented yet)

 XMLStarlet is a command line toolkit to query/edit/check/transform
 XML documents (for more information see http://xmlstar.sourceforge.net/)




 4. Using XSLT to transform XML documents
 ====================================================

 xml tr --help
 XMLStarlet Toolkit: Transform XML document(s) using XSLT
 Usage: xml tr [<options>] <xsl-file> {-p|-s <name>=<value>} [ <xml-file-or-uri> ... ]
 where
    <xsl-file>     - main XSLT stylesheet for transformation
    <xml-file>     - input XML document file name (stdin is used if missing)
```

```
    <name>=<value>  - name and value of the parameter passed to XSLT processor
    -p              - parameter is XPATH expression ("'string'" to quote string)
    -s              - parameter is a string literal
<options> are:
    --omit-decl     - omit xml declaration <?xml version="1.0"?>
    --show-ext      - show list of extensions
    --val           - allow validate against DTDs or schemas
    --net           - allow fetch DTDs or entities over network
    --xinclude      - do XInclude processing on document input
    --maxdepth val  - increase the maximum depth
    --html          - input document(s) is(are) in HTML format
    --docbook       - input document(s) is(are) in SGML docbook format
    --catalogs      - use SGML catalogs from $SGML_CATALOG_FILES
                      otherwise XML catalogs starting from
                      file:///etc/xml/catalog are activated by default


XMLStarlet is a command line toolkit to query/edit/check/transform
XML documents (for more information see http://xmlstar.sourceforge.net/)

Current implementation uses libxslt from GNOME codebase as XSLT processor
(see http://xmlsoft.org/ for more details)




5. Formatting XML documents
====================================================

xml fo --help
XMLStarlet Toolkit: Format XML document(s)
Usage: xml fo [<options>] <xml-file>
where <options> are
    -n or --noindent         - do not indent
    -t or --indent-tab       - indent output with tabulation
    -s or --indent-spaces <num> - indent output with <num> spaces
    -o or --omit-decl        - omit xml declaration <?xml version="1.0"?>
    -R or --recover          - try to recover what is parsable
    -H or --html             - input is HTML
    -h or --help             - print help

XMLStarlet is a command line toolkit to query/edit/check/transform
XML documents (for more information see http://xmlstar.sourceforge.net/)




6. Validating XML documents
====================================================

xml val --help
XMLStarlet Toolkit: Validate XML document(s)
Usage: xml val <options> [ <xml-file-or-uri> ... ]
where <options>
    -w or --well-formed      - validate well-formedness only (default)
    -d or --dtd <dtd-file>   - validate against DTD
    -s or --xsd <xsd-file>   - validate against XSD schema
    -r or --relaxng <rng-file> - validate against Relax-NG schema
    -e or --err              - print verbose error messages on stderr
    -b or --list-bad         - list only files which do not validate
    -g or --list-good        - list only files which validate
    -q or --quiet            - do not list files (return result code only)

NOTE: XML Schemas are not fully supported yet due to its incomplete
      support in libxml (see http://xmlsoft.org)

XMLStarlet is a command line toolkit to query/edit/check/transform
XML documents (for more information see http://xmlstar.sourceforge.net/)




7. Displaying structure of XML documents
====================================================

xml el --help
XMLStarlet Toolkit: Display element structure of XML document
Usage: xml el [<options>] <xml-file>
where
    <xml-file> - input XML document file name (stdin is used if missing)
    <options>:
```

```
   -a  - show attributes as well
   -v  - show attributes and their values
   -u  - print out sorted unique lines

XMLStarlet is a command line toolkit to query/edit/check/transform
XML documents (for more information see http://xmlstar.sourceforge.net/)
```

```
8. Escape/Unescape special XML characters
=========================================

xml esc --help
XMLStarlet Toolkit: Escape special XML characters
Usage: xml esc [<options>] [<string>]
where <options> are
   --help      - print usage
   (TODO: more to be added in future)
if <string> is missing stdin is used instead.

XMLStarlet is a command line toolkit to query/edit/check/transform
XML documents (for more information see http://xmlstar.sourceforge.net/)
```

```
9. List directory as XML
=========================================

xml ls --help
XMLStarlet Toolkit: List directory as XML
Usage: xml ls
Lists current directory in XML format.

XMLStarlet is a command line toolkit to query/edit/check/transform
XML documents (for more information see http://xmlstar.sourceforge.net/)
```

```
10. XML canonicalization
=========================================

xml c14n --help
XMLStarlet Toolkit: XML canonization
Usage: xml c14n <mode> <xml-file> [<xpath-expr>] [<inclusive-ns-list>]
where
   <xml-file> - input XML document file name (stdin is used if '-')
   <mode> is one of following:
   --with-comments         XML file canonization w comments
   --without-comments      XML file canonization w/o comments
   --exc-with-comments     Exclusive XML file canonization w comments
   --exc-without-comments  Exclusive XML file canonization w/o comments

XMLStarlet is a command line toolkit to query/edit/check/transform
XML documents (for more information see http://xmlstar.sourceforge.net/)
```

```
11. Convert XML into PYX format (based on ESIS - ISO 8879)
=========================================

xml pyx --help
XMLStarlet Toolkit: Convert XML into PYX format (based on ESIS - ISO 8879)
Usage: xml pyx {<xml-file>}
where
   <xml-file> - input XML document file name (stdin is used if missing)

The PYX format is a line-oriented representation of
XML documents that is derived from the SGML ESIS format.
(see ESIS - ISO 8879 Element Structure Information Set spec,
ISO/IEC JTC1/SC18/WG8 N931 (ESIS))

A non-validating, ESIS generating tool originally developed for
pyxie project (see http://pyxie.sourceforge.net/)
```

ESIS Generation by Sean Mc Grath http://www.digitome.com/sean.html

XMLStarlet is a command line toolkit to query/edit/check/transform
XML documents (for more information see http://xmlstar.sourceforge.net/)

12. Examples:
===================================================

Input1
examples/xml/table.xml

```xml
<?xml version="1.0"?>
<xml>
  <table>
    <rec id="1">
      <numField>123</numField>
      <stringField>String Value</stringField>
    </rec>
    <rec id="2">
      <numField>346</numField>
      <stringField>Text Value</stringField>
    </rec>
    <rec id="3">
      <numField>-23</numField>
      <stringField>stringValue</stringField>
    </rec>
  </table>
</xml>
```

Input2
examples/xml/tab-obj.xml

```xml
<?xml version="1.0"?>
<xml>
  <table>
    <rec id="1">
      <numField>123</numField>
      <stringField>String Value</stringField>
      <object name="Obj1">
        <property name="size">10</property>
        <property name="type">Data</property>
      </object>
    </rec>
    <rec id="2">
      <numField>346</numField>
      <stringField>Text Value</stringField>
    </rec>
    <rec id="3">
      <numField>-23</numField>
      <stringField>stringValue</stringField>
    </rec>
  </table>
</xml>
```

Input3
examples/html/hello1.html

```html
<html>
<head>
  <title>Hello World</title>
  <meta http-equiv="content-type" content="text/html; charset=ISO-8859-1">
</head>
<body>
  <div align="center">Hello World!<br></div>
</body>
</html>
```

Input4
examples/sgml/docbook1.sgml

```xml
<!DOCTYPE book
  PUBLIC "-//OASIS//DTD DocBook XML V4.1.2//EN"
  "http://www.oasis-open.org/docbook/xml/4.1.2/docbookx.dtd">
<book>

 <bookinfo>
  <title>DocBook document example</title>
  <author>
   <firstname>Mikhail</firstname>
   <surname>Grushinskiy</surname>
  </author>

  <copyright>
   <year>2002</year>
   <holder>Mikhail Grushinskiy</holder>
  </copyright>
 </bookinfo>

 <preface>
  <title>Sample document</title>

  <para>A simple DocBook example document.</para>
 </preface>

 <chapter>
  <title>XMLStarlet Example</title>

  <para>The <emphasis>XMLStarlet</emphasis> command line toolkit
  allows querying/checking/editing/transforming/formatting XML documents
  from command line</para>

  <para>To find out more on how to use the
  <emphasis>XMLStarlet</emphasis> for XML processing, point
  your browser to <ulink
  url="http://xmlstar.sourceforge.net/">http://xmlstar.sourceforge.net/</ulink>.
  </para>

 </chapter>

</book>
```

```
Stylesheet1
examples/xsl/sum1.xsl
```

```xml
<?xml version="1.0"?>
<xsl:stylesheet version="1.0" xmlns:xsl="http://www.w3.org/1999/XSL/Transform">
<xsl:output method="text"/>
<xsl:param name="inputFile">-</xsl:param>
<xsl:template match="/">
  <xsl:call-template name="t1"/>
</xsl:template>
<xsl:template name="t1">
  <xsl:value-of select="sum(/xml/table/rec/numField)"/>
  <xsl:value-of select="'&#10;'"/>
</xsl:template>
</xsl:stylesheet>
```

```
Stylesheet2
examples/xsl/hello1.xsl
```

```xml
<?xml version="1.0"?>
<xsl:stylesheet version="1.0" xmlns:xsl="http://www.w3.org/1999/XSL/Transform">
<xsl:output method="text"/>
<xsl:param name="inputFile">-</xsl:param>
<xsl:template match="/">
  <xsl:call-template name="t1"/>
</xsl:template>
<xsl:template name="t1">
  <xsl:for-each select="/">
    <xsl:value-of select="/html/body/div"/>
  </xsl:for-each>
</xsl:template>
</xsl:stylesheet>
```

```
Stylesheet3
examples/xsl/param1.xsl
```

```xml
<?xml version="1.0"?>
<xsl:stylesheet version="1.0" xmlns:xsl="http://www.w3.org/1999/XSL/Transform">
<xsl:output method="text"/>
<xsl:param name="Text"/>
<xsl:param name="Count"/>
<xsl:template match="/">
  <xsl:call-template name="t1"/>
</xsl:template>
<xsl:template name="t1">
  <xsl:for-each select="/xml">
    <xsl:value-of select="$Text"/>
    <xsl:value-of select="$Count"/>
    <xsl:value-of select="'&#10;'"/>
  </xsl:for-each>
</xsl:template>
</xsl:stylesheet>
```

```
Command:
# XML canonicalization
xml c14n --with-comments ../examples/xml/structure.xml ; echo $?
Result Output:
```

```xml
<a1>
  <a11>
    <a111>
      <a1111></a1111>
    </a111>
    <a112>
      <a1121></a1121>
    </a112>
  </a11>
  <a12></a12>
  <a13>
    <a131></a131>
  </a13>
</a1>
0
```

```
Command:
# Count elements matching XPath expression
xml sel -t -v "count(/xml/table/rec/numField)" xml/table.xml
Result Output:
3
```

```
Command:
# Count all nodes in XML document
xml sel -t -f -o " " -v "count(//node())" xml/table.xml xml/tab-obj.xml
Result Output:
xml/table.xml 32
xml/tab-obj.xml 41
```

```
Command:
# Delete elements matching XPath expression
xml ed -d /xml/table/rec[@id='2'] xml/table.xml
Result Output:
```

```xml
<?xml version="1.0"?>
<xml>
  <table>
    <rec id="1">
      <numField>123</numField>
      <stringField>String Value</stringField>
    </rec>
    <rec id="3">
      <numField>-23</numField>
      <stringField>stringValue</stringField>
    </rec>
  </table>
</xml>
```

```
Command:
# Generate HTML from given SGML docbook document
xml tr --omit-decl --docbook /usr/share/sgml/docbook/yelp/docbook/html/docbook.xsl  sgml/docbook1.sgml | \
    xml fo --html --indent-spaces 2
Result Output:
<?xml version="1.0" encoding="ISO-8859-1" standalone="yes"?>
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN" "http://www.w3.org/TR/REC-html40/loose.dtd">
<html>
  <head>
    <meta content="text/html; charset=ISO-8859-1" http-equiv="Content-Type"/>
    <title>DocBook document example</title>
    <meta name="generator" content="DocBook XSL Stylesheets V1.48"/>
  </head>
  <body bgcolor="white" text="black" link="#0000FF" vlink="#840084" alink="#0000FF">
    <div class="book">
      <div class="titlepage">
        <div>
          <h1 class="title"><a name="id2765244"/>DocBook document example</h1>
        </div>
        <div>
          <h3 class="author">Mikhail Grushinskiy</h3>
        </div>
        <div>
          <p class="copyright">Copyright © 2002 Mikhail Grushinskiy</p>
        </div>
        <hr/>
      </div>
      <div class="toc">
        <p>
          <b>Table of Contents</b>
        </p>
        <dl>
          <dt>
            <a href="#id2765482">Sample document</a>
          </dt>
          <dt>1. <a href="#id2767329">XMLStarlet Example</a></dt>
        </dl>
      </div>
      <div class="preface">
        <div class="titlepage">
          <div>
            <h2 class="title"><a name="id2765482"/>Sample document</h2>
          </div>
        </div>
        <p>A simple DocBook example document.</p>
      </div>
      <div class="chapter">
        <div class="titlepage">
          <div>
            <h2 class="title"><a name="id2767329"/>Chapter 1. XMLStarlet Example</h2>
          </div>
        </div>
        <p>The <span class="emphasis"><i>XMLStarlet</i></span> command line toolkit
  allows querying/checking/editing/transforming/formatting XML documents
  from command line</p>
        <p>To find out more on how to use the
  <span class="emphasis"><i>XMLStarlet</i></span> for XML processing, point
  your browser to <a href="http://xmlstar.sourceforge.net/" target="_top">http://xmlstar.sourceforge.net/</a>.
  </p>
      </div>
    </div>
  </body>
</html>


Command:
# Validate XML document against DTD
xml val --dtd dtd/table.dtd xml/tab-obj.xml >/dev/null 2>&1; echo $?
Result Output:
1


Command:
# Validate XML document against DTD
xml val --dtd dtd/table.dtd xml/table.xml >/dev/null 2>&1; echo $?
Result Output:
```

```
0


Command:
# Display element structure of XML document
xml el ./xml/tab-obj.xml
Result Output:
xml
xml/table
xml/table/rec
xml/table/rec/numField
xml/table/rec/stringField
xml/table/rec/object
xml/table/rec/object/property
xml/table/rec/object/property
xml/table/rec
xml/table/rec/numField
xml/table/rec/stringField
xml/table/rec
xml/table/rec/numField
xml/table/rec/stringField


Command:
# Display element structure of XML document (including attributes)
xml el -a ./xml/tab-obj.xml
Result Output:
xml
xml/table
xml/table/rec
xml/table/rec/@id
xml/table/rec/numField
xml/table/rec/stringField
xml/table/rec/object
xml/table/rec/object/@name
xml/table/rec/object/property
xml/table/rec/object/property/@name
xml/table/rec/object/property
xml/table/rec/object/property/@name
xml/table/rec
xml/table/rec/@id
xml/table/rec/numField
xml/table/rec/stringField
xml/table/rec
xml/table/rec/@id
xml/table/rec/numField
xml/table/rec/stringField


Command:
# Display element structure of XML document (including attribute values)
xml el -v ./xml/tab-obj.xml
Result Output:
xml
xml/table
xml/table/rec[@id='1']
xml/table/rec/numField
xml/table/rec/stringField
xml/table/rec/object[@name='Obj1']
xml/table/rec/object/property[@name='size']
xml/table/rec/object/property[@name='type']
xml/table/rec[@id='2']
xml/table/rec/numField
xml/table/rec/stringField
xml/table/rec[@id='3']
xml/table/rec/numField
xml/table/rec/stringField


Command:
# Escape special XML characters
cat xml/structure.xml | xml esc
Result Output:
&lt;a1&gt;
  &lt;a11&gt;
    &lt;a111&gt;
      &lt;a1111/&gt;
```

```
      &lt;/a111&gt;
      &lt;a112&gt;
        &lt;a1121/&gt;
      &lt;/a112&gt;
    &lt;/a11&gt;
    &lt;a12/&gt;
    &lt;a13&gt;
        &lt;a131/&gt;
    &lt;/a13&gt;
&lt;/a1&gt;
```

```
Command:
# Calculate EXSLT (XSLT extentions) XPath value
echo "<x/>" | xml sel -t -v "math:abs(-1000)"
Result Output:
1000
```

```
Command:
# Find XML files matching XPath expression (containing 'object' element)
xml sel -t -m //object -f xml/table.xml xml/tab-obj.xml
Result Output:
xml/tab-obj.xml
```

```
Command:
# Generate XML document using command line xml sel
echo "<x/>" | xml sel -t -m / -e xml -e child -a data -o value
Result Output:
<xml><child data="value"/></xml>
```

```
Command:
# Apply XSLT stylesheet to HTML input file
xml tr --html xsl/hello1.xsl html/hello1.html
Result Output:
Hello World!
```

```
Command:
# Use local-name() XSLT function in XPath expression
xml sel -t -v "//*[local-name()='query']" xsql/jobserve.xsql
Result Output:

  SELECT substr(title,1,26) short_title, title, location, skills
  FROM job
  WHERE UPPER(title) LIKE '%ORACLE%'
  ORDER BY first_posted DESC
```

```
Command:
# Select text value of an XML element mathing given XPath expression
xml sel -t -m "/xml/table/rec[@id='2']" -v numField xml/table.xml
Result Output:
346
```

```
Command:
# Format XML document disabling indent
cat xml/tab-obj.xml | xml fo --noindent
Result Output:
<?xml version="1.0"?>
<xml>
<table>
<rec id="1">
<numField>123</numField>
<stringField>String Value</stringField>
<object name="Obj1">
<property name="size">10</property>
<property name="type">Data</property>
</object>
</rec>
<rec id="2">
<numField>346</numField>
<stringField>Text Value</stringField>
</rec>
```

```
<rec id="3">
<numField>-23</numField>
<stringField>stringValue</stringField>
</rec>
</table>
</xml>
```

```
Command:
# Predefine namespaces for XPath expressions
xml sel -N xsql=urn:oracle-xsql -t -v /xsql:query xsql/jobserve.xsql
Result Output:

  SELECT substr(title,1,26) short_title, title, location, skills
  FROM job
  WHERE UPPER(title) LIKE '%ORACLE%'
  ORDER BY first_posted DESC
```

```
Command:
# Recover malformed XML document
xml fo -R xml/malformed.xml 2>/dev/null
Result Output:
<?xml version="1.0"?>
<test_output>
  <test_name>foo</test_name>
  <subtest>...</subtest>
</test_output>
```

```
Command:
# Rename attributes
xml ed -r "//*/@id" -v ID xml/tab-obj.xml
Result Output:
<?xml version="1.0"?>
<xml>
  <table>
    <rec ID="1">
      <numField>123</numField>
      <stringField>String Value</stringField>
      <object name="Obj1">
        <property name="size">10</property>
        <property name="type">Data</property>
      </object>
    </rec>
    <rec ID="2">
      <numField>346</numField>
      <stringField>Text Value</stringField>
    </rec>
    <rec ID="3">
      <numField>-23</numField>
      <stringField>stringValue</stringField>
    </rec>
  </table>
</xml>
```

```
Command:
# Rename elements
xml ed -r "/xml/table/rec" -v record xml/tab-obj.xml
Result Output:
<?xml version="1.0"?>
<xml>
  <table>
    <record id="1">
      <numField>123</numField>
      <stringField>String Value</stringField>
      <object name="Obj1">
        <property name="size">10</property>
        <property name="type">Data</property>
      </object>
    </record>
    <record id="2">
      <numField>346</numField>
      <stringField>Text Value</stringField>
    </record>
```

```
      <record id="3">
        <numField>-23</numField>
        <stringField>stringValue</stringField>
      </record>
    </table>
  </xml>
```

```
Command:
# Validate against XSD schema
xml val -b -s xsd/table.xsd xml/table.xml xml/tab-obj.xml 2>/dev/null; echo $?
Result Output:
xml/tab-obj.xml
1
```

```
Command:
# xsl:copy-of in xml sel command
xml sel -B -t -m /xml/table/rec -c . -n xml/table.xml
Result Output:
<rec id="1"><numField>123</numField><stringField>String Value</stringField></rec>
<rec id="2"><numField>346</numField><stringField>Text Value</stringField></rec>
<rec id="3"><numField>-23</numField><stringField>stringValue</stringField></rec>
```

```
Command:
# Query XML document and produce sorted text table
xml sel -T -t -m /xml/table/rec -s D:N:- "@id" -v "concat(@id,'|',numField,'|',stringField)" -n xml/table.xml
Result Output:
3|-23|stringValue
2|346|Text Value
1|123|String Value
```

```
Command:
# Print structure of XML element using xml sel (advanced XPath expressions and xml sel command usage)
xml sel -T -t -m '//*' \
-m 'ancestor-or-self::*' -v 'name()' -i 'not(position()=last())' -o . -b -b -n \
xml/structure.xml
Result Output:
a1
a1.a11
a1.a11.a111
a1.a11.a111.a1111
a1.a11.a112
a1.a11.a112.a1121
a1.a12
a1.a13
a1.a13.a131
```

```
Command:
# Calculating running sum on XML document
xml sel -t -v "sum(/xml/table/rec/numField)" xml/table.xml
Result Output:
446
```

```
Command:
# Indent XML document with tabs
cat xml/tab-obj.xml | xml fo --indent-tab
Result Output:
<?xml version="1.0"?>
<xml>
        <table>
                <rec id="1">
                        <numField>123</numField>
                        <stringField>String Value</stringField>
                        <object name="Obj1">
                                <property name="size">10</property>
                                <property name="type">Data</property>
                        </object>
                </rec>
                <rec id="2">
                        <numField>346</numField>
                        <stringField>Text Value</stringField>
```

```
                </rec>
                <rec id="3">
                        <numField>-23</numField>
                        <stringField>stringValue</stringField>
                </rec>
        </table>
</xml>


Command:
# Generate plain text table from XML document
xml sel -T -t -m /xml/table/rec -v "@id" -o "|" -v numField -o "|" -v stringField -n xml/table.xml
Result Output:
1|123|String Value
2|346|Text Value
3|-23|stringValue


Command:
# Generate plain text table from XML document
xml sel -T -t -m /xml/table/rec -v "concat(@id,'|',numField,'|',stringField)" -n xml/table.xml
Result Output:
1|123|String Value
2|346|Text Value
3|-23|stringValue


Command:
# Generate plain text table from XML document
xml sel -T \
    -t -o "===================" -n \
        -m xml/table/rec -v "concat(@id,'|',numField,'|',stringField)" -n \
    -t -o "===================" -n xml/table.xml
Result Output:
===================
1|123|String Value
2|346|Text Value
3|-23|stringValue
===================


Command:
# Update value of an attribute
xml ed -u '/xml/table/rec[@id=3]/@id' -v 5 xml/tab-obj.xml
Result Output:
<?xml version="1.0"?>
<xml>
  <table>
    <rec id="1">
      <numField>123</numField>
      <stringField>String Value</stringField>
      <object name="Obj1">
        <property name="size">10</property>
        <property name="type">Data</property>
      </object>
    </rec>
    <rec id="2">
      <numField>346</numField>
      <stringField>Text Value</stringField>
    </rec>
    <rec id="5">
      <numField>-23</numField>
      <stringField>stringValue</stringField>
    </rec>
  </table>
</xml>


Command:
# Update value of an element
xml ed -u '/xml/table/rec[@id=1]/numField' -v 0 xml/tab-obj.xml
Result Output:
<?xml version="1.0"?>
<xml>
  <table>
    <rec id="1">
      <numField>0</numField>
```

```
      <stringField>String Value</stringField>
      <object name="Obj1">
        <property name="size">10</property>
        <property name="type">Data</property>
      </object>
    </rec>
    <rec id="2">
      <numField>346</numField>
      <stringField>Text Value</stringField>
    </rec>
    <rec id="3">
      <numField>-23</numField>
      <stringField>stringValue</stringField>
    </rec>
  </table>
</xml>


Command:
# Validate XML documents using well-formedness/DTD/XSD/RelaxNG checks
echo "==========================================="
echo "Well-Formedness Validation Tests"
echo "- 1 ---------------------------------------"
xml val xml/table.xml xml/tab-obj.xml xml/tab-bad.xml 2>/dev/null; echo $?
echo "- 2 ---------------------------------------"
xml val -g xml/table.xml xml/tab-obj.xml xml/tab-bad.xml 2>/dev/null; echo $?
echo "- 3 ---------------------------------------"
xml val -b xml/table.xml xml/tab-obj.xml xml/tab-bad.xml 2>/dev/null; echo $?
echo "- 4 ---------------------------------------"
xml val -q xml/table.xml xml/tab-obj.xml 2>/dev/null; echo $?


echo "==========================================="
echo "DTD Validation Tests"
echo "- 1 ---------------------------------------"
xml val -d dtd/table.dtd xml/table.xml xml/tab-obj.xml xml/tab-bad.xml 2>/dev/null; echo $?
echo "- 2 ---------------------------------------"
xml val -g -d dtd/table.dtd xml/table.xml xml/tab-obj.xml xml/tab-bad.xml 2>/dev/null; echo $?
echo "- 3 ---------------------------------------"
xml val -b -d dtd/table.dtd xml/table.xml xml/tab-obj.xml xml/tab-bad.xml 2>/dev/null; echo $?
echo "- 4 ---------------------------------------"
xml val -q -d dtd/table.dtd xml/table.xml 2>/dev/null; echo $?


echo "==========================================="
echo "Schema Validation Tests"
echo "- 1 ---------------------------------------"
xml val -s xsd/table.xsd xml/table.xml xml/tab-obj.xml xml/tab-bad.xml 2>/dev/null; echo $?
echo "- 2 ---------------------------------------"
xml val -g -s xsd/table.xsd xml/table.xml xml/tab-obj.xml xml/tab-bad.xml 2>/dev/null; echo $?
echo "- 3 ---------------------------------------"
xml val -b -s xsd/table.xsd xml/table.xml xml/tab-obj.xml xml/tab-bad.xml 2>/dev/null; echo $?
echo "- 4 ---------------------------------------"
xml val -q -s xsd/table.xsd xml/table.xml 2>/dev/null; echo $?


echo "==========================================="
echo "RelaxNG Schema Validation Tests"
echo "- 1 ---------------------------------------"
xml val -r relaxng/address.rng relaxng/address.xml relaxng/address-bad.xml 2>/dev/null; echo $?
echo "- 2 ---------------------------------------"
xml val -g -r relaxng/address.rng relaxng/address.xml relaxng/address-bad.xml 2>/dev/null; echo $?
echo "- 3 ---------------------------------------"
xml val -b -r relaxng/address.rng relaxng/address.xml relaxng/address-bad.xml 2>/dev/null; echo $?
echo "- 4 ---------------------------------------"
xml val -q -r relaxng/address.rng relaxng/address.xml 2>/dev/null; echo $?
Result Output:
===========================================
Well-Formedness Validation Tests
- 1 ---------------------------------------
xml/table.xml - valid
xml/tab-obj.xml - valid
xml/tab-bad.xml - invalid
1
- 2 ---------------------------------------
xml/table.xml
xml/tab-obj.xml
1
- 3 ---------------------------------------
xml/tab-bad.xml
```

```
1
- 4 ----------------------------------------
0
===============================================
DTD Validation Tests
- 1 ----------------------------------------
xml/table.xml - valid
xml/tab-obj.xml - invalid
xml/tab-bad.xml - invalid
1
- 2 ----------------------------------------
xml/table.xml
1
- 3 ----------------------------------------
xml/tab-obj.xml
xml/tab-bad.xml
1
- 4 ----------------------------------------
0
===============================================
Schema Validation Tests
- 1 ----------------------------------------
xml/table.xml - valid
xml/tab-obj.xml - invalid
xml/tab-bad.xml - invalid
1
- 2 ----------------------------------------
xml/table.xml
1
- 3 ----------------------------------------
xml/tab-obj.xml
xml/tab-bad.xml
1
- 4 ----------------------------------------
0
===============================================
RelaxNG Schema Validation Tests
- 1 ----------------------------------------
relaxng/address.xml - valid
relaxng/address-bad.xml - invalid
1
- 2 ----------------------------------------
relaxng/address.xml
1
- 3 ----------------------------------------
relaxng/address-bad.xml
1
- 4 ----------------------------------------
0
```

```
Command:
# Include one XML document into another using XInclude
xml tr --xinclude xsl/cat.xsl xml/document.xml
Result Output:
<?xml version="1.0" encoding="utf-8"?>
<document xmlns:xi="http://www.w3.org/2001/XInclude">
  <p>120 Mz is adequate for an average home user.</p>
  <disclaimer xml:base="xml/disclaimer.xml">
  <p>The opinions represented herein represent those of the individual
  and should not be interpreted as official policy endorsed by this
  organization.</p>
</disclaimer>
</document>
```

```
Command:
# Passing parameters to XSLT stylesheet
xml tr xsl/param1.xsl -p Count='count(/xml/table/rec)' -s Text="Count=" xml/table.xml
Result Output:
Count=3
```

```
Command:
# Applying XSLT stylesheet to XML document
xml tr xsl/sum1.xsl xml/table.xml
Result Output:
```

446