

SETUP

- Setup to Run application on Local Machine [Eclipse/IntelliJ]
 - Download Eclipse JEE
 - Install spring tool suite and cucumber plugin from eclipse marketplace
 - Import unzipped application into eclipse (File -> Import -> Import Existing Maven Project -> select Project folder)
 - Run project as spring boot app

- Setup to Run application on Local Machine [Docker Image]
 - Pull Docker images
 - sgdockerprivate/registration-login-update-service.jar
 - sgdockerprivate/loan -service.jar
 - Run docker images

How to Run

- After setup Go to postman
- **REGISTER:** localhost:8083/register (postmapping)
Enter JSON data in following format in the Body

```
{
  "userid": 103,
  "pan": "BYAPG1290J",
  "name": "TestName",
  "password": "password",
  "address": "411 ABC Building",
  "state": "Arizona",
  "country": "USA",
  "email": "testname123@gmail.com",
  "contactNo": "4588963781",
  "accountType": "Savings"
}
```
- **LOGIN:** localhost:8083/login (postmapping)
Enter JSON data in following format in the Body

```
{
  "userid": 103,
  "password": "password"
}
```
- **UPDATE (ADDRESS):** localhost:8083/update/address (postmapping)
Enter JSON data in following format in the Body

```
{
  "Address": "221B Main Street",
  "state": "New York",
  "country": "USA"
}
```
- **UPDATE (CONTACT DETAILS):** localhost:8083/update/contact (postmapping)
Enter JSON data in following format in the Body

```
{
  "contactNo": "411786009"
}
```
- **UPDATE (EMAIL):** localhost:8083/update/email (postmapping)
Enter JSON data in following format in the Body

```
{
  "email": "test2Name@gmail.com"
}
```

- **APPLY LOAN:** localhost:8082/applyloan (postmapping)

Enter JSON data in following format in the Body

```
{  
  "loanId":9003,  
  "pan":"BYAPG1352M",  
  "loanType":"Education",  
  "loanAmount":150000,  
  "monthlyIncome":40000,  
  "roi":6,  
  "duration":4  
}
```

APPLICATION DEPLOYED ON GOOGLE KUBERNETES ENGINE


[To run the deployed applications change “ **localhost** ” in URL of /register/login/update to “**35.226.5.78** “]

[To run the deployed applications change “ **localhost** ” in URL of /applyloan to “**35.194.8.4** “]


- 35.226.5.78:8083/register
- 35.226.5.78:8083/login
- 35.226.5.78:8083/update/address
- 35.226.5.78:8083/update/contact
- 35.226.5.78:8083/update/email
- 35.194.8.4:8082/applyloan

SNAPSHOTS


(Register)



(Login)



(Update)



(Apply Loan)

