Assignment 10

Q1: Write a C program to open a file named “Hello.txt” using “r”, “r+” modes, in following cases.
Case 1: While file actually exists on the path specified
Case 2: When doesn’t exists on the path specified

Monitor the errors you got using perror() and comment the same in the source file.

Q2 Create a file manually name it is q2.txt and write data “Hello World” to the file then try opening
the file using “w” mode and once opened sucessfully, close the file. Then look at the file contents manually in some text editor and check the following:
- Was the file content altered?
- What was the file content after running the program?
- If the file data was altered, what was the reason behind the same?
Monitor the same findings with “r”, “r+”, “w+” modes and comment your in the same source file.

Q3 Using C program Create a File named “myFirst.txt” and write your name and PRN by taking user input and store the data into that file. (verify the data by manually opening the file)

Q4: Implementing the code of Q2, try reading the data written previously in some array and print the
data on the screen.

Q5: Create a text file manually with some data, then using C program, read the total number of characters persent in the text file and print the total count at the end.

Q6: Create a text file manually with some data, read the total number of lines present in that text file and show the result at the end of program.

Q7 Implement Q5, and count only alphabets present in the file and exclude all other characters like space, special character, numbers.

Q8: Try getting file related errors and analyze the behaviour using perror() call.
1) Opening file using read permission and try to write in it.
2) Opening the file using write permission and try to read it
Q9:Given a file, write a C program to take 1 line of user input and store the data on the file: (Implement using fgets(), Refer to man page)
Once data has been written, read the file and store the data in the array

f_array[]; print the same once reading is completed.

Q10: Create a file manually in your folder with name “hello.txt” and add the following data to the file: “Welcome to my world”

Write a C program to read one character at a time from this file and store in some array, once you have read 7 characters (add ‘\0’ manually) then print the array data and then using fseek() and SEEK_CUR with an offset of 7, try reading the 5 characters again from the file and store in same array and print again. Try understanding the behaviour based on output and the content of the file.

Refer to Man page of fseek(), read some descpription
- Try using the same question with different offsets and SEEK_SET, SEEK_END.
- Try understainding the behaviour.

Q11: Read a given file 3 times by using the fopen() and fclose() only once. Use the fseek() to position the stream to the starting of the file once the end of the file has been reached.

Hence, read the same file 3 times in some array, print the data then exit the program.