

Eagna

Conor Davis | C20441826 | TU856/4


Virtual Machine Upload

Due to the Brightspace Upload Limit, I have uploaded my VM images to the OneDrive, as was suggested by Ciaran.

[Link](#)

If there are any issues opening the link, please contact me at:
C20441826@mytudublin.ie

VirtualBox should be presenting itself akin to this screenshot below, once added:



Submission Files

In the folders included with this documentation, is the core code functionality contained in the Virtual Machines, for easier access to see. It matches what is found on the VM. It is also found inside the GitHub repository:

<https://github.com/cdavis471/Eagna-FYP-TU856/tree/main/Coding%20Directory>

The Interim Report includes a brief description of the directories found inside the Virtual Machine, if there are any questions, as to what is doing what and where to find it.

How To Run the Eagna Prototype

Once you have started both Virtual Machines, you should be able to run the prototype as you wish. The Web App / DB VMs are setup (Monitoring is not).

For the purposes of demonstration and easy access during development, 'devuser' and 'devpass' have been used for login / password for access to the machines, along with root access.

Enter `sudo su` for root access on both VMs, followed by 'devpass' for the password.

First, make sure the postgres service is running on the database virtual machine. It should automatically start on boot.

```
devuser@db-01:~$ systemctl status postgresql
• postgresql.service - PostgreSQL RDBMS
   Loaded: loaded (/usr/lib/systemd/system/postgresql.service; enabled; preset: enabled)
   Active: active (exited) since Fri 2025-11-28 12:34:47 UTC; 1min 24s ago
   Process: 937 ExecStart=/bin/true (code=exited, status=0/SUCCESS)
   Main PID: 937 (code=exited, status=0/SUCCESS)
   CPU: 11ms
```

If for some reason it is not active, enter: `systemctl start postgresql`

Once this has been confirmed, go to the web application virtual machine and perform the following commands (assuming `sudo su / devpass` has been used):

`cd ~/eagna` *# Note: this directory contains all app files*

`source venv/bin/activate`

`python manage.py runserver 0.0.0.0:8000`

Now, the Web Application should be running (supported by the running PostgreSQL database) and you can access the system on your browser:

`192.168.56.101:8000`

During development, I was also using openssh, so if you wish to instead use Windows CMD to access the machines, you can do the following:

```
ssh devuser@192.168.56.101
```

```
ssh devuser@192.168.56.102
```

Available Data

Student Login

Login: C20441826@mytudublin.ie

Password: devpass

Lecturer Login

Login: aneel.rahim@tudublin.ie

Password: devpass

Login: jelena.vasic@tudublin.ie

Password: devpass

Login: deirdre.lawless@tudublin.ie

Password: devpass

Login: jonathan.mccarthy@tudublin.ie

Password: devpass

Login: ciaran.odriscoll@tudublin.ie

Password: devpass