Visualising Travel Route via Structured Recommendation

Dawei Chen
Data61 & The Australian National
University
P.O. Box 1212
Dublin, Ohio 43017-6221
trovato@corporation.com

G.K.M. Tobin*
Institute for Clarity in Documentation
P.O. Box 1212
Dublin, Ohio 43017-6221
webmaster@marysville-ohio.com

Lars Thørväld[†]
The Thørväld Group
1 Thørväld Circle
Hekla, Iceland
larst@affiliation.org




Figure 1: Travel route recommendation system. Given a starting POI and a number of POI to be visited, the algorithm suggests a set of routes from a history of previous travellers.

ABSTRACT

In this demo, we propose a novel trajectory visualisation tool.

CCS CONCEPTS

• Computer systems organization \rightarrow Embedded systems; Redundancy; Robotics; • Networks \rightarrow Network reliability;

KEYWORDS

ACM proceedings, LATEX, text tagging

ACM Reference format:

Dawei Chen, G.K.M. Tobin, and Lars Thørväld. 2017. Visualising Travel Route via Structured Recommendation. In *Proceedings of ACM Multimedia, Mountain View, CA USA, October 2017 (ACMMM2017)*, 2 pages. https://doi.org/10.475/123_4

Permission to make digital or hard copies of part or all of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for third-party components of this work must be honored. For all other uses, contact the owner/author(s).

**Por an other uses, contact the owner/author(s).

**ACMMM2017, October 2017, Mountain View, CA USA

**© 2017 Copyright held by the owner/author(s).

**ACM ISBN 123-4567-24-567/08/06...\$15.00

https://doi.org/10.475/123_4

1 INTRODUCTION

Sequence ranking has emerged as an important tool for solving diverse problems such as travel route and music playlist recommendations. Unlike the classical ranking algorithm where each item considers independently, the sequence ranking algorithm requires modelling a structure between items and suggests a set of items as a whole. For example, let us consider recommending a trajectory of points of interest (POI) in a city to a visitor. If the classical ranking algorithm learns a user's preference for each individual location while ignores the distances between them, the algorithm may create a long trajectory, which should be shorter in optimal routeing. Several sequence ranking algorithms are proposed to solve the problem and achieve relative success to compare with the classical algorithms. An important challenge remaining is how to visualise the recommended sequences so that a user can understand why the sequences are suggested.

In this paper, we tackle the problem of sequence visualisation, especially, in the context of a travel route recommendation. We first formulate the sequence ranking algorithm as a structured recommendation problem, and then we develop a novel visualisation engine that efficiently distinguishes differences between suggested routes as well as a variation of POIs within a suggested route.

 $^{{}^\}star\!\!$ The secretary disavows any knowledge of this author's actions.

[†]This author is the one who did all the really hard work.




Figure 2: Visualisation of feature score for each trajectory.




Figure 3: Visualisation of feature score for each POI within a single route.

2 STRUCTURED RECOMMENDATION

We solve the sequence ranking algorithm

3 VISUALISATION

Break total score into individual feature score, represent using stacked bar graph.

Comparison between two POIs in a single trajectory. Further comparison of POIs within a single trajectory, we use radar chart to show the score of each feature.

4 CONCLUSION

REFERENCES