### **E-411 PRMA**

### LECTURE 9 & 10 - ITEM RESPONSE THEORY

**Christopher David Desjardins** 

#### **ITEM ANALYSIS**

# ISSUES IN TEST DEVELOPMENT

# ALTERNATIVES TO ITEM ANALYSIS

### **TEST REVISION**

### **STANDARDIZATION**

#### **REVISING OLD TESTS**

### CROSS- AND CO-VALIDATION

#### **TODAY**

#### **Item Response Theory**

#### **REVIEW**

#### **Classical Test Theory**

### **CRITIQUES OF CTT**

- Person are measured on number correct
- Score dependent on number of items on a test and their difficulty
- Scores are limited to fixed values
- Scores are interpretable on a withingroup normative basis
- SEM is group dependent and constant for a group
- Item and person fit evaluation difficult
- Test development different depending on type of test

# ITEM RESPONSE THEORY RATIONALE

# WHAT IS ITEM RESPONSE THEORY?

A measurement perspective

# GENERALIZED ANXIETY DISORDER


- Anxiety could be loosely defined as feelings that range from general uneasienss to incapcitating attacks of terror
- Is anxiety latent and is it continuous, categorical, or both?

## HOW TO MEASURE GENERALIZED ANXIETY?

- Used observed (i.e. manifest variables)
  that provide a proxy of generalized
  anxiety
- These provide our operationalized definition of generalized anxiety
- But how do we put these observed measures onto the generalized anxiety scale?

#### **PROPERTIES OF IRT**

#### **ASSUMPTIONS OF IRT**




#### **ITEM PARAMETERS**


#### OTHER TRAITS OF IRT

- Use test information function for designing a test
- Has methods for examing item fit for identifying items that misfit
- Has methods for examing person fit for identifying persons that misfit
- Adaptive testing can be implemented (e.g. CAT)
- IRT is a family of models for various response types and could be used with multidimensional data.

#### IRT CONCEPTUALLY



### ITEM RESPONSE FUNCTION (IRF)



#### THE RASCH MODEL

### WHAT DOES $\theta - b_j$ MEAN

```
rasch <- function(person, item) {
exp(person - item\) (1 + exp(person - item))
}
rasch(person = 1, item = 1.5)
# [1] 0.3775407

rasch(person = 1, item = 1)
# [1] 0.5</pre>
```

#### https://lundinn.shinyapps.io/rasch

shinyapps.io

#### https://lundinn.shinyapps.io/twopl

shinyapps.io

#### https://lundinn.shinyapps.io/threepl

shinyapps.io


### GETTING ITEM CORRECT RECAP

For the 1-PL and the Rasch, the probability of getting an item correct is a function of the distance an item is located from a person.

For the 2-PL, this is also a function of how well the item differentiates among people at different locations.


For the 3-PL, include item difficulty, item discrimination, and guessing

#### **GUESSING PARAMETER**




### STANDARD ERROR OF ESTIMATE AND INFORMATION


# ITEM INFORMATION FUNCTION



#### http://130.208.71.121:3838/rasch\_informatic

#### **Rasch Information**






#### http://130.208.71.121:3838/twopl\_informati


#### **2PL IRT information**






#### http://130.208.71.121:3838/threepl\_informa

#### 3PL IRT model





# TEST INFORMATION FUNCTION

