Wed, 27 Sep 2006 08:08:33
-0400

To: aeolus118@yahoo.com

From: "John Kraeuter" <kraeuter@hsrl.rutgers.edu> View Contact Details Add Mobile Alert

Subject: Algal Weight

Rudy:

I filtered the samples on combusted (450 C) pre-weighed glass fiber filters. For the Time 0 sample I first filtered 250 ml, but it took too long to get the sample through the filter so I then filtered a 100 ml sample on another filter. For the Time 1 samples (Time 0+ 1 hour from your information) I filtered two samples of 100 ml each onto separate filters. The pads + the algae were dried over night in a 47 C drying oven. The numbers below are average dry weights of the two samples from each time.

| | Average dry wt of algae on pad (per 1000 ml) |
|---|---|
| Time 0 | 0.05289 |
| Time 1 | 0.08270 |
| Difference | 0.02981 g dry weight of algae per 1000 ml. |

I believe the numbers are self evident.

When I was doing the sampling I noticed the Time 1 sample produced a lot of foam. It may be due to the addition of the nutrients or more likely it was due to the added production and some organic compound that the algae were releasing into the water. I don't know if this is important for your application.

What do you want me to do with the bottles (I can wash them and keep them until we see each other again - or perhaps I can bring then across state when I come and we could meet somewhere to exchange them.

John