

# Template for Oxford University Press papers

Alice Anonymous  
Address ABC  
Address DEF  
alice@example.com

\*

Bob Security  
Address DEF  
bob@example.com

†

Cat Memes  
Address for Another University  
cat@anotheru.edu

† ‡

July 27, 2021

## Abstract

This is the abstract.

It consists of two paragraphs.

**Keywords:** key; dictionary; word

## 1 Introduction

This template is based on the generic OUP template available here. The original OUP sample tex document, providing more details on preferred formatting for LaTeX documents, is included with the template in the file `ouparticle_sample.tex`.

---

\*Corresponding author; Email: alice@example.com

†Equal contribution

‡Current email address: cat@example.com

Here are two sample references: Feynman and Vernon Jr. (1963; Dirac 1953). Bibliography will appear at the end of the document.

## 2 Materials and methods

An equation with a label for cross-referencing:

$$\int_0^{r_2} F(r, \varphi) dr d\varphi = [\sigma r_2 / (2\mu_0)] \int_0^\infty \exp(-\lambda |z_j - z_i|) \lambda^{-1} J_1(\lambda r_2) J_0(\lambda r_i) \lambda d\lambda \quad (1)$$

This equation can be referenced as follows: Eq. 1

### 2.1 A subsection

A numbered list:

- 1) First point
- 2) Second point
  - Subpoint

A bullet list:

- First point
- Second point

## 3 Results

### 3.1 Generate a figure.

```
plot(1:10,main="Some data",xlab="Distance (cm)",ylab="Time (hours)")
```

You can reference this figure as follows: Fig. 1.

```
plot(1:5,pch=19,main="Some data",xlab="Distance (cm)",ylab="Time (hours)")
```

Reference to second figure: Fig. 2

### 3.2 Generate a table using xtable




Figure 1: This is the first figure.




Figure 2: This is the second figure.

```
df = data.frame(ID=1:3,code=letters[1:3])

# Creates tables that follow OUP guidelines using xtable
library(xtable)
print(xtable(df,caption="This is the table caption",label="tab:tab1"),
      comment=FALSE)
```

	ID	code
1	1	a
2	2	b
3	3	c

Table 1: This is the table caption

You can reference this table as follows: Table 1.

### 3.3 Generate a table using kable

```
df = data.frame(ID=1:3,code=letters[1:3])

# kable can also be used for creating tables
knitr::kable(df,caption="This is the table caption",format="latex",
             booktabs=TRUE,label="tab2")
```

You can reference this table as follows: Table 2.

## 4 Discussion

You can cross-reference sections and subsections as follows: Section 2 and Section 2.1.

**Note:** the last section in the document will be used as the section title for the bibliography.

Table 2: This is the table caption

ID	code
1	a
2	b
3	c

## References

Dirac, P. A. M. 1953. “The Lorentz Transformation and Absolute Time.” *Physica* 19 (1–12): 888–96. [https://doi.org/10.1016/S0031-8914\(53\)80099-6](https://doi.org/10.1016/S0031-8914(53)80099-6).

Feynman, R. P, and F. L Vernon Jr. 1963. “The Theory of a General Quantum System Interacting with a Linear Dissipative System.” *Annals of Physics* 24: 118–73. [https://doi.org/10.1016/0003-4916\(63\)90068-X](https://doi.org/10.1016/0003-4916(63)90068-X).

## Acknowledgements

This is an acknowledgement.

It consists of two paragraphs.