



专业从事LED显示屏、LED照明、智能交通与系统解决方案提供商

2019

LED应用产品及系统集成解决方案提供商

户外屏
户内屏
小间距屏

LED显示屏

道路照明
室内商照
室内家居

LED照明

LED显示控制系统
智慧照明控制系统
灯联网

系统集成解决方案





LED小间距
显示屏
--会议室大
屏

项目图示 - 天津武警指挥学院会议室LED大屏



天津武警指挥学院

项目技术参数 - 天津武警指挥学院会议室LED大屏

项目	参数
点间距 (mm)	1. 667
像素密度 (P/m²)	360000
机箱尺寸 (w) x (h)	480mm*360mm
箱体材质	压铸铝
整屏分辨率 (w) x (h) pixel	5183×1296
屏体显示面积 (w) x (h)	8.64m×2. 16m=18. 66m²
维护方式	后维护
显示屏亮度 (cd/m²)	800
视角	≥160° （水平）、≥160° （垂直）
亮度均匀性	≥97%
刷新率	≥3840HZ
换帧频率	≥60HZ
环路热备	箱体数据信号备份
逐点校正	支持逐点校正、色度校正，校正数据存储在模块里
色温调节	3200~9300K(可调节)
最大功耗	810W/m²
平均功耗	270W/m²

项目设备清单 - 天津武警指挥学院会议室LED大屏

序号	设备名称	品牌	规格型号	单位	数量	单价（万元）	合计（万元）	备注
1	LED户内显示屏	三思	P1.667小间距户内LED全 彩显示屏（C0401-P1.667）	m²	18.66			
2	控制系统	三思	V3	套	6			
3	控制软件	三思	X-media	套	1			免费
4	配电柜	三思	具有远程软开关功能	套	1			
5	框架结构		支架结构底座	套	1			甲供
6	强弱电布线		甲方敷设至屏体	套	1			
7	拼接处理器		BR-VPLQH4000	套	1			甲供
8	运输安装调试			项	1			
9	控制计算机	DELL	OptiPlex7020MT, i3, 2G, 500G硬盘	台	1			甲供
10	合计							
11	最后优惠价							

A city skyline at dusk, featuring a prominent tall building with the Tencent logo at the top. The sky is a mix of purple, blue, and orange, with scattered clouds. In the foreground, there are several modern buildings and a road with some traffic. The overall scene is a vibrant urban landscape.

谢谢

Thank You
