



专业从事LED显示屏、LED照明、智能交通与系统解决方案提供商

2019

LED应用产品及系统集成解决方案提供商

户外屏
户内屏
小间距屏

LED显示屏

道路照明
室内商照
室内家居

LED照明

LED显示控制系统
智慧照明控制系统
灯联网

系统集成解决方案





LED小间距
显示屏
--教育案例

项目图示 - 北京中航技术学院室内表贴全彩屏项目



北京中航技术学院

项目技术参数 - 北京中航技术学院室内表贴全彩屏项目

项目	参数
点间距 (mm)	2.5
像素密度 (P/m²)	160000
机箱尺寸 (w) x (h)	400mm*450mm
箱体材质	压铸铝
屏体显示面积	81.54（主屏）+27*2（侧屏） m²
显示屏亮度 (cd/m²)	≥800
视角	≥160°（水平）、≥160°（垂直）
亮度均匀性	≥98%
刷新率	≥1920HZ
换帧频率	50/60HZ
环路热备	箱体数据信号备份
逐点校正	支持逐点校正、色度校正，校正数据存储在模块里
色温调节	3000~10000K(可调节)
最大功耗	600W/m²
平均功耗	200W/m²

项目设备清单 - 北京中航技术学院室内表贴全彩屏项目

序号	名称	规格型号	产品描述	单位	备注
1	P2.5主屏3D				
2	大屏幕	C0401-P2.5mm	三思	m²	453*0.4*0.45=81.54
3	控制计算机	OptiPlex5040MT	DELL	套	
4	屏幕控制器	V3	三思	套	
5	视频拼接器	VProCyber-3D	三思	套	4DVI(3D)/10DVI(3D)
6	网络交换机	S9306	华为	台	96口拼接器用
7	3D发射器	红外发射器		台	
8	3D眼镜	红外眼镜		只	
9	网络交换机	DES-1016A	D-Link	台	发送盒用
10	机柜	600*600*2000	宁波一舟	台	
11	框架安装、包边的装修			项	
12	配电柜	SS-DKXL	三思	台	..
13	信号线、电源线			项	甲供:
14	安装、调试、运输费			项	
15	合计				

项目设备清单 - 北京中航技术学院室内表贴全彩屏项目

16	P2.5侧屏2D（2套）						
17	大屏幕	C0401-P2.5mm	三思		m²		150*0.4*0.45=27
18	控制计算机	OptiPlex5040MT	DELL		套		
19	屏幕控制器	V3	三思		套		
20	网络交换机	DES-1016A	D-Link		台		发送盒用
17	机柜	600*600*2000	宁波一舟		台		
18	框架安装、包边的装 修				项		
19	配电柜	SS-DKXL	三思		台		
20	信号线、电源线				项		甲供
21	安装、调试、运输费				项		
22	合计						

A city skyline at dusk, featuring a prominent tall building with the Tencent logo. The sky is a mix of purple, blue, and orange, with scattered clouds. In the foreground, there are several modern buildings and a road with some traffic. The overall scene is a vibrant urban landscape.

谢谢
Thank You
