

Version Control Workshop: Git and GitHub (Day 1)

Cyrus Vandrevalla¹
Nicolás Guarín-Zapata²
¹ Physics Department
² Civil Engineering Department

October 30-31, 2014



GitHub

PURDUE
UNIVERSITY

2014-10-30

Version Control Workshop: Git and GitHub (Day 1)

Version Control Workshop:
Git and GitHub (Day 1)

Cyrus Vardarola¹
Nicolai Gaurin-Zapata²
¹ Purdue University
² Civil Engineering Department
October 30, 2014



GitHub

PURDUE
UNIVERSITY

Overview

- 1 Introduction to Version Control
- 2 Work Flow in Computational Science
- 3 Setting Up Git On Your Machine
- 4 The Basic Git Work Flow
- 5 Git Branches
- 6 Git Delete Commands
- 7 Combining Git With GitHub

Version Control Workshop: Git and GitHub (Day 1)

└ Overview

Overview

- 1 Introduction to Version Control
- 2 Work Flow in Computational Science
- 3 Setting Up Git On Your Machine
- 4 The Basic Git Work Flow
- 5 Git Branches
- 6 Git Delete Commands
- 7 Combining Git With GitHub

We Encourage Participation!

- Post Questions That You Might Have in the Repo
- Recommend Other Sources That You Found Useful
- Remember, We Do Not Know Everything!

Version Control Workshop: Git and GitHub (Day 1)

└ We Encourage Participation!

We Encourage Participation!

- Post Questions That You Might Have in the Repo
- Recommend Other Sources That You Found Useful
- Remember, We Do Not Know Everything!

What is Version Control?

Version control is a system that records changes to a file or set of files over time so that you can recall specific versions later.

- *Pro Git*, Chapter 1

2014-10-30

Version Control Workshop: Git and GitHub (Day 1)

└ Introduction to Version Control

└ What is Version Control?

What is Version Control?

Version control is a system that records changes to a file or set of files over time so that you can recall specific versions later.

- Pro Git, Chapter 1

What is Version Control?

It allows you to revert files back to a previous state, revert the entire project back to a previous state, compare changes over time, see who last modified something that might be causing a problem, who introduced an issue and when, and more.

- *Pro Git*, Chapter 1

Version Control Workshop: Git and GitHub (Day 1)

└ Introduction to Version Control

└ What is Version Control?

What is Version Control?

It allows you to revert files back to a previous state, revert the entire project back to a previous state, compare changes over time, see who last modified something that might be causing a problem, who introduced an issue and when, and more.

- Pro Git, Chapter 1

- One of the first major version control systems was the Revision Control System (RCS). It was released by Walter F. Tichy while he was at Purdue University (RCS: A System for Version Control).

Why is Version Control Important?

- 1 Keep Track of Code History
- 2 Concurrent Teamwork
- 3 Coordinate Coding Environments
- 4 Due Diligence Checks
- 5 Share Code

Everybody Should Use Version Control!

Why is Version Control Important?

- 1 Keep Track of Code History
- 2 Concurrent Teamwork
- 3 Coordinate Coding Environments
- 4 Due Diligence Checks
- 5 Share Code

Everybody Should Use Version Control!

Why is Version Control Important?

- 1 Keep Track of Code History
- 2 Concurrent Teamwork
- 3 Coordinate Coding Environments
- 4 Due Diligence Checks
- 5 Share Code

Everybody Should Use Version Control!

Why is Version Control Important?

- 1 Keep Track of Code History
- 2 Concurrent Teamwork
- 3 Coordinate Coding Environments
- 4 Due Diligence Checks
- 5 Share Code

Everybody Should Use Version Control!

Why is Version Control Important?

- 1 Keep Track of Code History
- 2 Concurrent Teamwork
- 3 Coordinate Coding Environments
- 4 Due Diligence Checks
- 5 Share Code

Everybody Should Use Version Control!

Why is Version Control Important?

- 1 Keep Track of Code History
- 2 Concurrent Teamwork
- 3 Coordinate Coding Environments
- 4 Due Diligence Checks
- 5 Share Code

Everybody Should Use Version Control!

2014-10-30

Version Control Workshop: Git and GitHub (Day 1)

└ Introduction to Version Control

└ Why is Version Control Important?

Why is Version Control Important?

- Keep Track of Code History
- Concurrent Teamwork
- Coordinate Coding Environments
- Due Diligence Checks
- Share Code

Everybody Should Use Version Control!

What Options Are Available?

Option #1: Client-Server Version Control Systems

Advantages

- 1 A Single Admin Keeps Track of the Project
- 2 There is a Single Master Version of the Code
- 3 It is Relatively Easy to Learn

Disadvantages

- 1 There Is Only One Admin/Server
- 2 You Need a Network Connection to Work
- 3 Operations Can Be Slow

Examples include Concurrent Versions System (CVS) and Subversion (SVN).

Version Control Workshop: Git and GitHub (Day 1)

└ Introduction to Version Control

└ What Options Are Available?

What Options Are Available?

Option #1: Client-Server Version Control Systems

Advantages

- 1 A Single Admin Keeps Track of the Project
- 2 There is a Single Master Version of the Code
- 3 It is Relatively Easy to Learn

Disadvantages

- 1 There Is Only One Admin/Server
- 2 You Need a Network Connection to Work
- 3 Operations Can Be Slow

Examples include Concurrent Versions System (CVS) and Subversion (SVN).

What Options Are Available?

Option #2: Distributed Version Control Systems

Advantages

- 1 You Don't Need a Network Connection
- 2 Multiple Coding Environments
- 3 It Encourages Collaboration and Modularity

Disadvantages

- 1 Can Be Difficult to Learn
- 2 Teams Need to Talk About Conventions
- 3 It is Really Easy To Create Unorganized Code

Examples include Git, Mercurial, and Bazaar.

Version Control Workshop: Git and GitHub (Day 1)

└ Introduction to Version Control

└ What Options Are Available?

Option #2: Distributed Version Control Systems

Advantages

- ❖ You Don't Need a Network Connection
- ❖ Multiple Coding Environments
- ❖ It Encourages Collaboration and Modularity

Disadvantages

- ❖ Can Be Difficult to Learn
- ❖ Teams Need to Talk About Conventions
- ❖ It is Really Easy To Create Unorganized Code

Examples include Git, Mercurial, and Bazaar.

Why Git and GitHub?

- ❶ It Keeps Track of Detailed Metadata (More Than Others)
- ❷ Branching is Encouraged (Which Modularizes Development)
- ❸ Most Operations in Git are Local (Which Increases Speed)
- ❹ GitHub Has a Great Social Community

Version Control Workshop: Git and GitHub (Day 1)

└ Introduction to Version Control

└ Why Git and GitHub?

- It Keeps Track of Detailed Metadata (More Than Others)
- Branching is Encouraged (Which Modularizes Development)
- Most Operations in Git are Local (Which Increases Speed)
- GitHub Has a Great Social Community

Why Git and GitHub?

Full Disclosure...

- ❶ It Isn't the Best for Binary Files
- ❷ GitHub Distinguishes Between Public and Private Repos

2014-10-30

Version Control Workshop: Git and GitHub (Day 1)

└ Introduction to Version Control

└ Why Git and GitHub?

Why Git and GitHub?

Full Disclosure...

- ◆ It isn't the Best for Binary Files
- ◆ GitHub Distinguishes Between Public and Private Repos

Version Control in Academia

- ❶ It Creates Reproducible Research
- ❷ It Helps Train New Group Members
- ❸ It Encourages Collaboration
- ❹ It Encourages Good Code Practices

2014-10-30

Version Control Workshop: Git and GitHub (Day 1)

└─ Work Flow in Computational Science

└─ Version Control in Academia

Version Control in Academia

- It Creates Reproducible Research
- It Helps Train New Group Members
- It Encourages Collaboration
- It Encourages Good Code Practices

Reproducible Research

Purdue is already taking action in this subject:

- Purdue University Research Repository (PURR):
<https://purrr.purdue.edu/>

We can create a DOI for a GitHub repository using zenodo.org:

- <https://guides.github.com/activities/citable-code/>

2014-10-30

Version Control Workshop: Git and GitHub (Day 1)

└─ Work Flow in Computational Science

└─ Reproducible Research

Reproducible Research

Purdue is already taking action in this subject:

- Purdue University Research Repository (PURR):
<https://purr.purdue.edu/>

We can create a DOI for a GitHub repository using zenodo.org:

- <https://guides.github.com/activities/citable-code/>


Reproducible Research

A Cool Example:

Silverberg, Jesse L., et al.

"Collective motion of humans in mosh and circle pits at heavy metal concerts." Physical review letters 110.22 (2013): 228701.

Repo: <https://github.com/mattbierbaum/moshpits>




Version Control Workshop: Git and GitHub (Day 1)

└ Work Flow in Computational Science

└ Reproducible Research

A Cool Example:

Silverberg, Jesse L., et al.

"Collective motion of humans in mosh and circle pits at heavy metal concerts." *Physical review letters* 110.22 (2013): 228701.Repo: <https://github.com/matthiasbaum/moshpits>

Some Useful Skills

Some Useful Skills That You Should Learn Are:

- ❶ Bash
- ❷ Markdown
- ❸ Vim and/or Emacs

2014-10-30

Version Control Workshop: Git and GitHub (Day 1)

└─ Work Flow in Computational Science

└─ Some Useful Skills

Some Useful Skills

Some Useful Skills That You Should Learn Are:

- Bash
- Markdown
- Vim and/or Emacs

Setting Up Git - Linux

You can use the package management tool that comes with your distribution (use sudo):

- 1 yum install git
- 2 apt-get install git

2014-10-30

Version Control Workshop: Git and GitHub (Day 1)

└─ Setting Up Git On Your Machine

└─ Setting Up Git - Linux

Setting Up Git - Linux

You can use the package management tool that comes with your distribution (use sudo):

- `yum install git`
- `apt-get install git`

Setting Up Git - Mac

There are three main ways to install Git:

- ❶ Install the Xcode Command Line Tools and Type “git” Into the Terminal
- ❷ Binary Installer: <http://git-scm.com/download/mac>
- ❸ Git/GitHub GUI: <https://mac.github.com/>

Version Control Workshop: Git and GitHub (Day 1)

└─Setting Up Git On Your Machine

└─Setting Up Git - Mac

There are three main ways to install Git:

- ◆ Install the Xcode Command Line Tools and Type "git" Into the Terminal
- ◆ Binary Installer: <http://git-scm.com/download/mac>
- ◆ Git/GitHub GUI: <https://mac.github.com/>

- The GUI only implements a subset of the full Git functionality, so it is best to learn how to use the command line.

Setting Up Git - Windows

There are three main ways to install Git:

- ❶ Binary Installer: <http://git-scm.com/download/win>
- ❷ msysGit: <http://msysgit.github.io/>
- ❸ Git/GitHub GUI: <https://windows.github.com/>

Version Control Workshop: Git and GitHub (Day 1)

└─Setting Up Git On Your Machine

└─Setting Up Git - Windows

There are three main ways to install Git:

- 1 Binary Installer: <http://git-scm.com/download/win>
- 2 msysGit: <http://msysgit.github.io/>
- 3 Git/GitHub GUI: <https://windows.github.com/>

- The GUI only implements a subset of the full Git functionality, so it is best to learn how to use the command line.

Setting Up Git - Installing From Source

You can also install GitHub from source. See the Git website for full instructions on how to do that.

Version Control Workshop: Git and GitHub (Day 1)

└─ Setting Up Git On Your Machine

└─ Setting Up Git - Installing From Source

You can also install GitHub from source. See the Git website for full instructions on how to do that.

- <http://git-scm.com/>

Setting Up Git - Config File

Git stores user information in `/etc/gitconfig`, `/.gitconfig`, and `/your-project/.git/config`. To set up your information:

- `git config --global user.name "Cyrus Vandrevala"`
- `git config --global user.email cyrus.vandrevala@gmail.com`
- `git config --global core.editor vim`

Version Control Workshop: Git and GitHub (Day 1)

└─Setting Up Git On Your Machine

└─Setting Up Git - Config File

Git stores user information in `/etc/gitconfig`, `~/.gitconfig`, and `~/.project/.git/config`. To set up your information:

- `git config --global user.name "Cyrus Vandrevalla"`
- `git config --global user.email cyrus.vandrevalla@gmail.com`
- `git config --global core.editor vim`

Setting Up Git - Config File

You can double check the information you entered by using:

- *git config --list*

2014-10-30

Version Control Workshop: Git and GitHub (Day 1)

└─ Setting Up Git On Your Machine

└─ Setting Up Git - Config File

Setting Up Git - Config File

You can double check the information you entered by using:

■ `git config --list`

Setting Up a New Git Repo

- ❶ Create a New Directory (`mkdir my-awesome-directory`)
- ❷ Navigate Into the Directory (`cd my-awesome-directory`)
- ❸ Initialize the Directory (`git init`)

The `git init` command creates a hidden directory called `.git` that contains all of the metadata for the project. *You should never change anything in `.git` directly!*

Version Control Workshop: Git and GitHub (Day 1)

└─ Setting Up Git On Your Machine

└─ Setting Up a New Git Repo

Setting Up a New Git Repo

- ❖ Create a New Directory (`mkdir my-awesome-directory`)
- ❖ Navigate Into the Directory (`cd my-awesome-directory`)
- ❖ Initialize the Directory (`git init`)

The `git init` command creates a hidden directory called `.git` that contains all of the metadata for the project. You should never change anything in `.git` directly!

Retrieving an Existing Git Repo

- 1 Navigate to the Directory Where You Want to Store the Project
- 2 Run `git clone https://mydirectory.com/`
 - Git supports many transfer protocols (including SSH)
 - Remember, you are creating a standalone copy of the entire project.

Version Control Workshop: Git and GitHub (Day 1)

└─ Setting Up Git On Your Machine

└─ Retrieving an Existing Git Repo

Retrieving an Existing Git Repo

- ◆ Navigate to the Directory Where You Want to Store the Project
- ◆ Run `git clone https://mydirectory.com/`
- Git supports many transfer protocols (including SSH)
- Remember, you are creating a standalone copy of the entire project.

The Basic Git Work Flow

- ❶ Synchronize Your Repo (git pull)
- ❷ Make Changes to Your Code
- ❸ Stage Changes for Commit (git add)
- ❹ Commit Changes Locally (git commit)
- ❺ Push Changes to Origin (git push)

2014-10-30

Version Control Workshop: Git and GitHub (Day 1)

└─ The Basic Git Work Flow

└─ The Basic Git Work Flow

The Basic Git Work Flow

- 🔗 Synchronize Your Repo (`git pull`)
- 🔗 Make Changes to Your Code
- 🔗 Stage Changes for Commit (`git add`)
- 🔗 Commit Changes Locally (`git commit`)
- 🔗 Push Changes to Origin (`git push`)

The Basic Git Work Flow

Files in your project can be in one of three states:

- 1 Modified
- 2 Staged
- 3 Committed

Version Control Workshop: Git and GitHub (Day 1)

└─ The Basic Git Work Flow

└─ The Basic Git Work Flow

Files in your project can be in one of three states:

- Modified
- Staged
- Committed

- Modified files have been changed on your computer, but they are not in the database yet.
- Staged files means that you have tagged a modified file to be included in the next commit.
- Committed files are safely stored in your local database.

The Basic Git Work Flow

In order to determine which files are in which state, you can use (most to least detail):

- ❶ `git diff` (unstaged changes only)
- ❷ `git status`
- ❸ `git status -s`

Version Control Workshop: Git and GitHub (Day 1)

└─ The Basic Git Work Flow

└─ The Basic Git Work Flow

In order to determine which files are in which state, you can use (most to least detail):

- `git diff` (unstaged changes only)
- `git status`
- `git status -s`

The Basic Git Work Flow

In order to get a full history of your commits, you can use:

- *git log*

Every commit is labeled with a SHA-1 checksum.

2014-10-30

Version Control Workshop: Git and GitHub (Day 1)

└─ The Basic Git Work Flow

└─ The Basic Git Work Flow

The Basic Git Work Flow

In order to get a full history of your commits, you can use:

- `git log`

Every commit is labeled with a SHA-1 checksum.

The Basic Git Work Flow

In order to ignore certain files in your commits, you can change:

- *.gitignore*

There are lots of .gitignore templates online at:

[https:// github.com/ github/ gitignore](https://github.com/github/gitignore)

Version Control Workshop: Git and GitHub (Day 1)

└─ The Basic Git Work Flow

└─ The Basic Git Work Flow

In order to ignore certain files in your commits, you can change:

- `.gitignore`

There are lots of `.gitignore` templates online at:

<https://github.com/github/gitignore>

The Basic Git Work Flow

Shortcuts:

- *git commit -m "My message"*
Commit with a message.
- *git commit -a -m "My message"*
Commit without staging with a message.

2014-10-30

Version Control Workshop: Git and GitHub (Day 1)

└─ The Basic Git Work Flow

└─ The Basic Git Work Flow

The Basic Git Work Flow

Shortcuts:

- `git commit -m "My message"`
Commit with a message.
- `git commit -a -m "My message"`
Commit without staging with a message.

What is Branching?

- Pretty much every version control system has some form of branching. This means that you diverge from the main line of development and continue to do work without changing the main line.
- Usually this is an expensive process because you have to copy all of the source code in the directory into a new branch.
- However, branching is where git truly shines. The git branch is extremely lightweight. This encourages branching in order to add new features.

What is Branching?

- Pretty much every version control system has some form of branching. This means that you diverge from the main line of development and continue to do work without changing the main line.
- Usually this is an expensive process because you have to copy all of the source code in the directory into a new branch.
- However, branching is where git truly shines. The git branch is extremely lightweight. This encourages branching in order to add new features.


What is Branching?

- Pretty much every version control system has some form of branching. This means that you diverge from the main line of development and continue to do work without changing the main line.
- Usually this is an expensive process because you have to copy all of the source code in the directory into a new branch.
- However, branching is where git truly shines. The git branch is extremely lightweight. This encourages branching in order to add new features.

How Does Branching Work?


Let's look at a couple of examples from Pro Git (2nd Edition).
This book is licensed under the Creative Commons Attribution
Non-Commercial Share Alike 3.0 License.

How Does Branching Work?




This is the structure of a commit.

How Does Branching Work?




Add Code; git commit
Add Code; git commit
Add Code; git commit

How Does Branching Work?




Every project starts off with a master branch.

How Does Branching Work?




git branch testing

How Does Branching Work?




HEAD is still on the master branch.

How Does Branching Work?




git checkout testing

How Does Branching Work?




Add New Code to testing Branch
git commit

How Does Branching Work?




git checkout master

How Does Branching Work?




Add New Code to Master
git commit

How Does Merging Work?




Suppose we have a project with a few current commits.

How Does Merging Work?




git checkout -b iss53
(git branch iss53; git checkout iss53)

How Does Merging Work?




Add Code to iss53 Branch
git commit

How Does Merging Work?




git checkout master
git checkout -b hotfix
Add code to hotfix branch
git commit

How Does Merging Work?




git checkout master
git merge hotfix
git branch -d hotfix

How Does Merging Work?




```
git checkout iss53
# Add code to iss53 branch
git commit
```


How Does Merging Work?



We want to merge iss53 to master

How Does Merging Work?



```
git checkout master  
git merge iss53
```

Merge Conflicts

```
$ git merge iss53
Auto-merging index.html
CONFLICT (content): Merge
conflict in index.html
Automatic merge failed; fix
conflicts and then commit the
result.
```

Sometimes we run into merge conflicts.

Merge Conflicts

```
<<<<<< HEAD:index.html
<div id="footer">contact :
email.support@github.com</div>
=====
<div id="footer">
  please contact us at
support@github.com
</div>
>>>>>> iss53:index.html
```

The “=====” divides the two types of code.

Delete a File (rm vs. git rm)

You can just delete a file in your filesystem, but this will need that you commit your changes with `git add file_removed`. Instead, you can use `git rm file_name` to do these two things for you.¹

¹More discussion at: <http://stackoverflow.com/questions/7434449/why-use-git-rm-to-remove-a-file-instead-of-rm>

If you `rm` a file, it will delete it locally, but it will still exist in your git directory. In order to fully delete a file, you need to use `git rm`

2014-10-30

Version Control Workshop: Git and GitHub (Day 1)

└─ Git Delete Commands

If you `rm` a file, it will delete it locally, but it will still exist in your git directory. In order to fully delete a file, you need to use `git rm`

Delete a File (rm vs. git rm)

If you want to delete a file that has been staged, but not committed, use `git rm --cached`

2014-10-30

Version Control Workshop: Git and GitHub (Day 1)

└ Git Delete Commands

└ Delete a File (rm vs. git rm)

Delete a File (rm vs. git rm)

If you want to delete a file that has been staged, but not committed, use `git rm --cached`

Delete a File (rm vs. git rm)

If you want to move a file, use `git mv`

2014-10-30

Version Control Workshop: Git and GitHub (Day 1)

└ Git Delete Commands

└ Delete a File (rm vs. git rm)

Delete a File (rm vs. git rm)

If you want to move a file, use `git mv`

Discard Changes to Unstaged Files

`git checkout -- filename` Branching is better practice

2014-10-30

Version Control Workshop: Git and GitHub (Day 1)

└─ Git Delete Commands

└─ Discard Changes to Unstaged Files

Discard Changes to Unstaged Files

git checkout -- filename Branching is better practice

Amending Staged Files

In order to remove a file from the staged environment, use: `git reset filename`

2014-10-30

Version Control Workshop: Git and GitHub (Day 1)

└─ Git Delete Commands

└─ Amending Staged Files

Amending Staged Files

In order to remove a file from the staged environment, use: `git reset filename`

Amending Commits

I purposely didn't add anything here. Don't do it...

2014-10-30

Version Control Workshop: Git and GitHub (Day 1)

└ Git Delete Commands

└ Amending Commits

Amending Commits

I purposely didn't add anything here. Don't do it...

Amending Commits

Ok, fine... `git commit --amend`

2014-10-30

Version Control Workshop: Git and GitHub (Day 1)

- └ Git Delete Commands

- └ Amending Commits

Amending Commits

Ok, fine... `git commit --amend`

View All Remote Repositories

```
git remote -v
```

2014-10-30

Version Control Workshop: Git and GitHub (Day 1)

└ Combining Git With GitHub

└ View All Remote Repositories

[View All Remote Repositories](#)

git remote -v

Add Remote Repositories

```
git remote add url
```

2014-10-30

Version Control Workshop: Git and GitHub (Day 1)

└ Combining Git With GitHub

└ Add Remote Repositories

Add Remote Repositories

git remote add url

Pull From Remote Repositories

```
git fetch url git add git commit
```


2014-10-30

Version Control Workshop: Git and GitHub (Day 1)

└ Combining Git With GitHub

└ Pull From Remote Repositories

Pull From Remote Repositories

`git fetch url git add git commit`

Push to Remote Repositories

```
git push [remote name] [branch name] git add git commit
```

2014-10-30

Version Control Workshop: Git and GitHub (Day 1)

└ Combining Git With GitHub

└ Push to Remote Repositories

Push to Remote Repositories

```
git push [remote name] [branch name] git add git commit
```

Public vs. Private Repositories

Bitbucket and GitHub

2014-10-30

Version Control Workshop: Git and GitHub (Day 1)

└ Combining Git With GitHub

└ Public vs. Private Repositories

Public vs. Private Repositories

Bitbucket and GitHub

There is a lot more to learn! We did not discuss:

- Tagging
- Aliases

Thank you for your attention.