

```

<node>
  <deviceClass>
    <basicDeviceClass>ROUTING_SLAVE</basicDeviceClass>
    <genericDeviceClass>MULTILEVEL_SWITCH</genericDeviceClass>
    <specificDeviceClass>POWER_SWITCH_MULTILEVEL</specificDeviceClass>
  </deviceClass>
  <homeId>0xc337cda1</homeId>
  <nodeId>6</nodeId>
  <version>3</version>
  <manufacturer>0x63</manufacturer>
  <deviceId>0x3033</deviceId>
  <deviceType>0x4457</deviceType>
  <listening>true</listening>
  <frequentlyListening>false</frequentlyListening>
  <routing>true</routing>
  <security>false</security>
  <beaming>true</beaming>
  <maxBaudRate>40000</maxBaudRate>
  <nodeInformationFrame>
    <commandClass>SWITCH_MULTILEVEL</commandClass>
    <commandClass>SWITCH_ALL</commandClass>
    <commandClass>POWERLEVEL</commandClass>
    <commandClass>CONFIGURATION</commandClass>
    <commandClass>VERSION</commandClass>
    <commandClass>MANUFACTURER_SPECIFIC</commandClass>
  </nodeInformationFrame>
  <supportedCommandClasses>
    <entry>
      <commandClass>NO_OPERATION</commandClass>
      <noOperationCommandClass>
        <version>1</version>
        <instances>1</instances>
        <versionSupported>1</versionSupported>
      </noOperationCommandClass>
    </entry>
    <entry>
      <commandClass>MANUFACTURER_SPECIFIC</commandClass>
      <manufacturerSpecificCommandClass>
        <version>1</version>
        <instances>1</instances>
        <versionSupported>1</versionSupported>
      </manufacturerSpecificCommandClass>
    </entry>
    <entry>
      <commandClass>SWITCH_ALL</commandClass>
      <switchAllCommandClass>
        <version>1</version>
        <instances>1</instances>
        <versionSupported>1</versionSupported>
        <isGetSupported>true</isGetSupported>
        <mode>SWITCH_ALL_INCLUDE_OFF_ONLY</mode>
      </switchAllCommandClass>
    </entry>
  </supportedCommandClasses>
</node>

```

```
<commandClass>POWERLEVEL</commandClass>
<powerLevelCommandClass>
  <version>1</version>
  <instances>1</instances>
  <versionSupported>1</versionSupported>
  <powerLevel>0</powerLevel>
  <powerTimeout>255</powerTimeout>
</powerLevelCommandClass>
</entry>
<entry>
  <commandClass>SWITCH_MULTILEVEL</commandClass>
  <multiLevelSwitchCommandClass>
    <version>1</version>
    <instances>1</instances>
    <versionSupported>1</versionSupported>
    <isGetSupported>true</isGetSupported>
  </multiLevelSwitchCommandClass>
</entry>
<entry>
  <commandClass>CONFIGURATION</commandClass>
  <configurationCommandClass>
    <version>1</version>
    <instances>1</instances>
    <versionSupported>1</versionSupported>
    <configParameters/>
  </configurationCommandClass>
</entry>
<entry>
  <commandClass>BASIC</commandClass>
  <basicCommandClass>
    <version>1</version>
    <instances>1</instances>
    <versionSupported>1</versionSupported>
    <isGetSupported>true</isGetSupported>
  </basicCommandClass>
</entry>
<entry>
  <commandClass>VERSION</commandClass>
  <versionCommandClass>
    <version>1</version>
    <instances>1</instances>
    <versionSupported>1</versionSupported>
    <libraryType>LIB_CONTROLLER_BRIDGE</libraryType>
    <protocolVersion>2.64</protocolVersion>
    <applicationVersion>2.16</applicationVersion>
  </versionCommandClass>
</entry>
</supportedCommandClasses>
<securedCommandClasses/>
<nodeNeighbors>
  <int>1</int>
  <int>2</int>
  <int>3</int>
  <int>4</int>
```

```
<int>5</int>  
</nodeNeighbors>  
<lastSent>2016-06-26 14:32:09.71 UTC</lastSent>  
<lastReceived>2016-06-26 14:32:09.240 UTC</lastReceived>  
</node>
```