	100										- 0	4 6			
Other	Pit Pictures	HS Transects	Slush Ram	Powder Ram	Standard ram	Stratigraphy pictures	Digital LWC	Instrument	Tree Canopy	Wind	Sky	Precip Type	Precip Rate	Time:	Location:
	<u> </u>	Y	ک	7	~	4	7	Y <sub>N</sub>	N <sub>S</sub>	60	Ω	<sub>Z</sub>	Z	1535	
i.	- N							S	No trees	Calm (0 mph)	Clear	Rain	None	Ŝ.	9
	SSA / NIR Box	Snow Scope Transects	Force Snow Scope	Force Ram	SMP	Lyte Probe	Snow Scope	Instrument	Sparse (5 - 20%)	Light (1 - 16 mph)	Few (< 1/4 of sky)	Snow	Very Light (0.5 cm / hr)		
	4	ي	7	<	ح	5	<	Ϋ́Z	20	Mo (17:	Sc:	ଦୁ	3.5	Obs	
	0		12				28	SN	Open (20 - 70%)	Moderate (17 - 25mph)	Scattered (1/4-1/2 of sky)	Graupel	Light (1 cm / hr)	Observers:	
* 100	Misc		Hardness		P		Weather	Additio	Closed (> 70%)	Strong (26 - 38 mph)	Broken (> 1/2 of sky)	Hail	Moderate (5 cm / hr)	Emclus	Site:
	145 Stak				Perc Coli			Additional Comments		Extereme (> 38 mph)	Overcast (complete cover)	Rain/Snow	Heavy (10 cm / hr)	HSWAINS	FEFHA
	HS Stake alim	Separate continues (SEC)			Columns Pools			Height of Ground	Ground Vegetation	Ground	Ground condition	Sample B	Sample A		
					pools in pit		÷	Height of Ground Vegetation (cm)	Bare	(< 5 cm)	Frozen	7	2,7	Depth (cm)	Date:
								5	Grass	(5 - 20 cm)	Moist	3,5	2 54	h (cm) SWE (mm) Density	10240506
us dell'inchina de									Shrub	(> 20 cm)	Saturated	175		(kg/m3)	76
on an appendix						ļ			Deadtall				loss? (Y/N)	Evidence of melt	

Location (Regional Scale)	Date (YYYYMMD)	Observers (first initial & last name):	initial & last name					Comments/Notes:	Notes:
6	7%0%52	3 molis				Temperature profile			
Site (Study Plot)	Time (pit opened)	2	Ċ			START	END		
が打造	325	12000x1	7				1410		
Pit ID Snow Depth SITEYYYMMDD (cm)	LWC Device & SN	UTME		UMN	Zone (two digit)	GPS device & uncertainty:	ertainty:		
FEFTILA 26750706 105	101 250 Kys	18-12-ho		3.95 EIN	12	oneno	2665		
Density	LWC	Temperature		3		St	Stratigraphy		
Height above Density Density Extra	Permittivity Permittivity	Height	Height abov		Grain Size				
profile A profile 8	profile A profile B	ground	ground		(mm)		Hand Hardness	Manual	Stratigraphy Comments
- bottom kg/m3	(unitless) (unitless)	(cm) oC	top bo	bottom Max I	Min Avg	, yba			
1-488	- 1	5.0- 401				1	7		paga Fust /
.t. h.		2.0- 201	10 01	105 10	0.3 0.5	Urdc	7	3	PPSex
86.6 - 69.4 17.2 HR - 250	-		, N	ەر ب	, S	2630	7 7 7	<u> </u>	FCSF
-62.8 6.6 TO TO		S							T I
3 -54.8 3 in		90 -1.5	19 - 4h	7.5	0.5	MFCr	<u> </u>	0	70
6%	E .		$\perp$	-	`	-	_		MECKS.
, 15 L		75 1	C. 5.	-	0.0	1611	7	171	
10 10 10 10 10 10 10 10 10 10 10 10 10 1		2- 04	47   32	5	5	① /	Í	J 	
30	14. 2.4	2- 49	La e Ne. H	140		_			
10 170 150	53.3 53,9	65 12	-	ก		400	0	5	₩ PPC
192 152 58	42	60 -7	69. +0	1000		TITON	7		
2 2 2 2 2 2 2 2 2 2 2 2 2 2	58.4 60.4	50 -1.5		^			Π	)	
たたり ひもん 29-	5.49 8.49	S'1- ON	45. 00	-	1 %.0	Jex.	1	7	
vel 082		3,1- 48		,	-		71	0	
45 251 250		1 1 10	01.1-40	0 7.5 1	7.5	7×4 C	1	_	
262,734	8	50.01			7		エブ	O	-
244 232	38.3 39.4	5.9- 01	. 02	6	7	OHXY	Line g	,	
264 178	4.2 33.7	0 -0.5					poù l		
244	2		- 4	100			11.		
	5.11 1.4	100							
-	2002		•						
-			•						
-				-				ď	
		discourse .					- N. P.		

Location:	(0		5	50306			N. S.		7		
1 1 '			Time: 15 L				Force	Deptil	digital	Grnd	
Pit:	7 7 7 5	Time	Data Type	SZ	ף	<b>=</b> 1	Z	cm	cm		Comments
0	ار، ت	10 CA	かべつ					103			
دن ن	(چ) د د	です。	€ DOU					5 t			1
0	63	1640	50006	55 C SC	141			106	105		106813
٥		0.49			178	E 2 E		106	109		
00		1500			179			101	25		
, es Ci	6. aug 17 Ka		ng sah in ng		081		360	105	100		
3	1Š.	15 M	d.	榆	181	# 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		106	93		
G	.e. O	1, 23.	ream			1000	88	40			
()		7 in 35	si ine P				6 S	88			
cr c		 S.		1			28	५०			1111
Ç		2.55			RIG 2			व।			
(20	15:	5.	A					वप			
()	170	i nji	in scoin	127	1078		1 8 91	75	65		Towards
30		1547	1		1079		35		7-3		12 m
60		+n91	* # pot # >		1680			25	77		
0.0		K. K.	i an caso spira		180]		74	st	44		
170	Æ	1 m 31	10	4	1080		30	75	73		
				#/ 		7					y Apo
							raig			1	
						1	A 2		N		7 10
									in per		ET 1/1
							1				
			E I								197
								The state of the s			
	11 5						11	The state of the s			30
											le in
- A	2000	7	3 2								
							ld frait				
								a medianakan mekir		1	
	- F										

Ram Penetrometer Field Data Sheet

ocatio	n:	7							eld Data S		ube w	eight	T	kg
ite:	50	-0 -Ha									mer w		Н	kg
SSOCI	tod nit	HQ	t/noint	Feful G	20250	506					ber of		n	
2400	Z- 2	transec	y points	EFRY	Time	Knze	1 116	134		1		eight	f	cm
hsen	(O)	050	26	KINNGY	Time.	1171				Locat		point	р	cm
TME:	ei. 9	ide CH	2 7	UTMN:			1	Zone:	13			+ nfH		kg
am ty		STD	Row		Ram m	ass:			kg	RR =	9.81 (	T + H	+ nfH/	(p) N
T	Н	n	f	р	Т	Н	n	f	р	T	Н	n	f	р
Ī	<b>O</b>	0	0	14	0.1	Ü	U	Ö	7			7_	75	41
1	0.5	0	0	14	0.1	0.1	Ü	Ø	4			3	25	42.
7		10	:	15			(	5	5					43
	1	ì	10	14			7	5	6	2.1		4	25	44
				29			2	10	1.5			3	75	45
		3	文	30	1	70	1	10	8		ļ	3	25	46
			5	31					9			7-	25	43
4-4		HAN TOUR TOUR	-,	32					10		-	/	12 3	49
		7	5	33			2	ίυ	11			+	+	50
	s management is	t man reference i		34			3	10	12			pulsa iva nj	-	51.5
		3	5	75			4	20	13			)	70	53
		4	5	36			6	25	15			, i	10	54
	·	3	10	33			7	The state of the s	16		+	-	-	55
		て	[0	38	ag li losse	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	5	25	17				+-	54
	<u> </u>		_	39			2	25	18				+-	57
		2	5	40			1	25	19			+	2 10	50
	- Parameter of	5	2	41					20			ine di la	1	59
		6	3	42		-			21			1	20	30
		4	5	43					22				T	61
		ч	10	144	<u> </u>			1, 2	23					62
	-	3	10	45			2 4x - 1 n - 1 7 -		24	-				63.5
_		1	10	75					25			1		64.5
1	-	<u> </u>	5	94			The second second		26	- 1 y				66
		1	5	95					27					07
all and a second		2	10	96		-	2	25	28					68
25	-	<del>- '</del> -	+	97	-	+-	+-		79					69
	-		-	98		+-	3	25	30					70
	-	<del>  .</del>	5	99	_	+	14	25	31					31.5
	-	!	+	100	-	-	<del></del>	-	32			1	15	72
	<del> </del>	-	<del> </del>	101		+-	2	75	33					73
	-	-	-	102	-	+	1-	+	34					74
	-	-	-	107	_	-	-	+	35				215	
	+	1-7	5	104		+	14	15	36					
	-	+	1-	+	_	+-	15	25	37					
	-	+	+	+	_	+	+-	100	38					
*	+	+	+-	+		+		+-	39					
	+	+	+	and the second			4	13	40					
	 es:				l		1	10)						