					ASS					Other
		- 4	33468 () V	Hs GBcm		1010	×	SSA / NIR Box	1 4	Pit Pictures
li In I					nai diess		N	Snow Scope Transects	5	HS Transects
					Hardon	151	~	Force Snow Scope		Slush Ram
	¥ , ₹					х.	7	Force Ram		Powder Ram
					₽		ح	SMP		Standard ram
	8					1.2	7	Lyte Probe		Stratigraphy /
					Weather	h£2	~	Snow Scope		Digital LWC
		Vegetation (cm)	Height of Ground Vegetation	Additional Comments	Addition	SN	Y X	Instrument	S S	Instrument Y/N
Shrub	Grass	Bare	Ground Vegetation		Closed (> 70%)	Open (20 - 70%)		Sparse (5 - 20%)	No trees	Tree Canopy (
Rugged (> 20 cm)	Rough (5 - 20 cm)	Smooth	Ground roughness	Extereme (> 38 mph)	Strong (26 - 38 mph)	Moderate (17 - 25mph)	32	Light (1-16-mph)	Calm (0 mph)	Wind
Saturated	Moist	Frozen	Ground condition) Overcast (complete cover)	Broken (> 1/2 of sky)	Scattered (1/4-1/2 of sky)	30	Few (< 1/4 of sky)	Clear	Sky
1221	11	9	Sample C	Rain/Snow	Hail	Graupel		Snow	Rain	Precip Type
	20 3	8. t	Sample B	5		ш		11		
125 loss? (Y/N)	JO (mm)	Depth (cm)	Sample A	Heavy (10 cm / hr)	Moderate (5 cm / hr)	Light (1 cm/hr)		Very Light (0.5 cm / hr)	None	Precip Rate (
	Interval board SWE measurement	Interval b	i i	Cut	Enich	Observers:	0		1250	Time:
0	16240120	Date:		FrFUG	Site:		1		6	Location:

1 100	Location (Regional Scale)	ale)	Date (YYYYMMD)	Observers (Observers (first initial & last name):	name):			0	Comments/Notes:	Notes:
STEATH CONTINUE Time (pit opened) Time (pit opened)	6		20050171	< me	as			Temperature profile times	e profile s		
D	1		Time (pit opens	,				START	END		
D SNOW Depth LWC Device & SN UTME	on tit		1366					+551	1318		
Comparing Comp	Pit ID SITEYYYMMDD	Snow Dept	LWC	U	TME	UTMN	Zone (two digit)	GPS device & uncertainty:	ertainty:		
Density Dens	OPEN a TOZAD		528 0 128 KJW		124	24241hh	7	CALAIN 645	2 8%		
gight above profile A profile B Density Permittivity Permittivity Above profile A profile B Density Permittivity Above Brown Repm3 (unitless) (unitless) (cm) oc Repm3 (unitless) (cm) oc Repm3 (unitless) (unitless) (cm) oc Repm3 (unitless) (unitless) (cm) oc Repm3 (unitless) (cm) o	Der	sity	LWC	Temperat	ure			SI	Stratigraphy		
1 1 1 1 1 1 1 1 1 1		Density profile B		-	2 -		Grain Size (mm)			Manual	Stratigraphy Comments
7 (2) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	- bottom	kg/m3	(unitless)	(cm)		bottom Max	Min Avg	Туре	Hardness	Wetness	
7 21 PB - 22 5 PB - PB - PB - 22 5 PB - P	1882	5.2			\ \	7		8	1	7	B. P.
1 1 1 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1	3 .45 -	(3	8	и 124		10 0,5	0.1 0.3	MIC	+	7	1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	- 49	70	t	25.1			707	7,	ί\ —	5	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	- 35.4	22	W				0.000	000	1	7	
13. O 18 188 222 212 hr. 1911 hr. 201 o 10 20 20 20 20 20 20 20 20 20 20 20 20 20	631	5.5	,	-		1 WF	5 1		1	5	
13.0 13.0 14.15 26 mg 522 112 522 112 522 112 112 522 112 112	0	785	3			1.1 bh	1 77	FEXT	7	7	
20 - 24 13 13 24 25 25 25 25 25 25 25				70		イスターグ	_	12		> _	
- 14 18 184 182 11 12 22 11 11 18 18 18 18 18 18 18 18 18 18 18			500	no 10		17,	,		7	0	1
13 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	no.		4.20	,	<u> L</u>	2 6	20	DILLO	T T	> _	
13.00 - 14 - 14 - 14 - 14 - 14 - 14 - 14 -	7	-	65.3	18.5	7	2	-		=	ز	
64 62 28 52 h h - 1 8/2 22 52 h h - 1 8/2 22 h h h - 1 8/2 22 h h	14		17.1 8.17/	7.6	 - -	0	7	DHC A	17 P	J	
19/15.2 2/22.2 5.2 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	32	_	12. 65.1/	4						7	
19/4.5 26/2. 12 12 12 12 12 12 12 12 12 12 12 12 12	22.	L	11.4 63/			•		1			
	- [4		12	6,							
	- 4	4_	7%	h							
								,		10 20 20 20 20 20 20 20 20 20 20 20 20 20	
	1 - 14								1		
	1			1							,
	-			liq 1					n		
					_1	•	1				
						8					

×

= -

Ram Penetrometer Field Data Sheet

	n: /	7								T	Tube	weight	T	kg
Location Site:	Fry									На		weight	Н	kg
Site:	772	ansect/r	oint: G	esta z	0750	70						of falls	n	
ASSOCIAT	7025	1017	CO.	way -	Time	1355	-110	102		<u> </u>		height	f	cm
Observe	2025 er: Lu	e Cus			Time.		10		,	Loc		f point	р	cm
UTME:				UTMN:				Zone:			Γ + H +			kg
Ram typ	e:				Ram n	nass:			kg	RR = 9	9.81 (T -	+ H + nf	H/p)	N
T	Н	n	f	р	Т	Н	n	f	р	Т	н	n	f	р
l	0	8	0	74			Z	(6.	42					
1	0,5	0	0	74					43					
			5	75					44					
								10	45					
Oil	Ø	0	9	37	_	-	-		46					
01	oil	_0	0					-	U.T					
			1	9		-	P == 1		47 48 49					
		7	ı	12				/	10					
		l	3	13				1	10 51 57					
		•		14			/	/	57	1				
				1			1/		53					
				16		1			54					
									5%					
				17		\checkmark	2	10	56					
				19		1			5.7					
		Z	5	70	<u> </u>				50					
		1	7	71			 	10	60	1 81				
				23			2	10	GI				/	
		2		29			-	100	GZ.					
		-	5	25					67 63					
		4	5		1		17	to	64 66					
		1	16	27				1	CH					
				26 27 28			1	10	66					
				29				1	67		-	-	-	-
				30			1	(6	68	_		-		-
		7	16	7,1			3	10	69 70					
		`		32			\ <u> </u>	+	71		<u> </u>	1		
			1.6	33			7	10	72		+	 		
		3	16	74			+	1	73		+	1		
		(15	36			5	10	74			-		
-		2	15	36 37 38			+	ξ.	75					
-	 		1 7	38	-			g.						
		+	 	39				1				ļ		-
	 	7	10	40	_						-	-		-
				41									L	
Notes	:													~ 1
	3// -040													

Step Fee App							H				
C											
C			The second secon			1				1 1	
Color Time			in in								
Co Times Correct C			Ì								
Co Date Corsonzo Force Gage N Cm Cm Cm Cm Cm Cm Cm											
Comments						1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2					
C Date: \(\frac{1}{2}\) C Time: \(\frac{1}{2}\) C C C C C C C C C											
C Date: 70750170 Time: Core											
Co Date: Co75C0170											
Date: CC75C170 Time: CC75C170 Time: CC75C170 Comments Comments CC75C170 Comments CC75C170					1 1						
C Date: \(\alpha \) Core Date: \(\alpha \) Cor					100						
C Date: \(\alpha \) Core Depth Dept				-	1						
Comments							-1 - 				
Co Date: 70750170											
Co Date: 70750170 Time:								1.0			
Fig. 1, 1975 Costs, 2012, 20 Comments	XCX		7 4							ýs:	
Co	sar	8 I 1 0 1									
C	K (B)CK										
Co Date: 70750170 Time: Force Gage N Cm VN	-	86	t	5.27	4	767	4	<u></u>	1446	4	120
Ce Date: 76750170 Time:		13	8	3.56		181			appli		Sio
C		62	E	0		285			1437	_	60
C		62	64	3.1		bert	*		14 37		30
Co Date: 70750170 Time: Force Depth		66	60	.2		24tz	1. 1.	FORGE SCORE	1429	100	0
C			63	17.05					1436	4	170
Date: 70750170 Time: Force Depth Dep		*** c	39	1.7					[470		90
Date: 70750170 Time: Force Depth Depth PETHQ Time: Tim			13	14,7					1479		60
Co	-	ز	69	14,7					1479		0%
Date: 70750170 Time: Force Depth Depth Prefile Force Gage N Cm YN YCoord Time Data Type SN Profile # Force Gage N Cm YN YN YN YN YN YN YN Y	ą.		61	14.84	500	T			147B	90	0
C Date: 70750170 Time: Fr=Ha Time: Force Gage N Cm V/N Toord Time Data Type SN Profile # Force Gage N Cm V/N To 70250170 Time Data Type SN Profile # Force Gage N Cm V/N To 1417	1	K	7			17/1	J	V	1416	\downarrow	120
Cord Time: Force Gage N cm cm Y/N 70 (755) 570 Num 1 (117) 1708 Force Gage N Cm Y/N 1 (117) 1708 Force Gage N The Cm Y/N 1 (117) 1708 Force Gage N The Cm Y/N 1 (117) 1708 Force Gage N The Cm Y/N 1 (117) 1708 Force Gage N The Cm Y/N 1 (117) 1708 The Cm Y/N 1 (117) 1709 The Cm The Cm The Cm The Cm Y/N 1 (117) 1709 The Cm		22	74	T	7	0121			tihl		90
C Date: 70750170 Time: FEFHQ Time: Force Gage N cm cm Y/N 7070707 Time Data Type SN Profile # Force Gage N cm cm Y/N 70 1416 Stork 734 1707		73	26			1709	2 T		4161		8
Control Time: Time: Coord Time Data Type SN Profile # Force Gage N Cm Cm Y/N Y/N The Data Type SN Profile # Force Gage N The Cm Y/N The Cm The Cm Y/N The Cm The Cm Y/N The Cm Y/N The Cm The Cm Y/N The Cm Y/N The Cm The Cm Y/N The Cm The Cm Y/N The Cm The Cm The Cm The Cm The Cm Y/N The Cm The Cm The Cm Y/N The Cm The C		72	2			1708			411		30
Date: 70750170 Time: Ho 70250170 Observers: Eur Clr Y-Coord Time Data Type SN Profile # Force Gage N Cm Y/N Y 1) 1107 Var lun Depth Force Gage N The Cm Y/N Y The Coord Time The Coord Time The Coord The Co		72	2.t			1207	1234	ScoP4	1416	60	0
C Date: 70750170 Time: Fr=Ha Time: Force Depth Depth γ-Coord Time Data Type SN Profile # Force Gage N cm cm Y/N 7,0 (366 570 N.4μμ			Z				7	Var Rom	1402		20
Date: 707501 70 Time: Force Gage N cm cm Y/N Profile # Force Gage N cm cm Y/N	~		Z					570 Rum) [\neg	0
Date: 70750170 PEFHQ Time: Time: Time: To 70250170 To 250170 Time: The control of the con	-	cm	cm	z	Force Gage	Profile #	SN	Data Type	Time	Y-Coord	oord
Date: 70750170 Force Depth	1	digital	manual	max			wille	vers:	507CO	7070Z	4
Co Date:	1	Depth	Depth	Force				٠.		たアメの	Site:
							0210		<i>p</i> ,	\ \	-ocation: