	7		*))		
Location:	8			oite.	LEPTO			1014/6/6	6	,
Time:	1438		, Observers:	Emclis	25		Interval b	Interval board SWE measurement	urement	
Precip Rate	Nope	Very Light (0.5 cm / hr)	Light (1 cm / hr)	Moderate (5 cm / hr)	Heavy (10 cm / hr)	Sample A	Depth (cm)	SWE (mm)	Density (kg/m3)	resulting in SWE loss? (Y/N)
Precip Type	Rain	Snow	Graupel	Haii	Rain/Snow	Sample B				ک
)		Sample C				7
Sky	Clear	Few (< 1/4 of sky)	Scattered (1/4-1/2 of sky)	Broken (2.1/2-of-sky)	Overcast (complete cover)	Ground condition	Frozen	Moist	Saturated	
Wind	Calm	Light (1 - 16 mph)	Moderate (17 - 25mph)	Strong (26 - 38 mph)	Extereme (> 38 mph)	Ground roughness	Smooth (+3 cm)	Rough (5 - 20 cm)	Rugged (> 20 cm)	
Tree Canopy	No trees	Sparse (5 - 20%)	Open (20 - 70%)	Closed (> 70%)		Ground Vegetation	Bare	Grass	Shrub	Deadfall
Instrument	NS N/A	Instrument	NS N/A	Addition	Additional Comments	Height of Ground Vegetation (cm)	Vegetation (cm)			
Digital LWC	R	Snow Scope	122 X	Works						
Stratigraphy pictures	У	Lyte Probe	8	T T T T T T T T T T T T T T T T T T T						
Standard ram	4	SMP	N	Di-				eg e	No. of the state o	4.
Powder Ram	X	Force Ram	Y		,	1"				
Slush Ram	2	Force Snow Scope	hs.2 A			0				
HS Transects	4	Snow Scope Transects	N							Λ
Pit Pictures	<	SSA / NIR Box			H= 40c	Hs 40cm @ STALE				
Other			i Banana	MISC						

'm; .

1 ocation (Regional Scale)		Date (YYYYMMD)	Obs	Observers (first initial & last name):	rst initial	& last nan	ne):			•		_	Commenced	of roces.
9		7121/202		Enclus	w					v	times	times START END		
Site (Study Plot)		Time (pit opened)	ned)							2 0		11111		
FETLO		1438				2.3			700		0	april		
Pit ID	Snow Depth	LWC Device & SN		5	UTME		UTMN	Ž	(two digit)		device & uncertainty:	certainty:		
SILETTE MIMOD	9h	0/c		hzh hzh0	724		4418569	63	13	-	576	CHEMINOTS		
Density		LWC	-	Temperature	ле	1 - 1001				j.	S	Stratigraphy		
Height above Density ground profile A	Density Extra profile B Density	Permittivity Permittivity profile A profile B		Height above ground	7	Height above ground	bove	Gra (Grain Size (mm)		Grain	Hand	Manual Wetness	Stratigraphy Comments
top - bottom kg/m3	kg/m3 kg/m3	(unitless)	(unitless) (c		ဂိ	(cm)	bottom (cm)	Max	Mij	Avg	3	-4		
-	N. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.		2	1.6 -	<u> </u>	-	4:5	2.0	0.	03	Star -	71	0	Some FEST TRUING
91 HIT - him	345 192		2		<u>'</u>	ä -							1	OKAY.
2	8.2 5.15		1111	4- 02	1	46.5	4	2/2	<u>o</u> - ō	0.3 0	Remp	77	J	Torre Bi !!
12.4 - 0 17.4	21.5 12.2			-	L		li y-	-						C. C
				1,	<u> </u>	2	70	7	20	$\overline{\mathcal{O}}$	Sign	A	J	Steel Carl
12.10				0	1						1		,	- 1
1242 - 26/35				I I I		70	4	W	_	7	る方	$\widetilde{\eta}$	ワ	(essing oco State the state oco
53: 0 - 57						<u>ا</u>)	7		7	7	η	J	TEXTRON DI
591 0 - 95						4	Q	(3]	7	
					1 22					= =				
•													ŀ	
						•								
						•						-	-	
- Y				i Ki T						-				
• 1 Section 19	1.00					1								The second secon
All and the second seco					- 									
•														
•				-		-			-	: 				
•												and the state of		
									_			much		
• 1	1 1 1			_					1880	MC Ample a	The second of th			
		2		+									Shill, Stiffee.	

Ram Penetrometer Field Data Sheet

Location	7	,		Itali	II relietii	J.III.C.C.I	Ticia L	ata siic			Tube	weight	Т	kg
	FaFI									Hz	mmer		Н	kg
				-							umber		n	
Associa	ted pit/ti	ransect/p	point: 🏲	2FHQ202			-			 "			f	cm
Date:	2024 er: E	1216	,		Time:	151	8				ation o	height	p	cm
	er: £	me Cl	12	1				I_			Γ + H +		Р	kg
UTME:		al .	<u> </u>	UTMN:	1			Zone:				+ H + nf	H/n)	N
	pe: 151,		_	Τ	Ram ma		T		g	T	H	n	f	р
T	Н	n	f	р	T	Н	n	f	р	D	ļ		0	46
0.1	0	6	0	15		ļ	<u></u>				0	0	0	46
0.1	0.1	0	0	1					<u> </u>	0.9	0	0	0	16
		(1	6					<u> </u>					
		1	1	18	-		-		111		-			
- 1		٤_	1,		- 10							 		
	-		μ	70			+		IP:					
Transfer Country to 1	110	1	5	21		 								
			7	77							7			
			 	22 23 24 25 26										
		1860 50		75										
		7	5	26										
		1	10	792		1 10 -1								
			10	797	21 B E									
		7	5	74.5										
5			"	31.5										
		1	16	31.5 32.6 33.5 36 36 37 38									1 =	
		#		33.5	8 8 2 2 2									
		=1	16	35										
		i	5	36			1.02							
				37										
		el e		38										
				37					Ī.					
				40										
				41			Light .							
		301 3		42			I MEN							
		5	5	43										
		2	10	44										
		2		46									_	
		4	10	46									-	-
		96. -0												
													-	-
									ļ		_			-
		26											-	
														-
			1000 1000 1000 1000 1000										-	
		V.	Ā								4	_	-	
Notes:		9	9.		Dogopo no								- (
		166	1				- :						-	
		140												

THE STATE OF THE S
45 17
31 28
,
34 30
47
K
Ž,
5.5
47
4
1200
ash
セト
t.h
G
2/6
Cm
manual
Depth .