Other	Pit Pictures SSA / NIR Box	HS Transects Snow Scope Transects	Slush Ram Force Snow Scope	Powder Ram Force Ram	Standard ram SMP	Stratigraphy Lyte Probe	Digital LWC Snow Scope	Instrument Y/N SN Instrument	Tree Canopy No trees Sparse (5 - 20%)	Wind Calm Light (0 mph) (1 - 16 mph)	Sky Clear Few (< 1/4 of sky)	Precip Type Rain Snow	Precip Rate None Very Light (0.5 cm / hr)	Time: (320	Location:
								NS NY	Open (20 - 70%)	Moderate (17 - 25mph)	Scattered (1/4-1/2 of sky)	Graupel	Light (1 cm / hr)	Observers:	
Misc	1		Hardness		D <del>T</del>	weather		Addition	Closed (> 70%)	Strong (26 - 38 mph)	Broken (> 1/2 of sky)	Hail	Moderate (5 cm / hr)	Luc Con	one:
	HS @ S			K1.03	000 tito			Additional Comments		Extereme (> 38 mph)	Overcast (complete cover)	Rain/Snow	Heavy (10 cm / hr)	" Skinner	ARS HO
	of white		,	*	ال کا د ا ه			Height of Ground Vegetation	Ground Vegetation	Ground roughness	Ground	Sample B	Sample A		
	5				-	·		Vegetation (cm)	Bare	Smooth (< 5 cm)	Frozen		Depth (cm)	Interval k	Date:
								3	Grass	Rough (5 - 20 cm)	Moist		SWE (mm)	Interval board SWE measurement	1120,200
									Shrub	Rugged (> 20 cm)	Saturated		Density (kg/m3)		N
									Deadfall			<b>.l</b>	Evidence of melt resulting in SWE loss? (Y/N)		

Γ	T	Т		Т	T							Τ		Τ			Γ				Ī	T		T	T	_			Ι.	-	Τ.		×	Pit	olle.	0
															51 100 0 0	120	90	60	08	0	120	04	18	10	D	120	03	60	30	0		1 2 %	_	_		
	7				- 011				- 1.10							4	_	_		12:	4	-	-	-	03	6				8	e	30	Y-Coord	10 70250	OHAN	
		111								1						Insz	1432	121	1431	15 ml	1478	してい	147 8	ールンを	1271	1423	1722	1422	1412			Sohi	[-	1120	0	   
							1		S (-1)						j	<		1 = 1 1 = 1		Focus Scals	4				Force	W				6 1		STD CHI	Data	Observers:	Time:	Date:
			$oldsymbol{\perp}$												ľ		l les		1		1	11	2 1 25	. 15	Ruper	1	1 81 1-			65	lem	Com	0	1	8021	106701
											T					900	299	8 n 8	408	496				1100						151		1	SN	ame an	<b>0</b> 20	0611
			120 1 1							1 2		3 H 7 S								300 m					- 12	80S	222	278	20%	890		0	Profile #	.4		
													(4) (4) (4) (4) (4) (4) (4) (4) (4) (4)			1				1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					1000			3 7 1	a 1)	4 -4		Torce Gage	_			
																40	<u>Σ</u>	I Y	32	47	93	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	22	201	166		= -4					Z		max	Force	
															- pl	66	54	6	45	E	49	49	66	66	61	70	24	8t	11	11,	5.Ft	tt m	inaliual	manual	Denth	
	1					77.1		1 31	1					1		29	52	50	文 (5)	23	H2X					63	20	72	66	/2		cm	ugitai	dicital	Daneh	
																4	5								٤	K	7	Ŧ	1	+		S X	Grna	2		
																		1		Towards									3			Comments	$\overline{}$			
										R.I	4								_					14												

Ram Penetrometer Field Data Sheet

						7		ata 51						
ocation	: Ci										Tube	weight	T	kg
Site:	Fee	HO						,		H	ammer	weight	Н	kg
Associat	ed pit/tra	ansect/p	oint: F	47 Hq Zo KNWE1	25 63	211	7			N	lumber	of falls	n	
Date:	7025	0211			Time:	804	11410	)			Fall	height	f	cm
Observe	er: Lu	uc ang	5	KINNEY				<b>*</b>		Loc		of point	р	cm
UTME:			i.	UTMN:				Zone:		RN =	T + H +	nfH/p		kg
Ram typ	e: ST	D/Po	W		Ram ma	355:	,		kg	RR = 9	9.81 (T	+ H + nf	H/p)	Ν
T	Н	n	f	р	T	Н	n	f	р	Т	Н	n	f	р
1	0	0	0	10		-1 1 2	3	10	39					
1	0.5	0	0	10			l	15	40	-				
		て	S	11	1				4(					
		6	5	12			2	15	42	1				
		1	5	77			1	10	43		-			
					1	al e			44					
0.1	0	0	0	8					45					
0.1	0.1	O	0	8	7 2 -	117		-	47			,		
		2	3	٩			2	S	Н8					
		5	25	10	191			_	49					
		7 7	10	12			1	5	50					
	ļ			in a market and a second			2	5	51					-
		3	10	13				حعر	52					
		2	10	15	-		3	5	53 54	1 1 1				
		1	10	16			1 2	10		1				
		11		17-			1	10	55 56	gily Åg det at til til	= 114 3 11			:
	-	1.8 A = 20		18.5	i de la		1	10	57				-	
			5	19.5			-		58		_			
				20.5					59					
				21	†		u ; = = 144	= 1 = -	60					
		1	Lo	22					61					
	1			22			SAC IA		61					
			=	24		- 1	)	(0	63					
				25				L. T	64					
				26			7	10	65					
J		1	10	27					66	1				
				28	1				67					
0				79					69					
		1	16	30	<del></del>	<b> </b>			69 70	+				
				31					71	1				
	i i lai	-	<del> </del>	32		<u> </u>	3	10	72	+			_	
	-	1	10	33	+	<del> </del>	4	10	73	1				
1	-		-	34			3	70	74					
<b> </b>	-			35 36		<del> </del>	1	15	74.5	1				
		-	(0	37	<del> </del>	<del>                                     </del>	<del>                                     </del>		1					
	-	1	+	38	1									
	s:													

Location (Regional Scale)		Date (YYYYMMD)	111	Observers (first initial & last name):	first initia	al & last na	ame):						Comments/Notes:	s/Notes:
6		70250211	7	SmcCus	Cry			7 7 8		Tem	Temperature profile			
Site (Study Plot)		Time (pit opened)	opened)	ろれつかれ	<b>2 4 4 5 4 4 5 4 4 5 6 1 1 1 1 1 1 1 1 1 1</b>					VIS	START	END		
OH=22		1320								722		1339		
Pit ID SITEYYYMMDD	Snow Depth (cm)	LWC Device & SN	& SN		UTME		UT	UTMN	Zone (two digit)	ଦ	PS device & uncertainty:	rtainty:		
42516 STOIL		212 1248 dis	8 9'S	0424438	438		245-4144	543	$\overline{\mathcal{L}}$		GARMIN 685	1 66%		
Density		LWC	C	Temperature	ature				A CONTRACTOR OF THE PROPERTY O	- V 0	St	Stratigraphy		
Height above Density ground profile A	Density Extra profile B Density	Permittivity profile A profile B		Height above ground	7	Height above ground	above	Gra	Grain Size (mm)		7.		Manual	Stratigraphy Comments
top - bottom kg/m3 (cm) (cm)	kg/m3 kg/m3	(unitless)	(unitless)	(cm)	ဂိ	top -	bottom (cm)	Max	Min Avg		уре	Hardness	wemess	,
1 - 6	10 135	1 500	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	· 5£	7	x  a	ò		e di	- 1		7	¥	
64 -60.6 3.4	10.5 309			र	3.13	5k	T	0.8 0.3	30,5	Fligh	F.	7	121	
6 - 36.2 24.4	OHS 2.85				-2.5	- 1	ú	0	5	-10-1		7	J	large clomps coust
ک	152 Bh			63	7H.S	67	0	0.0	(	74.11		7	¥	
15.4 - 6 15.4	75 JZH			60 -	5.5		20		(بر	- 1		1h	4)	
•		5.89	7).1	50	-8-	0)		Ŏ.		S COXX			ţ	
941 - 64 146	169		4.85	40	73	ري ري	Ĭ	?	<u>.</u>	フト・ト		П	9	
972 hs - h9	206	42.8	54.1	30	-1.5	,				0	-		+	
137	237	43.0	76.0	E	<u>`</u>	4	о Э			2		tı	サー	2095
44 - 34 248	245	434	45.7	4	-			-	-		ii _		*	Showshows
912 h2- h2	115	6	37.2	10	-0.5		= 1 <u>1</u>				<u>.</u>			
	246 260		26.3	0	0				-					
14 -04 132	160	14.5	16.2		1 24		T = 10						1	*
- AP (AP)	21 LE	10 1 E								2 E			li,	
•		* ·								<u></u>				
	- 1 - T						The second			1 2 1	la.			
					- L			,			= 10			
	-									-	E 1	9		
- 10			pl a											
						TE.			15.1				E I E E	
				i seri										
											14 .			
							=7 d		_				1	

. .