Line wrap

```
<!DOCTYPE html>




<link rel="stylesheet" href=https://waph-phung.github.io/style1.css>
<div class="container wrapper">
  <div id="top"><!--put any top content between here-->




  </div>
  <div class="wrapper">
    <div id="menuebar">
      <!--put any content as a menu between here-->
    </div>
    <div id="main">
      <!--put any main content between here-->
    </div>
  </div>
</div>

<html>
<head>
  <!-- Google tag (gtag.js) -->
<script async src="https://www.googletagmanager.com/gtag/js?id=G-JKKWH4Q2RX"></script>
<script>
  window.dataLayer = window.dataLayer || [];
  function gtag(){dataLayer.push(arguments);}
  gtag('js', new Date());

  gtag('config', 'G-JKKWH4Q2RX');
</script>
<meta charset="utf-8">
<title>WAPH-Connor Monaghan Student</title>
<style>
  .button{
    background-color: #4CAF50;/*Green*/
    border: none;
    color: white;
    padding: 5px;
    text-align: center;
    text-decoration: none;
    display: inline-block;
    font-size: 12px;
    margin: 4px 2px;
    cursor: pointer;
  }
  .round {border-radius: 8px;}
  #response{background-color: #ff9800;}/*Orange*/
</style>

</head>
<body>
<div id="top">
  <h1>Web Application Programming and Hacking</h1>
  <h2>Front-end Web Development Lab</h2>
  <h3>Instructor: Dr. Phu Phung</h3>
</div>
<div id="menubar">
  <h3>Student: Connor Monaghan</h3>

    <div id="email" onclick="showhideEmail()">Show my email</div>
  <img src="headshot.png" alt="My Headshot" width="50">
</div>

<div id="main">
  <p>A simple HTML page </p>
  Using the <a href="https://www.w3schools.com/html"> W3Schools template</a>
  <hr>
</body>
</html>

<div id="Course_Overviews">
  <h3>Lab1</h3>
  <p>This lab shows how to use wireshark to analyze incoming and leaving messages on a network, specifically HTTP messages. This lab also teaches how u
  <h3>Lab2</h3>
  <p>In this lab, we experimented with different html tags such as &lt;div&gt;, &lt;a&gt;, and &lt;br&gt;. We also learned how to insert images using &
  <h3>Hackathon</h3>
  <p>In this hackathon, I hacked 6 levels of different websites to input a code snippet to show an
  alert. The websites used techniques such as filtering to remove the &lt;script&gt; tag and
  different techniques of inputting the data such as GET or POST. For levels 2-6, I have
  guessed what the source code may look like in order to make hacking it more difficult.
  Then, I modified my echo.php program and my waph-monaghan.html file to include input
```

```
  validation and encoding. Screenshots showing the GitHub merges are at the bottom. This
  lab taught me how easy it can be for hackers to hack a website if it isn’t secured properly.
  Now, I know how to secure my sites a little bit better from injection type attacks</p>
  <h3>Individual Project</h3>
  <p>This individual project is a public portfolio designed to showcase my skills and experience to potential employers. In addition to serving as my r
</div>




<script src="https://code.jquery.com/jquery-4.0.0.min.js" integrity="sha256-OaVG6prZf4v69dPg6PhVattBXkcOWQB62pdZ3ORyrao=" crossorigin="anonymous"></scr

<script>
  function jQueryAjaxPost() {
  var input = $("#data").val();
  if (input.length == 0) return;
  if (!isValidInput(input)) {
        $("#response").text("Invalid characters in input.");
        return;
    }
  $.post("echo.php", {data: input},
    function( result ) {
      $("#response").text("Response from server:" + result);
    }
  );
  $("#data").val("");
}
</script>

<script>
  async function guessAge(name){
    const nameRegex = /^[a-zA-Z\s]+$/;
    if (!nameRegex.test(name)) {
        $("#response").text("Please enter a valid name.");
        return;
    }
    const safeName = encodeURIComponent(name);
    const response = await fetch("https://api.agify.io/?name="+safeName);
    const result = await response.json();
    $("#response" ).text("Hi " + name + ", your age should be " + result.age);
  }
</script>

<script>
  function jQueryAjaxGET() {
  var input = $("#data").val();
  if (input.length == 0) return;
  if (!isValidInput(input)) {
          $("#response").text("Invalid characters in input.");
          return;
      }
  var safeInput = encodeURIComponent(input);
  $.get("echo.php?data="+input,
    function( result ) {
      $("#response").text("Response from server:" + result);
    }
  );
  $("#data").val("");
}
</script>


<script>

    $.get("https://v2.jokeapi.dev/joke/Programming?type=single",
      function(result) {
    console.log("From jokeAPI: " + JSON.stringify(result));
    $("#response").text("A Programming joke of the day: " + result.joke)
})


</script>
<script>

    $.get("http://api.weatherstack.com/current?access_key=ca1ffd0b84695483822e5c0c8ac1d5c0&query=New York",
    function(result) {
    const location = result.location.name;
    const temp = result.current.temperature;
    const description = result.current.weather_descriptions[0];

    $("#response").html(`
        <p><strong>Location:</strong> ${location}</p>
        <p><strong>Temperature:</strong> ${temp}°C</p>
        <p><strong>Conditions:</strong> ${description}</p>
    `);

```

```
</script>

<script>
  function getEcho(){
  var input = document.getElementById("data").value;
  if (input.length == 0){
    console.log("Input was empty");
    return;
  }
  const regex = /^[a-zA-Z0-9\s.,!?]+$/;
    if (!regex.test(input)) {
        document.getElementById("response").innerText = "Invalid input.";
        return;
    }
  var xhttp = new XMLHttpRequest();
  xhttp.onreadystatechange = function(){
    if (this.readyState == 4 && this.status == 200){
      console.log("Received data="+xhttp.responseText);
      document.getElementById("response").innerText="Response from server:" + xhttp.responseText;
      //code to show the data
    }
  }
  var safeInput = encodeURIComponent(input);
  xhttp.open("GET", "echo.php?data="+safeInput, true);
  //code to create an Ajax request
  xhttp.send();
  document.getElementById("data").value="";
}
</script>


<script src="https://waph-phung.github.io/clock.js"></script>
<script>
  var canvas = document.getElementById("analog-clock");
  var ctx = canvas.getContext("2d");
  var radius = canvas.height / 2;
  ctx.translate(radius, radius);
  radius = radius * 0.90;
  setInterval(drawClock, 1000);
  function drawClock() {
    drawFace(ctx, radius);
    drawNumbers(ctx, radius);
    drawTime(ctx, radius);
  }
</script>

<script>
function displayTime(){
  document.getElementById('digit-clock').innerHTML = "Current Time: " + new Date();
}
setInterval(displayTime, 500);
</script>

<script src="email.js"></script>

<script>


  function isValidInput(input) {
    const regex = /^[a-zA-Z0-9\s.,!?]+$/;
    return regex.test(input) && input.length <= 100;
  }



</script>
```