

Line wrap ☐

```
1 <!DOCTYPE html>
2
3
4
5
6 <link rel="stylesheet" href=https://waph-phung.github.io/style1.css>
7 <div class="container wrapper">
8   <div id="top"><!--put any top content between here-->
9
10
11
12
13 </div>
14 <div class="wrapper">
15   <div id="menuebar">
16     <!--put any content as a menu between here-->
17   </div>
18   <div id="main">
19     <!--put any main content between here-->
20   </div>
21 </div>
22 </div>
23
24 <html>
25 <head>
26   <!-- Google tag (gtag.js) -->
27   <script async src=https://www.googletagmanager.com/gtag/js?id=G-JKKWH4Q2RX></script>
28   <script>
29     window.dataLayer = window.dataLayer || [];
30     function gtag(){dataLayer.push(arguments);}
31     gtag('js', new Date());
32
33     gtag('config', 'G-JKKWH4Q2RX');
34   </script>
35
36   <meta charset="utf-8">
37   <title>WAPH-Connor Monaghan Student</title>
38   <style>
39     .button{
40       background-color: #4CAF50;/*Green*/
41       border: none;
42       color: white;
43       padding: 5px;
44       text-align: center;
45       text-decoration: none;
46       display: inline-block;
47       font-size: 12px;
48       margin: 4px 2px;
49       cursor: pointer;
50     }
51     .round {border-radius: 8px;}
52     #response{background-color: #ff9800;/*Orange*/
53   </style>
54 </head>
55 <body>
56 <div id="top">
57   <h1>Web Application Programming and Hacking</h1>
58   <h2>Front-end Web Development Lab</h2>
59   <h3>Instructor: Dr. Phu Phung</h3>
60 </div>
61 <div id="menubar">
62   <h3>Student: Connor Monaghan</h3>
63
64   <div id="email" onclick="showhideEmail()">Show my email</div>
65   
66 </div>
67
68 <div id="main">
69   <p>A simple HTML page </p>
70   Using the <a href=https://www.w3schools.com/html> W3Schools template</a>
71   <hr>
72   <script src=https://code.jquery.com/jquery-4.0.0.min.js integrity=sha256-OaVg6prZf4v69dPg6PhVattBXkc0WQB62pdZ30Ryao= crossorigin="anonymous"></script>
73   <script>
74     $.get("https://api.weatherstack.com/current?access_key=ca1ffd0b84695483822e5c0c8ac1d5c0&query=Cincinnati&units=f", function(result) {
75       // Fixed the missing parenthesis on this line
76       console.log(JSON.stringify(result));
77
78       // Extract specific details from the API response
79       const location = result.location.name;
80       const temp = result.current.temperature;
81       const description = result.current.weather_descriptions[0];
82
83       // Format it neatly and display it inside the #response div
84       $("#response").html(`
85         <p><strong>Location:</strong> ${location}</p>
```

```

86         <p><strong>Temperature:</strong> ${temp}°f</p>
87         <p><strong>Conditions:</strong> ${description}</p>
88     `);
89     });
90 </script>
91 <div id=response></div>
92 </body>
93 </html>
94
95 <div id="Tasks">
96   <div id="digit-clock"></div>
97
98   <canvas id="analog-clock" width="150" height="150" style="background-color:#999"></canvas>
99
100   <div id="joke"></div>
101 </div>
102
103
104
105 <script src="https://code.jquery.com/jquery-4.0.0.min.js" integrity="sha256-0aVG6prZf4v69dPg6PhVattBXkc0WQB62pdZ30Ryao=" crossorigin="anonymous"></scr
106
107
108
109 <script>
110   async function guessAge(name){
111     const nameRegex = /^[a-zA-Z\s]+$/;
112     if (!nameRegex.test(name)) {
113       $("#response").text("Please enter a valid name.");
114       return;
115     }
116     const safeName = encodeURIComponent(name);
117     const response = await fetch("https://api.agify.io/?name="+safeName);
118     const result = await response.json();
119     $("#response" ).text("Hi " + name + ", your age should be " + result.age);
120   }
121 </script>
122
123
124
125
126 <div id="joke"></div>
127 <script>
128   function getjoke(){
129     $.get("https://v2.jokeapi.dev/joke/Any?type=single",
130     function(result) {
131       $("#joke").text("Joke of the minute!: " + result.joke)
132     })
133   }
134   getjoke();
135   setInterval(getjoke(), 60000);
136
137   document.getElementById('joke').innerHTML = getjoke();
138
139 </script>
140
141 <div id="comic-container">
142   <h2 id="comic-title"></h2>
143   <img id="comic-image" src="" alt="Loading comic...">
144   <p id="comic-alt"></p>
145 </div>
146
147 <script src="https://code.jquery.com/jquery-3.7.1.min.js"></script>
148 <script>
149   const xkcdApi = "https://corsproxy.io/?https://xkcd.com/info.0.json";
150
151   $.getJSON(xkcdApi, function(data) {
152     $("#comic-title").text(data.title);
153     $("#comic-image").attr("src", data.img);
154     $("#comic-image").attr("alt", data.alt);
155     $("#comic-alt").text(data.alt);
156   }).fail(function() {
157     console.log("Error: Could not load the XKCD comic.");
158   });
159 </script>
160
161
162
163 <script src="https://waph-phung.github.io/clock.js"></script>
164 <script>
165   var canvas = document.getElementById("analog-clock");
166   var ctx = canvas.getContext("2d");
167   var radius = canvas.height / 2;
168   ctx.translate(radius, radius);
169   radius = radius * 0.90;
170   setInterval(drawClock, 1000);
171   function drawClock() {

```

```
172     drawFace(ctx, radius);
173     drawNumbers(ctx, radius);
174     drawTime(ctx, radius);
175 }
176 </script>
177
178 <script>
179 function displayTime(){
180     document.getElementById('digit-clock').innerHTML = "Current Time: " + new Date();
181 }
182 setInterval(displayTime, 500);
183 </script>
184
185 <script src="email.js"></script>
186
187
188
189
```