

| Functions | Model | Endpoint | Dose | CAS Number |
|-----------------|---------|------------------|-----------|-------------|
| Ecological risk | Mammals | LD ₅₀ | 2650mg/kg | 100-42-5 |
| Ecological risk | Mammals | LD ₅₀ | 1300mg/kg | 100-52-7 |
| Ecological risk | Mammals | LD ₅₀ | 1780mg/kg | 1003-11-8 |
| Ecological risk | Mammals | LD ₅₀ | 980mg/kg | 100751-82-4 |
| Ecological risk | Mammals | LD ₅₀ | 3730mg/kg | 10099-73-7 |
| Ecological risk | Mammals | LD ₅₀ | 2700mg/kg | 101-05-3 |
| Ecological risk | Mammals | LD ₅₀ | 527mg/kg | 101-27-9 |
| Ecological risk | Mammals | LD ₅₀ | 590mg/kg | 101-37-1 |
| Ecological risk | Mammals | LD ₅₀ | 1525mg/kg | 1012-71-1 |
| Ecological risk | Mammals | LD ₅₀ | 1390mg/kg | 1014-69-3 |
| Ecological risk | Mammals | LD ₅₀ | 860mg/kg | 101692-44-8 |
| Ecological risk | Mammals | LD ₅₀ | 580mg/kg | 102-27-2 |
| Ecological risk | Mammals | LD ₅₀ | 730mg/kg | 102-30-7 |
| Ecological risk | Mammals | LD ₅₀ | 100mg/kg | 1020-84-4 |
| Ecological risk | Mammals | LD ₅₀ | 4230mg/kg | 102070-98-4 |
| Ecological risk | Mammals | LD ₅₀ | 1700mg/kg | 102395-06-2 |
| Ecological risk | Mammals | LD ₅₀ | 765mg/kg | 102583-52-8 |
| Ecological risk | Mammals | LD ₅₀ | 800mg/kg | 103-71-9 |
| Ecological risk | Mammals | LD ₅₀ | 1944mg/kg | 103-90-2 |
| Ecological risk | Mammals | LD ₅₀ | 1600mg/kg | 10347-54-3 |
| Ecological risk | Mammals | LD ₅₀ | 760mg/kg | 10347-81-6 |
| Ecological risk | Mammals | LD ₅₀ | 550mg/kg | 104-78-9 |
| Ecological risk | Mammals | LD ₅₀ | 763mg/kg | 10402-53-6 |
| Ecological risk | Mammals | LD ₅₀ | 700mg/kg | 10433-59-7 |

| | | | | |
|-----------------|---------|------------------|------------|-------------|
| Ecological risk | Mammals | LD ₅₀ | 350mg/kg | 10436-39-2 |
| Ecological risk | Mammals | LD ₅₀ | 1244mg/kg | 10453-86-8 |
| Ecological risk | Mammals | LD ₅₀ | 154mg/kg | 104606-13-5 |
| Ecological risk | Mammals | LD ₅₀ | 5700mg/kg | 104639-44-3 |
| Ecological risk | Mammals | LD ₅₀ | 10200mg/kg | 104639-58-9 |
| Ecological risk | Mammals | LD ₅₀ | 483mg/kg | 104719-71-3 |
| Ecological risk | Mammals | LD ₅₀ | 464mg/kg | 105-11-3 |
| Ecological risk | Mammals | LD ₅₀ | 180mg/kg | 105-39-5 |
| Ecological risk | Mammals | LD ₅₀ | 1210mg/kg | 105-60-2 |
| Ecological risk | Mammals | LD ₅₀ | 3200mg/kg | 105-67-9 |
| Ecological risk | Mammals | LD ₅₀ | 760mg/kg | 1050-48-2 |
| Ecological risk | Mammals | LD ₅₀ | 1887mg/kg | 10535-87-2 |
| Ecological risk | Mammals | LD ₅₀ | 400mg/kg | 105394-80-7 |
| Ecological risk | Mammals | LD ₅₀ | 1500mg/kg | 1057-81-4 |
| Ecological risk | Mammals | LD ₅₀ | 500mg/kg | 106-46-7 |
| Ecological risk | Mammals | LD ₅₀ | 300mg/kg | 106-47-8 |
| Ecological risk | Mammals | LD ₅₀ | 670mg/kg | 106-48-9 |
| Ecological risk | Mammals | LD ₅₀ | 130mg/kg | 106-51-4 |
| Ecological risk | Mammals | LD ₅₀ | 500mg/kg | 106-88-7 |
| Ecological risk | Mammals | LD ₅₀ | 90mg/kg | 106-89-8 |
| Ecological risk | Mammals | LD ₅₀ | 500mg/kg | 106-91-2 |
| Ecological risk | Mammals | LD ₅₀ | 1600mg/kg | 106-92-3 |
| Ecological risk | Mammals | LD ₅₀ | 108mg/kg | 106-93-4 |
| Ecological risk | Mammals | LD ₅₀ | 120mg/kg | 106-95-6 |
| Ecological risk | Mammals | LD ₅₀ | 6400mg/kg | 10605-21-7 |

| | | | | |
|-----------------|---------|------------------|-----------|-------------|
| Ecological risk | Mammals | LD ₅₀ | 1200mg/kg | 106498-99-1 |
| Ecological risk | Mammals | LD ₅₀ | 460mg/kg | 107-05-1 |
| Ecological risk | Mammals | LD ₅₀ | 71mg/kg | 107-07-3 |
| Ecological risk | Mammals | LD ₅₀ | 370mg/kg | 107-10-8 |
| Ecological risk | Mammals | LD ₅₀ | 102mg/kg | 107-11-9 |
| Ecological risk | Mammals | LD ₅₀ | 39mg/kg | 107-12-0 |
| Ecological risk | Mammals | LD ₅₀ | 78mg/kg | 107-13-1 |
| Ecological risk | Mammals | LD ₅₀ | 1200mg/kg | 107-15-3 |
| Ecological risk | Mammals | LD ₅₀ | 64mg/kg | 107-18-6 |
| Ecological risk | Mammals | LD ₅₀ | 20mg/kg | 107-19-7 |
| Ecological risk | Mammals | LD ₅₀ | 40mg/kg | 107-27-7 |
| Ecological risk | Mammals | LD ₅₀ | 3700mg/kg | 107-41-5 |
| Ecological risk | Mammals | LD ₅₀ | 6800mg/kg | 1070-11-7 |
| Ecological risk | Mammals | LD ₅₀ | 350mg/kg | 107007-99-8 |
| Ecological risk | Mammals | LD ₅₀ | 441mg/kg | 1071-98-3 |
| Ecological risk | Mammals | LD ₅₀ | 7375mg/kg | 107667-60-7 |
| Ecological risk | Mammals | LD ₅₀ | 70mg/kg | 1079-33-0 |
| Ecological risk | Mammals | LD ₅₀ | 455mg/kg | 108-03-2 |
| Ecological risk | Mammals | LD ₅₀ | 1070mg/kg | 108-23-6 |
| Ecological risk | Mammals | LD ₅₀ | 242mg/kg | 108-39-4 |
| Ecological risk | Mammals | LD ₅₀ | 240mg/kg | 108-60-1 |
| Ecological risk | Mammals | LD ₅₀ | 608mg/kg | 108-68-9 |
| Ecological risk | Mammals | LD ₅₀ | 500mg/kg | 1085-98-9 |
| Ecological risk | Mammals | LD ₅₀ | 2400mg/kg | 108766-18-3 |
| Ecological risk | Mammals | LD ₅₀ | 1960mg/kg | 109-02-4 |

| | | | | |
|-----------------|---------|------------------|-----------|-------------|
| Ecological risk | Mammals | LD ₅₀ | 366mg/kg | 109-73-9 |
| Ecological risk | Mammals | LD ₅₀ | 50mg/kg | 109-74-0 |
| Ecological risk | Mammals | LD ₅₀ | 14mg/kg | 109-77-3 |
| Ecological risk | Mammals | LD ₅₀ | 540mg/kg | 109-89-7 |
| Ecological risk | Mammals | LD ₅₀ | 30mg/kg | 1095-90-5 |
| Ecological risk | Mammals | LD ₅₀ | 134mg/kg | 109581-93-3 |
| Ecological risk | Mammals | LD ₅₀ | 3500mg/kg | 1097-57-0 |
| Ecological risk | Mammals | LD ₅₀ | 1400mg/kg | 110-02-1 |
| Ecological risk | Mammals | LD ₅₀ | 400mg/kg | 110-89-4 |
| Ecological risk | Mammals | LD ₅₀ | 649mg/kg | 11006-33-0 |
| Ecological risk | Mammals | LD ₅₀ | 2700mg/kg | 11096-18-7 |
| Ecological risk | Mammals | LD ₅₀ | 600mg/kg | 111-36-4 |
| Ecological risk | Mammals | LD ₅₀ | 75mg/kg | 111-44-4 |
| Ecological risk | Mammals | LD ₅₀ | 155mg/kg | 111-69-3 |
| Ecological risk | Mammals | LD ₅₀ | 500mg/kg | 111-70-6 |
| Ecological risk | Mammals | LD ₅₀ | 800mg/kg | 111038-47-2 |
| Ecological risk | Mammals | LD ₅₀ | 2390mg/kg | 11121-08-7 |
| Ecological risk | Mammals | LD ₅₀ | 30mg/kg | 1113-02-6 |
| Ecological risk | Mammals | LD ₅₀ | 300mg/kg | 1113-10-6 |
| Ecological risk | Mammals | LD ₅₀ | 7430mg/kg | 11138-58-2 |
| Ecological risk | Mammals | LD ₅₀ | 921mg/kg | 1114-71-2 |
| Ecological risk | Mammals | LD ₅₀ | 393mg/kg | 111470-99-6 |
| Ecological risk | Mammals | LD ₅₀ | 337mg/kg | 111753-73-2 |
| Ecological risk | Mammals | LD ₅₀ | 107mg/kg | 1124-33-0 |
| Ecological risk | Mammals | LD ₅₀ | 1705mg/kg | 112627-59-5 |

| | | | | |
|-----------------|---------|------------------|------------|-------------|
| Ecological risk | Mammals | LD ₅₀ | 2800mg/kg | 113-48-4 |
| Ecological risk | Mammals | LD ₅₀ | 450mg/kg | 113-53-1 |
| Ecological risk | Mammals | LD ₅₀ | 18100mg/kg | 113189-70-1 |
| Ecological risk | Mammals | LD ₅₀ | 1678mg/kg | 1134-23-2 |
| Ecological risk | Mammals | LD ₅₀ | 51mg/kg | 114-80-7 |
| Ecological risk | Mammals | LD ₅₀ | 620mg/kg | 1147-62-2 |
| Ecological risk | Mammals | LD ₅₀ | 1950mg/kg | 115-19-5 |
| Ecological risk | Mammals | LD ₅₀ | 1330mg/kg | 115-21-9 |
| Ecological risk | Mammals | LD ₅₀ | 18mg/kg | 115-29-7 |
| Ecological risk | Mammals | LD ₅₀ | 575mg/kg | 115-32-2 |
| Ecological risk | Mammals | LD ₅₀ | 160mg/kg | 115-93-5 |
| Ecological risk | Mammals | LD ₅₀ | 13200mg/kg | 117-97-5 |
| Ecological risk | Mammals | LD ₅₀ | 49mg/kg | 118-68-3 |
| Ecological risk | Mammals | LD ₅₀ | 27mg/kg | 1186-09-0 |
| Ecological risk | Mammals | LD ₅₀ | 424mg/kg | 119-12-0 |
| Ecological risk | Mammals | LD ₅₀ | 595mg/kg | 119168-77-3 |
| Ecological risk | Mammals | LD ₅₀ | 1453mg/kg | 119446-68-3 |
| Ecological risk | Mammals | LD ₅₀ | 980mg/kg | 120-07-0 |
| Ecological risk | Mammals | LD ₅₀ | 1700mg/kg | 120-32-1 |
| Ecological risk | Mammals | LD ₅₀ | 2700mg/kg | 120-57-0 |
| Ecological risk | Mammals | LD ₅₀ | 756mg/kg | 120-82-1 |
| Ecological risk | Mammals | LD ₅₀ | 520mg/kg | 1203-24-3 |
| Ecological risk | Mammals | LD ₅₀ | 8500mg/kg | 12071-83-9 |
| Ecological risk | Mammals | LD ₅₀ | 136mg/kg | 120928-09-8 |
| Ecological risk | Mammals | LD ₅₀ | 1075mg/kg | 121-17-5 |

| | | | | |
|-----------------|---------|------------------|-------------|-------------|
| Ecological risk | Mammals | LD ₅₀ | 1137mg/kg | 121530-58-3 |
| Ecological risk | Mammals | LD ₅₀ | 250mg/kg | 122-14-5 |
| Ecological risk | Mammals | LD ₅₀ | 3600mg/kg | 122188-46-9 |
| Ecological risk | Mammals | LD ₅₀ | 8680mg/kg | 12219-87-3 |
| Ecological risk | Mammals | LD ₅₀ | 2080mg/kg | 12229-51-5 |
| Ecological risk | Mammals | LD ₅₀ | 1040mg/kg | 1223-36-5 |
| Ecological risk | Mammals | LD ₅₀ | 460mg/kg | 1229-69-2 |
| Ecological risk | Mammals | LD ₅₀ | 375mg/kg | 123-30-8 |
| Ecological risk | Mammals | LD ₅₀ | 300mg/kg | 123-75-1 |
| Ecological risk | Mammals | LD ₅₀ | > 6400mg/kg | 123-77-3 |
| Ecological risk | Mammals | LD ₅₀ | 1200mg/kg | 12379-49-6 |
| Ecological risk | Mammals | LD ₅₀ | 698mg/kg | 124-40-3 |
| Ecological risk | Mammals | LD ₅₀ | 370mg/kg | 124-48-1 |
| Ecological risk | Mammals | LD ₅₀ | 50mg/kg | 124-63-0 |
| Ecological risk | Mammals | LD ₅₀ | 208mg/kg | 12407-86-2 |
| Ecological risk | Mammals | LD ₅₀ | 1500mg/kg | 125-33-7 |
| Ecological risk | Mammals | LD ₅₀ | 584mg/kg | 125-73-5 |
| Ecological risk | Mammals | LD ₅₀ | 4978mg/kg | 126-17-0 |
| Ecological risk | Mammals | LD ₅₀ | 450mg/kg | 126-99-8 |
| Ecological risk | Mammals | LD ₅₀ | 1640mg/kg | 12646-25-2 |
| Ecological risk | Mammals | LD ₅₀ | 61mg/kg | 127-21-9 |
| Ecological risk | Mammals | LD ₅₀ | 500mg/kg | 127-59-3 |
| Ecological risk | Mammals | LD ₅₀ | 2700mg/kg | 129-00-0 |
| Ecological risk | Mammals | LD ₅₀ | 200mg/kg | 129-49-7 |
| Ecological risk | Mammals | LD ₅₀ | 1060mg/kg | 130-61-0 |

| | | | | |
|-----------------|---------|------------------|--------------|-------------|
| Ecological risk | Mammals | LD ₅₀ | 1290mg/kg | 13001-46-2 |
| Ecological risk | Mammals | LD ₅₀ | 500mg/kg | 1301-19-5 |
| Ecological risk | Mammals | LD ₅₀ | 70mg/kg | 13010-47-4 |
| Ecological risk | Mammals | LD ₅₀ | 566mg/kg | 13047-13-7 |
| Ecological risk | Mammals | LD ₅₀ | 860mg/kg | 13055-76-0 |
| Ecological risk | Mammals | LD ₅₀ | 638mg/kg | 13080-06-3 |
| Ecological risk | Mammals | LD ₅₀ | 126mg/kg | 131-52-2 |
| Ecological risk | Mammals | LD ₅₀ | 65mg/kg | 131-89-5 |
| Ecological risk | Mammals | LD ₅₀ | 225mg/kg | 13104-21-7 |
| Ecological risk | Mammals | LD ₅₀ | 8mg/kg | 13171-21-6 |
| Ecological risk | Mammals | LD ₅₀ | 1100mg/kg | 13181-17-4 |
| Ecological risk | Mammals | LD ₅₀ | 740mg/kg | 132-69-4 |
| Ecological risk | Mammals | LD ₅₀ | > 1040mg/kg | 132-98-9 |
| Ecological risk | Mammals | LD ₅₀ | 455mg/kg | 13221-27-7 |
| Ecological risk | Mammals | LD ₅₀ | 374mg/kg | 132449-89-9 |
| Ecological risk | Mammals | LD ₅₀ | 320mg/kg | 1328-90-1 |
| Ecological risk | Mammals | LD ₅₀ | 1570mg/kg | 13292-46-1 |
| Ecological risk | Mammals | LD ₅₀ | > 15400mg/kg | 1333-86-4 |
| Ecological risk | Mammals | LD ₅₀ | 549mg/kg | 13331-81-2 |
| Ecological risk | Mammals | LD ₅₀ | 3800mg/kg | 1335-47-3 |
| Ecological risk | Mammals | LD ₅₀ | 2630mg/kg | 13356-08-6 |
| Ecological risk | Mammals | LD ₅₀ | 404mg/kg | 134-72-5 |
| Ecological risk | Mammals | LD ₅₀ | 136mg/kg | 134169-75-8 |
| Ecological risk | Mammals | LD ₅₀ | 218mg/kg | 13457-18-6 |
| Ecological risk | Mammals | LD ₅₀ | 199mg/kg | 135-20-6 |

| | | | | |
|-----------------|---------|------------------|-----------|-------------|
| Ecological risk | Mammals | LD ₅₀ | 550mg/kg | 13547-70-1 |
| Ecological risk | Mammals | LD ₅₀ | 26mg/kg | 13593-03-8 |
| Ecological risk | Mammals | LD ₅₀ | 560mg/kg | 137-26-8 |
| Ecological risk | Mammals | LD ₅₀ | 267mg/kg | 137-30-4 |
| Ecological risk | Mammals | LD ₅₀ | 450mg/kg | 137-42-8 |
| Ecological risk | Mammals | LD ₅₀ | 590mg/kg | 13707-88-5 |
| Ecological risk | Mammals | LD ₅₀ | 72mg/kg | 13764-49-3 |
| Ecological risk | Mammals | LD ₅₀ | 675mg/kg | 13930-31-9 |
| Ecological risk | Mammals | LD ₅₀ | 1100mg/kg | 13978-70-6 |
| Ecological risk | Mammals | LD ₅₀ | 12mg/kg | 139886-03-6 |
| Ecological risk | Mammals | LD ₅₀ | 6600mg/kg | 1403-66-3 |
| Ecological risk | Mammals | LD ₅₀ | 600mg/kg | 141-00-4 |
| Ecological risk | Mammals | LD ₅₀ | > 50mg/kg | 141-30-0 |
| Ecological risk | Mammals | LD ₅₀ | 13mg/kg | 141-66-2 |
| Ecological risk | Mammals | LD ₅₀ | 500mg/kg | 142-19-8 |
| Ecological risk | Mammals | LD ₅₀ | 426mg/kg | 142-22-3 |
| Ecological risk | Mammals | LD ₅₀ | 395mg/kg | 142-59-6 |
| Ecological risk | Mammals | LD ₅₀ | 501mg/kg | 142-71-2 |
| Ecological risk | Mammals | LD ₅₀ | 300mg/kg | 142-84-7 |
| Ecological risk | Mammals | LD ₅₀ | 83mg/kg | 1420-06-0 |
| Ecological risk | Mammals | LD ₅₀ | 430mg/kg | 1420-53-7 |
| Ecological risk | Mammals | LD ₅₀ | 1760mg/kg | 14205-39-1 |
| Ecological risk | Mammals | LD ₅₀ | 13mg/kg | 1421-68-7 |
| Ecological risk | Mammals | LD ₅₀ | 205mg/kg | 14211-01-9 |
| Ecological risk | Mammals | LD ₅₀ | 3100mg/kg | 1422-26-0 |

| | | | | |
|-----------------|---------|------------------|------------|-------------|
| Ecological risk | Mammals | LD ₅₀ | 240mg/kg | 14255-88-0 |
| Ecological risk | Mammals | LD ₅₀ | 375mg/kg | 143-71-5 |
| Ecological risk | Mammals | LD ₅₀ | 1100mg/kg | 143-98-6 |
| Ecological risk | Mammals | LD ₅₀ | > 600mg/kg | 143692-53-9 |
| Ecological risk | Mammals | LD ₅₀ | 3700mg/kg | 14436-50-1 |
| Ecological risk | Mammals | LD ₅₀ | 1072mg/kg | 14437-17-3 |
| Ecological risk | Mammals | LD ₅₀ | 710mg/kg | 1453-58-3 |
| Ecological risk | Mammals | LD ₅₀ | 20mg/kg | 145427-94-7 |
| Ecological risk | Mammals | LD ₅₀ | 138mg/kg | 1461-23-0 |
| Ecological risk | Mammals | LD ₅₀ | 1268mg/kg | 1461-25-2 |
| Ecological risk | Mammals | LD ₅₀ | 1100mg/kg | 14641-96-4 |
| Ecological risk | Mammals | LD ₅₀ | 52mg/kg | 1465-26-5 |
| Ecological risk | Mammals | LD ₅₀ | 3200mg/kg | 14652-09-6 |
| Ecological risk | Mammals | LD ₅₀ | 146mg/kg | 1467-79-4 |
| Ecological risk | Mammals | LD ₅₀ | 38mg/kg | 14734-96-4 |
| Ecological risk | Mammals | LD ₅₀ | 1500mg/kg | 148-18-5 |
| Ecological risk | Mammals | LD ₅₀ | 490mg/kg | 148-97-0 |
| Ecological risk | Mammals | LD ₅₀ | 315mg/kg | 14899-36-6 |
| Ecological risk | Mammals | LD ₅₀ | 270mg/kg | 14901-08-7 |
| Ecological risk | Mammals | LD ₅₀ | 70mg/kg | 1491-41-4 |
| Ecological risk | Mammals | LD ₅₀ | 1075mg/kg | 14915-37-8 |
| Ecological risk | Mammals | LD ₅₀ | 500mg/kg | 1492-02-0 |
| Ecological risk | Mammals | LD ₅₀ | > 100mg/kg | 149455-36-7 |
| Ecological risk | Mammals | LD ₅₀ | 220mg/kg | 1498-51-7 |
| Ecological risk | Mammals | LD ₅₀ | 900mg/kg | 1498-64-2 |

| | | | | |
|-----------------|---------|------------------|------------|-------------|
| Ecological risk | Mammals | LD ₅₀ | 597mg/kg | 150-19-6 |
| Ecological risk | Mammals | LD ₅₀ | 500mg/kg | 15037-61-3 |
| Ecological risk | Mammals | LD ₅₀ | 460mg/kg | 1508-65-2 |
| Ecological risk | Mammals | LD ₅₀ | 518mg/kg | 15148-80-8 |
| Ecological risk | Mammals | LD ₅₀ | 575mg/kg | 15263-30-6 |
| Ecological risk | Mammals | LD ₅₀ | 19mg/kg | 15271-41-7 |
| Ecological risk | Mammals | LD ₅₀ | 1490mg/kg | 154-41-6 |
| Ecological risk | Mammals | LD ₅₀ | 540mg/kg | 155-04-4 |
| Ecological risk | Mammals | LD ₅₀ | 48mg/kg | 15503-86-3 |
| Ecological risk | Mammals | LD ₅₀ | 79mg/kg | 15529-90-5 |
| Ecological risk | Mammals | LD ₅₀ | 1460mg/kg | 1553-34-0 |
| Ecological risk | Mammals | LD ₅₀ | 120mg/kg | 15546-16-4 |
| Ecological risk | Mammals | LD ₅₀ | 158mg/kg | 156-62-7 |
| Ecological risk | Mammals | LD ₅₀ | 261mg/kg | 15622-65-8 |
| Ecological risk | Mammals | LD ₅₀ | 5mg/kg | 1563-66-2 |
| Ecological risk | Mammals | LD ₅₀ | 760mg/kg | 1572-55-0 |
| Ecological risk | Mammals | LD ₅₀ | 1639mg/kg | 157309-20-1 |
| Ecological risk | Mammals | LD ₅₀ | 650mg/kg | 15823-89-9 |
| Ecological risk | Mammals | LD ₅₀ | 1435mg/kg | 15900-24-0 |
| Ecological risk | Mammals | LD ₅₀ | 930mg/kg | 15972-60-8 |
| Ecological risk | Mammals | LD ₅₀ | 3400mg/kg | 16066-38-9 |
| Ecological risk | Mammals | LD ₅₀ | 11000mg/kg | 16118-49-3 |
| Ecological risk | Mammals | LD ₅₀ | 200mg/kg | 1613-17-8 |
| Ecological risk | Mammals | LD ₅₀ | 2060mg/kg | 16154-78-2 |
| Ecological risk | Mammals | LD ₅₀ | 1639mg/kg | 161559-34-8 |

| | | | | |
|-----------------|---------|------------------|------------|------------|
| Ecological risk | Mammals | LD ₅₀ | 1200mg/kg | 1617-90-9 |
| Ecological risk | Mammals | LD ₅₀ | 600mg/kg | 16378-22-6 |
| Ecological risk | Mammals | LD ₅₀ | 1400mg/kg | 1642-54-2 |
| Ecological risk | Mammals | LD ₅₀ | 4450mg/kg | 16589-24-5 |
| Ecological risk | Mammals | LD ₅₀ | 3400mg/kg | 16672-87-0 |
| Ecological risk | Mammals | LD ₅₀ | 295mg/kg | 16709-30-1 |
| Ecological risk | Mammals | LD ₅₀ | 800mg/kg | 16726-46-8 |
| Ecological risk | Mammals | LD ₅₀ | 190mg/kg | 1689-84-5 |
| Ecological risk | Mammals | LD ₅₀ | 250mg/kg | 1689-99-2 |
| Ecological risk | Mammals | LD ₅₀ | 570mg/kg | 16971-82-7 |
| Ecological risk | Mammals | LD ₅₀ | 100mg/kg | 17090-79-8 |
| Ecological risk | Mammals | LD ₅₀ | 13500mg/kg | 17097-76-6 |
| Ecological risk | Mammals | LD ₅₀ | 100mg/kg | 17109-49-8 |
| Ecological risk | Mammals | LD ₅₀ | 600mg/kg | 17243-39-9 |
| Ecological risk | Mammals | LD ₅₀ | 410mg/kg | 17321-47-0 |
| Ecological risk | Mammals | LD ₅₀ | 914mg/kg | 17321-77-6 |
| Ecological risk | Mammals | LD ₅₀ | 789mg/kg | 17364-40-8 |
| Ecological risk | Mammals | LD ₅₀ | 716mg/kg | 17364-41-9 |
| Ecological risk | Mammals | LD ₅₀ | 1650mg/kg | 17369-59-4 |
| Ecological risk | Mammals | LD ₅₀ | 397mg/kg | 1743-13-1 |
| Ecological risk | Mammals | LD ₅₀ | 45mg/kg | 1744-22-5 |
| Ecological risk | Mammals | LD ₅₀ | 42mg/kg | 1757-18-2 |
| Ecological risk | Mammals | LD ₅₀ | 980mg/kg | 17617-23-1 |
| Ecological risk | Mammals | LD ₅₀ | 3600mg/kg | 17650-86-1 |
| Ecological risk | Mammals | LD ₅₀ | 150mg/kg | 1776-83-6 |

| | | | | |
|-----------------|---------|------------------|--------------|------------|
| Ecological risk | Mammals | LD ₅₀ | 650mg/kg | 17959-12-5 |
| Ecological risk | Mammals | LD ₅₀ | 740mg/kg | 1836-75-5 |
| Ecological risk | Mammals | LD ₅₀ | 8400mg/kg | 18472-87-2 |
| Ecological risk | Mammals | LD ₅₀ | 825mg/kg | 1863-63-4 |
| Ecological risk | Mammals | LD ₅₀ | > 2500mg/kg | 18691-97-9 |
| Ecological risk | Mammals | LD ₅₀ | 112mg/kg | 18854-01-8 |
| Ecological risk | Mammals | LD ₅₀ | 200mg/kg | 1888-94-4 |
| Ecological risk | Mammals | LD ₅₀ | 2300mg/kg | 18964-31-3 |
| Ecological risk | Mammals | LD ₅₀ | 1200mg/kg | 19010-79-8 |
| Ecological risk | Mammals | LD ₅₀ | 13958mg/kg | 19089-24-8 |
| Ecological risk | Mammals | LD ₅₀ | 4mg/kg | 1910-42-5 |
| Ecological risk | Mammals | LD ₅₀ | 594mg/kg | 1912-26-1 |
| Ecological risk | Mammals | LD ₅₀ | 1039mg/kg | 1918-00-9 |
| Ecological risk | Mammals | LD ₅₀ | 8200mg/kg | 1918-02-1 |
| Ecological risk | Mammals | LD ₅₀ | 3600mg/kg | 1918-08-7 |
| Ecological risk | Mammals | LD ₅₀ | > 34600mg/kg | 1918-11-2 |
| Ecological risk | Mammals | LD ₅₀ | 757mg/kg | 1918-13-4 |
| Ecological risk | Mammals | LD ₅₀ | 710mg/kg | 1918-16-7 |
| Ecological risk | Mammals | LD ₅₀ | 800mg/kg | 1920-05-4 |
| Ecological risk | Mammals | LD ₅₀ | 1220mg/kg | 19247-68-8 |
| Ecological risk | Mammals | LD ₅₀ | 1280mg/kg | 1929-88-0 |
| Ecological risk | Mammals | LD ₅₀ | 7600mg/kg | 1937-37-7 |
| Ecological risk | Mammals | LD ₅₀ | 14665mg/kg | 19396-06-6 |
| Ecological risk | Mammals | LD ₅₀ | 185mg/kg | 1943-27-7 |
| Ecological risk | Mammals | LD ₅₀ | 1600mg/kg | 1944-12-3 |

| | | | | |
|-----------------|---------|------------------|-------------|------------|
| Ecological risk | Mammals | LD ₅₀ | 38100mg/kg | 1949-45-7 |
| Ecological risk | Mammals | LD ₅₀ | 1300mg/kg | 1953-02-2 |
| Ecological risk | Mammals | LD ₅₀ | 1470mg/kg | 1955-45-9 |
| Ecological risk | Mammals | LD ₅₀ | 2560mg/kg | 19610-37-8 |
| Ecological risk | Mammals | LD ₅₀ | > 2500mg/kg | 19683-09-1 |
| Ecological risk | Mammals | LD ₅₀ | 666mg/kg | 1972-08-3 |
| Ecological risk | Mammals | LD ₅₀ | 225mg/kg | 19750-95-9 |
| Ecological risk | Mammals | LD ₅₀ | 660mg/kg | 1977-11-3 |
| Ecological risk | Mammals | LD ₅₀ | 1200mg/kg | 1982-42-9 |
| Ecological risk | Mammals | LD ₅₀ | 13800mg/kg | 1990-07-4 |
| Ecological risk | Mammals | LD ₅₀ | 7061mg/kg | 20123-80-2 |
| Ecological risk | Mammals | LD ₅₀ | 900mg/kg | 20168-99-4 |
| Ecological risk | Mammals | LD ₅₀ | 600mg/kg | 20206-80-8 |
| Ecological risk | Mammals | LD ₅₀ | 507mg/kg | 20228-27-7 |
| Ecological risk | Mammals | LD ₅₀ | 3100mg/kg | 20231-45-2 |
| Ecological risk | Mammals | LD ₅₀ | 30mg/kg | 2032-59-9 |
| Ecological risk | Mammals | LD ₅₀ | 20mg/kg | 2032-65-7 |
| Ecological risk | Mammals | LD ₅₀ | 570mg/kg | 20344-15-4 |
| Ecological risk | Mammals | LD ₅₀ | > 7200mg/kg | 20424-00-4 |
| Ecological risk | Mammals | LD ₅₀ | 590mg/kg | 20562-02-1 |
| Ecological risk | Mammals | LD ₅₀ | 1100mg/kg | 2062-78-4 |
| Ecological risk | Mammals | LD ₅₀ | 3420mg/kg | 20627-73-0 |
| Ecological risk | Mammals | LD ₅₀ | 1139mg/kg | 20684-06-4 |
| Ecological risk | Mammals | LD ₅₀ | 2037mg/kg | 20724-76-9 |
| Ecological risk | Mammals | LD ₅₀ | 500mg/kg | 2078-54-8 |

| | | | | |
|-----------------|---------|------------------|------------|------------|
| Ecological risk | Mammals | LD ₅₀ | 16mg/kg | 2079-00-7 |
| Ecological risk | Mammals | LD ₅₀ | 2500mg/kg | 20856-57-9 |
| Ecological risk | Mammals | LD ₅₀ | 600mg/kg | 2089-46-5 |
| Ecological risk | Mammals | LD ₅₀ | 7mg/kg | 2104-64-5 |
| Ecological risk | Mammals | LD ₅₀ | 1100mg/kg | 21087-64-9 |
| Ecological risk | Mammals | LD ₅₀ | 90mg/kg | 2121-12-2 |
| Ecological risk | Mammals | LD ₅₀ | 50mg/kg | 21410-51-5 |
| Ecological risk | Mammals | LD ₅₀ | 400mg/kg | 2154-02-1 |
| Ecological risk | Mammals | LD ₅₀ | 2538mg/kg | 21564-17-0 |
| Ecological risk | Mammals | LD ₅₀ | 695mg/kg | 21590-92-1 |
| Ecological risk | Mammals | LD ₅₀ | 700mg/kg | 2163-80-6 |
| Ecological risk | Mammals | LD ₅₀ | 11000mg/kg | 2164-08-1 |
| Ecological risk | Mammals | LD ₅₀ | 1800mg/kg | 2164-09-2 |
| Ecological risk | Mammals | LD ₅₀ | > 800mg/kg | 21673-86-9 |
| Ecological risk | Mammals | LD ₅₀ | 149mg/kg | 21725-46-2 |
| Ecological risk | Mammals | LD ₅₀ | 10000mg/kg | 21757-82-4 |
| Ecological risk | Mammals | LD ₅₀ | 570mg/kg | 2177-22-2 |
| Ecological risk | Mammals | LD ₅₀ | 400mg/kg | 21794-01-4 |
| Ecological risk | Mammals | LD ₅₀ | 650mg/kg | 2181-04-6 |
| Ecological risk | Mammals | LD ₅₀ | 1022mg/kg | 21829-25-4 |
| Ecological risk | Mammals | LD ₅₀ | 950mg/kg | 2191-10-8 |
| Ecological risk | Mammals | LD ₅₀ | 716mg/kg | 2192-21-4 |
| Ecological risk | Mammals | LD ₅₀ | 13mg/kg | 21923-23-9 |
| Ecological risk | Mammals | LD ₅₀ | 1300mg/kg | 2212-10-4 |
| Ecological risk | Mammals | LD ₅₀ | 369mg/kg | 2212-67-1 |

| | | | | |
|-----------------|---------|------------------|------------|------------|
| Ecological risk | Mammals | LD ₅₀ | 350mg/kg | 22199-46-8 |
| Ecological risk | Mammals | LD ₅₀ | 8mg/kg | 22224-92-6 |
| Ecological risk | Mammals | LD ₅₀ | 1125mg/kg | 2223-93-0 |
| Ecological risk | Mammals | LD ₅₀ | 480mg/kg | 22248-79-9 |
| Ecological risk | Mammals | LD ₅₀ | 20mg/kg | 22259-30-9 |
| Ecological risk | Mammals | LD ₅₀ | 210mg/kg | 2235-12-3 |
| Ecological risk | Mammals | LD ₅₀ | > 450mg/kg | 2240-41-7 |
| Ecological risk | Mammals | LD ₅₀ | 10mg/kg | 2255-15-4 |
| Ecological risk | Mammals | LD ₅₀ | 4600mg/kg | 2260-08-4 |
| Ecological risk | Mammals | LD ₅₀ | 26mg/kg | 22608-53-3 |
| Ecological risk | Mammals | LD ₅₀ | 545mg/kg | 2269-06-9 |
| Ecological risk | Mammals | LD ₅₀ | 7mg/kg | 2270-40-8 |
| Ecological risk | Mammals | LD ₅₀ | 300mg/kg | 2274-11-5 |
| Ecological risk | Mammals | LD ₅₀ | 2800mg/kg | 2275-07-2 |
| Ecological risk | Mammals | LD ₅₀ | 44mg/kg | 2275-14-1 |
| Ecological risk | Mammals | LD ₅₀ | 8mg/kg | 2275-18-5 |
| Ecological risk | Mammals | LD ₅₀ | 64mg/kg | 2275-23-2 |
| Ecological risk | Mammals | LD ₅₀ | 40mg/kg | 22781-23-3 |
| Ecological risk | Mammals | LD ₅₀ | 395mg/kg | 2303-16-4 |
| Ecological risk | Mammals | LD ₅₀ | 8700mg/kg | 23031-32-5 |
| Ecological risk | Mammals | LD ₅₀ | 916mg/kg | 2304-30-5 |
| Ecological risk | Mammals | LD ₅₀ | 639mg/kg | 23093-74-5 |
| Ecological risk | Mammals | LD ₅₀ | 522mg/kg | 23099-87-8 |
| Ecological risk | Mammals | LD ₅₀ | 750mg/kg | 2321-53-1 |
| Ecological risk | Mammals | LD ₅₀ | 4mg/kg | 23255-69-8 |

| | | | | |
|-----------------|---------|------------------|------------|------------|
| Ecological risk | Mammals | LD ₅₀ | > 500mg/kg | 2327-02-8 |
| Ecological risk | Mammals | LD ₅₀ | 20mg/kg | 23422-53-9 |
| Ecological risk | Mammals | LD ₅₀ | 19mg/kg | 23757-42-8 |
| Ecological risk | Mammals | LD ₅₀ | 235mg/kg | 2385-85-5 |
| Ecological risk | Mammals | LD ₅₀ | 16224mg/kg | 23868-54-4 |
| Ecological risk | Mammals | LD ₅₀ | 1400mg/kg | 23903-11-9 |
| Ecological risk | Mammals | LD ₅₀ | 191mg/kg | 2391-03-9 |
| Ecological risk | Mammals | LD ₅₀ | 7033mg/kg | 23924-78-9 |
| Ecological risk | Mammals | LD ₅₀ | 297mg/kg | 23930-19-0 |
| Ecological risk | Mammals | LD ₅₀ | 1220mg/kg | 2399-85-1 |
| Ecological risk | Mammals | LD ₅₀ | 890mg/kg | 24096-53-5 |
| Ecological risk | Mammals | LD ₅₀ | 791mg/kg | 2413-38-9 |
| Ecological risk | Mammals | LD ₅₀ | 822mg/kg | 24141-01-3 |
| Ecological risk | Mammals | LD ₅₀ | 324mg/kg | 24151-93-7 |
| Ecological risk | Mammals | LD ₅₀ | 668mg/kg | 24169-02-6 |
| Ecological risk | Mammals | LD ₅₀ | 500mg/kg | 2423-66-7 |
| Ecological risk | Mammals | LD ₅₀ | 2500mg/kg | 2425-06-1 |
| Ecological risk | Mammals | LD ₅₀ | 290mg/kg | 2425-10-7 |
| Ecological risk | Mammals | LD ₅₀ | 45mg/kg | 2425-25-4 |
| Ecological risk | Mammals | LD ₅₀ | 197mg/kg | 2425-66-3 |
| Ecological risk | Mammals | LD ₅₀ | 1134mg/kg | 2425-79-8 |
| Ecological risk | Mammals | LD ₅₀ | 1660mg/kg | 2426-08-6 |
| Ecological risk | Mammals | LD ₅₀ | 352mg/kg | 24280-93-1 |
| Ecological risk | Mammals | LD ₅₀ | 464mg/kg | 24307-26-4 |
| Ecological risk | Mammals | LD ₅₀ | 224mg/kg | 2431-54-1 |

| | | | | |
|-----------------|---------|------------------|-------------|------------|
| Ecological risk | Mammals | LD ₅₀ | 825mg/kg | 2431-96-1 |
| Ecological risk | Mammals | LD ₅₀ | 1100mg/kg | 2439-01-2 |
| Ecological risk | Mammals | LD ₅₀ | 660mg/kg | 2439-10-3 |
| Ecological risk | Mammals | LD ₅₀ | 30mg/kg | 2440-45-1 |
| Ecological risk | Mammals | LD ₅₀ | 850mg/kg | 2442-10-6 |
| Ecological risk | Mammals | LD ₅₀ | 5420mg/kg | 24468-13-1 |
| Ecological risk | Mammals | LD ₅₀ | 180mg/kg | 24637-24-9 |
| Ecological risk | Mammals | LD ₅₀ | > 200mg/kg | 24733-81-1 |
| Ecological risk | Mammals | LD ₅₀ | 1760mg/kg | 24789-78-4 |
| Ecological risk | Mammals | LD ₅₀ | 42mg/kg | 2487-01-6 |
| Ecological risk | Mammals | LD ₅₀ | 3900mg/kg | 2491-06-7 |
| Ecological risk | Mammals | LD ₅₀ | 7mg/kg | 24934-91-6 |
| Ecological risk | Mammals | LD ₅₀ | > 3200mg/kg | 2507-91-7 |
| Ecological risk | Mammals | LD ₅₀ | 6mg/kg | 2511-10-6 |
| Ecological risk | Mammals | LD ₅₀ | 580mg/kg | 25154-52-3 |
| Ecological risk | Mammals | LD ₅₀ | 1250mg/kg | 25201-35-8 |
| Ecological risk | Mammals | LD ₅₀ | 1380mg/kg | 2521-01-9 |
| Ecological risk | Mammals | LD ₅₀ | 540mg/kg | 2524-03-0 |
| Ecological risk | Mammals | LD ₅₀ | 1340mg/kg | 2524-04-1 |
| Ecological risk | Mammals | LD ₅₀ | 80mg/kg | 2524-09-6 |
| Ecological risk | Mammals | LD ₅₀ | 278mg/kg | 25366-23-8 |
| Ecological risk | Mammals | LD ₅₀ | 250mg/kg | 2540-82-1 |
| Ecological risk | Mammals | LD ₅₀ | 200mg/kg | 2550-75-6 |
| Ecological risk | Mammals | LD ₅₀ | 660mg/kg | 2570-26-5 |
| Ecological risk | Mammals | LD ₅₀ | 125mg/kg | 2585-36-6 |

| | | | | |
|-----------------|---------|------------------|-----------|------------|
| Ecological risk | Mammals | LD ₅₀ | 57mg/kg | 2587-81-7 |
| Ecological risk | Mammals | LD ₅₀ | 34mg/kg | 2587-84-0 |
| Ecological risk | Mammals | LD ₅₀ | 2mg/kg | 2588-03-6 |
| Ecological risk | Mammals | LD ₅₀ | 1mg/kg | 2588-05-8 |
| Ecological risk | Mammals | LD ₅₀ | 1680mg/kg | 2589-01-7 |
| Ecological risk | Mammals | LD ₅₀ | 54mg/kg | 2589-47-1 |
| Ecological risk | Mammals | LD ₅₀ | 700mg/kg | 2591-66-4 |
| Ecological risk | Mammals | LD ₅₀ | 450mg/kg | 2591-74-4 |
| Ecological risk | Mammals | LD ₅₀ | 31mg/kg | 2595-54-2 |
| Ecological risk | Mammals | LD ₅₀ | 71mg/kg | 2597-03-7 |
| Ecological risk | Mammals | LD ₅₀ | 4300mg/kg | 26027-38-3 |
| Ecological risk | Mammals | LD ₅₀ | 926mg/kg | 26155-31-7 |
| Ecological risk | Mammals | LD ₅₀ | 810mg/kg | 2619-06-9 |
| Ecological risk | Mammals | LD ₅₀ | 2800mg/kg | 2619-08-1 |
| Ecological risk | Mammals | LD ₅₀ | 395mg/kg | 2622-26-6 |
| Ecological risk | Mammals | LD ₅₀ | 2005mg/kg | 26266-68-2 |
| Ecological risk | Mammals | LD ₅₀ | 35mg/kg | 2631-37-0 |
| Ecological risk | Mammals | LD ₅₀ | 450mg/kg | 2631-40-5 |
| Ecological risk | Mammals | LD ₅₀ | 1295mg/kg | 26328-00-7 |
| Ecological risk | Mammals | LD ₅₀ | 42mg/kg | 2635-10-1 |
| Ecological risk | Mammals | LD ₅₀ | 1mg/kg | 26419-73-8 |
| Ecological risk | Mammals | LD ₅₀ | 7mg/kg | 2642-71-9 |
| Ecological risk | Mammals | LD ₅₀ | 5140mg/kg | 26447-14-3 |
| Ecological risk | Mammals | LD ₅₀ | 245mg/kg | 2655-14-3 |
| Ecological risk | Mammals | LD ₅₀ | 1800mg/kg | 2655-19-8 |

| | | | | |
|-----------------|---------|------------------|-----------|------------|
| Ecological risk | Mammals | LD ₅₀ | 485mg/kg | 26570-10-5 |
| Ecological risk | Mammals | LD ₅₀ | 150mg/kg | 2683-78-9 |
| Ecological risk | Mammals | LD ₅₀ | 178mg/kg | 2686-99-9 |
| Ecological risk | Mammals | LD ₅₀ | 35mg/kg | 2701-86-2 |
| Ecological risk | Mammals | LD ₅₀ | 555mg/kg | 2702-72-9 |
| Ecological risk | Mammals | LD ₅₀ | 1210mg/kg | 27125-91-3 |
| Ecological risk | Mammals | LD ₅₀ | 35mg/kg | 2720-17-4 |
| Ecological risk | Mammals | LD ₅₀ | 73mg/kg | 2720-18-5 |
| Ecological risk | Mammals | LD ₅₀ | 242mg/kg | 2726-03-6 |
| Ecological risk | Mammals | LD ₅₀ | 1210mg/kg | 2728-04-3 |
| Ecological risk | Mammals | LD ₅₀ | 2300mg/kg | 2728-05-4 |
| Ecological risk | Mammals | LD ₅₀ | 457mg/kg | 27304-13-8 |
| Ecological risk | Mammals | LD ₅₀ | 860mg/kg | 27312-93-2 |
| Ecological risk | Mammals | LD ₅₀ | 4050mg/kg | 27318-86-1 |
| Ecological risk | Mammals | LD ₅₀ | 5580mg/kg | 27344-41-8 |
| Ecological risk | Mammals | LD ₅₀ | 464mg/kg | 2735-04-8 |
| Ecological risk | Mammals | LD ₅₀ | 60mg/kg | 27371-95-5 |
| Ecological risk | Mammals | LD ₅₀ | 14mg/kg | 2740-04-7 |
| Ecological risk | Mammals | LD ₅₀ | 230mg/kg | 2746-81-8 |
| Ecological risk | Mammals | LD ₅₀ | 190mg/kg | 2758-06-7 |
| Ecological risk | Mammals | LD ₅₀ | 640mg/kg | 27588-43-8 |
| Ecological risk | Mammals | LD ₅₀ | 560mg/kg | 27683-73-4 |
| Ecological risk | Mammals | LD ₅₀ | 632mg/kg | 27684-92-0 |
| Ecological risk | Mammals | LD ₅₀ | 23mg/kg | 2778-04-3 |
| Ecological risk | Mammals | LD ₅₀ | 4600mg/kg | 2778-42-9 |

| | | | | |
|-----------------|---------|------------------|--------------|------------|
| Ecological risk | Mammals | LD ₅₀ | 200mg/kg | 2781-10-4 |
| Ecological risk | Mammals | LD ₅₀ | 265mg/kg | 2782-70-9 |
| Ecological risk | Mammals | LD ₅₀ | 230mg/kg | 27945-43-3 |
| Ecological risk | Mammals | LD ₅₀ | 60mg/kg | 2813-95-8 |
| Ecological risk | Mammals | LD ₅₀ | 1414mg/kg | 28178-42-9 |
| Ecological risk | Mammals | LD ₅₀ | > 18800mg/kg | 2825-82-3 |
| Ecological risk | Mammals | LD ₅₀ | 3900mg/kg | 28382-15-2 |
| Ecological risk | Mammals | LD ₅₀ | 430mg/kg | 28434-00-6 |
| Ecological risk | Mammals | LD ₅₀ | 680mg/kg | 2852-07-5 |
| Ecological risk | Mammals | LD ₅₀ | 2500mg/kg | 28559-00-4 |
| Ecological risk | Mammals | LD ₅₀ | 1010mg/kg | 288-13-1 |
| Ecological risk | Mammals | LD ₅₀ | 1200mg/kg | 28930-30-5 |
| Ecological risk | Mammals | LD ₅₀ | 900mg/kg | 2898-11-5 |
| Ecological risk | Mammals | LD ₅₀ | 900mg/kg | 2898-12-6 |
| Ecological risk | Mammals | LD ₅₀ | 1550mg/kg | 29050-11-1 |
| Ecological risk | Mammals | LD ₅₀ | 4200mg/kg | 2909-38-8 |
| Ecological risk | Mammals | LD ₅₀ | 15380mg/kg | 29091-21-2 |
| Ecological risk | Mammals | LD ₅₀ | 225mg/kg | 29171-77-5 |
| Ecological risk | Mammals | LD ₅₀ | 82mg/kg | 2921-88-2 |
| Ecological risk | Mammals | LD ₅₀ | 244mg/kg | 2937-50-0 |
| Ecological risk | Mammals | LD ₅₀ | 15mg/kg | 2953-29-9 |
| Ecological risk | Mammals | LD ₅₀ | 1030mg/kg | 29546-59-6 |
| Ecological risk | Mammals | LD ₅₀ | 71mg/kg | 2961-61-7 |
| Ecological risk | Mammals | LD ₅₀ | 75mg/kg | 2964-06-9 |
| Ecological risk | Mammals | LD ₅₀ | 547mg/kg | 2971-38-2 |

| | | | | |
|-----------------|---------|------------------|-----------|------------|
| Ecological risk | Mammals | LD ₅₀ | 2800mg/kg | 29717-26-8 |
| Ecological risk | Mammals | LD ₅₀ | 791mg/kg | 298-81-7 |
| Ecological risk | Mammals | LD ₅₀ | 625mg/kg | 299-84-3 |
| Ecological risk | Mammals | LD ₅₀ | 410mg/kg | 2997-92-4 |
| Ecological risk | Mammals | LD ₅₀ | 29mg/kg | 300-42-5 |
| Ecological risk | Mammals | LD ₅₀ | 500mg/kg | 30007-14-8 |
| Ecological risk | Mammals | LD ₅₀ | 455mg/kg | 30007-47-7 |
| Ecological risk | Mammals | LD ₅₀ | 1370mg/kg | 3006-93-7 |
| Ecological risk | Mammals | LD ₅₀ | 30mg/kg | 301-12-2 |
| Ecological risk | Mammals | LD ₅₀ | 160mg/kg | 3010-02-4 |
| Ecological risk | Mammals | LD ₅₀ | 110mg/kg | 303-34-4 |
| Ecological risk | Mammals | LD ₅₀ | 613mg/kg | 303-49-1 |
| Ecological risk | Mammals | LD ₅₀ | 6500mg/kg | 3037-72-7 |
| Ecological risk | Mammals | LD ₅₀ | 503mg/kg | 30484-77-6 |
| Ecological risk | Mammals | LD ₅₀ | 2450mg/kg | 3056-93-7 |
| Ecological risk | Mammals | LD ₅₀ | 2500mg/kg | 30562-34-6 |
| Ecological risk | Mammals | LD ₅₀ | 250mg/kg | 306-07-0 |
| Ecological risk | Mammals | LD ₅₀ | 100mg/kg | 306-37-6 |
| Ecological risk | Mammals | LD ₅₀ | 3600mg/kg | 30638-08-5 |
| Ecological risk | Mammals | LD ₅₀ | 864mg/kg | 30653-83-9 |
| Ecological risk | Mammals | LD ₅₀ | 1700mg/kg | 30817-43-7 |
| Ecological risk | Mammals | LD ₅₀ | 3390mg/kg | 3094-09-5 |
| Ecological risk | Mammals | LD ₅₀ | 3500mg/kg | 30979-48-7 |
| Ecological risk | Mammals | LD ₅₀ | 7mg/kg | 311-47-7 |
| Ecological risk | Mammals | LD ₅₀ | 2800mg/kg | 3115-05-7 |

| | | | | |
|-----------------|---------|------------------|-------------|------------|
| Ecological risk | Mammals | LD ₅₀ | 420mg/kg | 3115-68-2 |
| Ecological risk | Mammals | LD ₅₀ | 925mg/kg | 3129-92-8 |
| Ecological risk | Mammals | LD ₅₀ | 2150mg/kg | 3131-27-9 |
| Ecological risk | Mammals | LD ₅₀ | 1890mg/kg | 31329-57-4 |
| Ecological risk | Mammals | LD ₅₀ | 14mg/kg | 315-18-4 |
| Ecological risk | Mammals | LD ₅₀ | 482mg/kg | 31677-93-7 |
| Ecological risk | Mammals | LD ₅₀ | 339mg/kg | 3176-03-2 |
| Ecological risk | Mammals | LD ₅₀ | 230mg/kg | 31770-74-8 |
| Ecological risk | Mammals | LD ₅₀ | 351mg/kg | 31793-07-4 |
| Ecological risk | Mammals | LD ₅₀ | 634mg/kg | 3180-09-4 |
| Ecological risk | Mammals | LD ₅₀ | > 3200mg/kg | 3182-02-3 |
| Ecological risk | Mammals | LD ₅₀ | 195mg/kg | 31895-22-4 |
| Ecological risk | Mammals | LD ₅₀ | 711mg/kg | 3200-06-4 |
| Ecological risk | Mammals | LD ₅₀ | 447mg/kg | 32179-45-6 |
| Ecological risk | Mammals | LD ₅₀ | 40mg/kg | 3221-15-6 |
| Ecological risk | Mammals | LD ₅₀ | 670mg/kg | 32527-53-0 |
| Ecological risk | Mammals | LD ₅₀ | 515mg/kg | 3254-89-5 |
| Ecological risk | Mammals | LD ₅₀ | 640mg/kg | 32665-36-4 |
| Ecological risk | Mammals | LD ₅₀ | 823mg/kg | 3268-19-7 |
| Ecological risk | Mammals | LD ₅₀ | 925mg/kg | 32895-56-0 |
| Ecological risk | Mammals | LD ₅₀ | 1146mg/kg | 330-55-2 |
| Ecological risk | Mammals | LD ₅₀ | 200mg/kg | 330-64-3 |
| Ecological risk | Mammals | LD ₅₀ | 181mg/kg | 33005-95-7 |
| Ecological risk | Mammals | LD ₅₀ | 25mg/kg | 3305-08-6 |
| Ecological risk | Mammals | LD ₅₀ | 400mg/kg | 33089-61-1 |

| | | | | |
|-----------------|---------|------------------|------------|------------|
| Ecological risk | Mammals | LD ₅₀ | 100mg/kg | 3309-87-3 |
| Ecological risk | Mammals | LD ₅₀ | 66mg/kg | 333-41-5 |
| Ecological risk | Mammals | LD ₅₀ | 734mg/kg | 33353-30-9 |
| Ecological risk | Mammals | LD ₅₀ | 1050mg/kg | 33368-94-4 |
| Ecological risk | Mammals | LD ₅₀ | 900mg/kg | 33376-05-5 |
| Ecological risk | Mammals | LD ₅₀ | 196mg/kg | 33386-08-2 |
| Ecological risk | Mammals | LD ₅₀ | 79mg/kg | 33396-37-1 |
| Ecological risk | Mammals | LD ₅₀ | 1784mg/kg | 33419-42-0 |
| Ecological risk | Mammals | LD ₅₀ | 100mg/kg | 3344-11-4 |
| Ecological risk | Mammals | LD ₅₀ | 113mg/kg | 3344-12-5 |
| Ecological risk | Mammals | LD ₅₀ | 1800mg/kg | 3347-62-4 |
| Ecological risk | Mammals | LD ₅₀ | 390mg/kg | 3385-21-5 |
| Ecological risk | Mammals | LD ₅₀ | 730mg/kg | 3403-42-7 |
| Ecological risk | Mammals | LD ₅₀ | 225mg/kg | 3405-32-1 |
| Ecological risk | Mammals | LD ₅₀ | 925mg/kg | 34067-46-4 |
| Ecological risk | Mammals | LD ₅₀ | 925mg/kg | 34067-47-5 |
| Ecological risk | Mammals | LD ₅₀ | 925mg/kg | 34139-62-3 |
| Ecological risk | Mammals | LD ₅₀ | 41mg/kg | 34148-01-1 |
| Ecological risk | Mammals | LD ₅₀ | 700mg/kg | 34183-22-7 |
| Ecological risk | Mammals | LD ₅₀ | 3700mg/kg | 3424-05-3 |
| Ecological risk | Mammals | LD ₅₀ | 864mg/kg | 3425-61-4 |
| Ecological risk | Mammals | LD ₅₀ | 450mg/kg | 34262-84-5 |
| Ecological risk | Mammals | LD ₅₀ | > 800mg/kg | 3428-05-5 |
| Ecological risk | Mammals | LD ₅₀ | 14430mg/kg | 3445-11-2 |
| Ecological risk | Mammals | LD ₅₀ | 360mg/kg | 34580-14-8 |

| | | | | |
|-----------------|---------|------------------|-------------|------------|
| Ecological risk | Mammals | LD ₅₀ | 153mg/kg | 34681-10-2 |
| Ecological risk | Mammals | LD ₅₀ | 458mg/kg | 34681-23-7 |
| Ecological risk | Mammals | LD ₅₀ | 30mg/kg | 3473-11-8 |
| Ecological risk | Mammals | LD ₅₀ | 29mg/kg | 351-05-3 |
| Ecological risk | Mammals | LD ₅₀ | 1088mg/kg | 35108-88-4 |
| Ecological risk | Mammals | LD ₅₀ | 22mg/kg | 35287-69-5 |
| Ecological risk | Mammals | LD ₅₀ | 65mg/kg | 35400-43-2 |
| Ecological risk | Mammals | LD ₅₀ | 550mg/kg | 3544-35-2 |
| Ecological risk | Mammals | LD ₅₀ | 149mg/kg | 35607-36-4 |
| Ecological risk | Mammals | LD ₅₀ | > 2500mg/kg | 35632-99-6 |
| Ecological risk | Mammals | LD ₅₀ | 35mg/kg | 3566-09-4 |
| Ecological risk | Mammals | LD ₅₀ | 395mg/kg | 3566-10-7 |
| Ecological risk | Mammals | LD ₅₀ | 534mg/kg | 3567-08-6 |
| Ecological risk | Mammals | LD ₅₀ | 3038mg/kg | 3572-06-3 |
| Ecological risk | Mammals | LD ₅₀ | 2710mg/kg | 3581-11-1 |
| Ecological risk | Mammals | LD ₅₀ | 309mg/kg | 36001-88-4 |
| Ecological risk | Mammals | LD ₅₀ | > 6400mg/kg | 36175-08-3 |
| Ecological risk | Mammals | LD ₅₀ | 500mg/kg | 363-24-6 |
| Ecological risk | Mammals | LD ₅₀ | 250mg/kg | 363-97-3 |
| Ecological risk | Mammals | LD ₅₀ | 216mg/kg | 36322-90-4 |
| Ecological risk | Mammals | LD ₅₀ | 750mg/kg | 364-62-5 |
| Ecological risk | Mammals | LD ₅₀ | 980mg/kg | 364-98-7 |
| Ecological risk | Mammals | LD ₅₀ | 1450mg/kg | 3644-61-9 |
| Ecological risk | Mammals | LD ₅₀ | 1630mg/kg | 36483-57-5 |
| Ecological risk | Mammals | LD ₅₀ | 800mg/kg | 3653-48-3 |

| | | | | |
|-----------------|---------|------------------|-----------|------------|
| Ecological risk | Mammals | LD ₅₀ | 150mg/kg | 36614-38-7 |
| Ecological risk | Mammals | LD ₅₀ | 358mg/kg | 36616-54-3 |
| Ecological risk | Mammals | LD ₅₀ | 620mg/kg | 36643-74-0 |
| Ecological risk | Mammals | LD ₅₀ | 820mg/kg | 367-25-9 |
| Ecological risk | Mammals | LD ₅₀ | 1577mg/kg | 3671-02-1 |
| Ecological risk | Mammals | LD ₅₀ | 570mg/kg | 3680-02-2 |
| Ecological risk | Mammals | LD ₅₀ | 7500mg/kg | 3680-05-5 |
| Ecological risk | Mammals | LD ₅₀ | 112mg/kg | 3688-08-2 |
| Ecological risk | Mammals | LD ₅₀ | 1554mg/kg | 3688-53-7 |
| Ecological risk | Mammals | LD ₅₀ | 5mg/kg | 371-62-0 |
| Ecological risk | Mammals | LD ₅₀ | 840mg/kg | 3733-63-9 |
| Ecological risk | Mammals | LD ₅₀ | 700mg/kg | 37335-68-5 |
| Ecological risk | Mammals | LD ₅₀ | 450mg/kg | 3735-01-1 |
| Ecological risk | Mammals | LD ₅₀ | 220mg/kg | 3735-23-7 |
| Ecological risk | Mammals | LD ₅₀ | 100mg/kg | 3736-08-1 |
| Ecological risk | Mammals | LD ₅₀ | 450mg/kg | 3736-92-3 |
| Ecological risk | Mammals | LD ₅₀ | 333mg/kg | 3737-09-5 |
| Ecological risk | Mammals | LD ₅₀ | 1671mg/kg | 3759-07-7 |
| Ecological risk | Mammals | LD ₅₀ | 2917mg/kg | 376-53-4 |
| Ecological risk | Mammals | LD ₅₀ | 350mg/kg | 3766-81-2 |
| Ecological risk | Mammals | LD ₅₀ | 400mg/kg | 38083-17-9 |
| Ecological risk | Mammals | LD ₅₀ | 1800mg/kg | 3817-11-6 |
| Ecological risk | Mammals | LD ₅₀ | 984mg/kg | 3818-88-0 |
| Ecological risk | Mammals | LD ₅₀ | 390mg/kg | 3819-00-9 |
| Ecological risk | Mammals | LD ₅₀ | 950mg/kg | 3819-07-6 |

| | | | | |
|-----------------|---------|------------------|--------------|------------|
| Ecological risk | Mammals | LD ₅₀ | 264mg/kg | 38194-50-2 |
| Ecological risk | Mammals | LD ₅₀ | 430mg/kg | 3825-26-1 |
| Ecological risk | Mammals | LD ₅₀ | 1800mg/kg | 38260-54-7 |
| Ecological risk | Mammals | LD ₅₀ | 1350mg/kg | 38363-32-5 |
| Ecological risk | Mammals | LD ₅₀ | 320mg/kg | 38527-91-2 |
| Ecological risk | Mammals | LD ₅₀ | 665mg/kg | 38562-01-5 |
| Ecological risk | Mammals | LD ₅₀ | 190mg/kg | 3861-47-0 |
| Ecological risk | Mammals | LD ₅₀ | > 15800mg/kg | 3862-08-6 |
| Ecological risk | Mammals | LD ₅₀ | > 15800mg/kg | 3862-12-2 |
| Ecological risk | Mammals | LD ₅₀ | 500mg/kg | 3878-19-1 |
| Ecological risk | Mammals | LD ₅₀ | 6800mg/kg | 38953-18-3 |
| Ecological risk | Mammals | LD ₅₀ | 815mg/kg | 39242-73-4 |
| Ecological risk | Mammals | LD ₅₀ | 122mg/kg | 39277-41-3 |
| Ecological risk | Mammals | LD ₅₀ | 910mg/kg | 39285-04-6 |
| Ecological risk | Mammals | LD ₅₀ | 2700mg/kg | 39296-38-3 |
| Ecological risk | Mammals | LD ₅₀ | 766mg/kg | 39300-45-3 |
| Ecological risk | Mammals | LD ₅₀ | 500mg/kg | 39404-28-9 |
| Ecological risk | Mammals | LD ₅₀ | 2700mg/kg | 39429-25-9 |
| Ecological risk | Mammals | LD ₅₀ | 4110mg/kg | 39456-78-5 |
| Ecological risk | Mammals | LD ₅₀ | 318mg/kg | 39515-40-7 |
| Ecological risk | Mammals | LD ₅₀ | 74mg/kg | 39515-41-8 |
| Ecological risk | Mammals | LD ₅₀ | 1222mg/kg | 39515-51-0 |
| Ecological risk | Mammals | LD ₅₀ | 6490mg/kg | 3953-10-4 |
| Ecological risk | Mammals | LD ₅₀ | 50mg/kg | 3964-18-9 |
| Ecological risk | Mammals | LD ₅₀ | 510mg/kg | 4008-48-4 |

| | | | | |
|-----------------|---------|------------------|------------|------------|
| Ecological risk | Mammals | LD ₅₀ | 19800mg/kg | 4035-89-6 |
| Ecological risk | Mammals | LD ₅₀ | 46mg/kg | 40373-31-7 |
| Ecological risk | Mammals | LD ₅₀ | > 750mg/kg | 40374-16-1 |
| Ecological risk | Mammals | LD ₅₀ | 69mg/kg | 404-82-0 |
| Ecological risk | Mammals | LD ₅₀ | 6300mg/kg | 40521-21-9 |
| Ecological risk | Mammals | LD ₅₀ | 3460mg/kg | 4053-08-1 |
| Ecological risk | Mammals | LD ₅₀ | 250mg/kg | 4074-88-8 |
| Ecological risk | Mammals | LD ₅₀ | 1750mg/kg | 40766-30-1 |
| Ecological risk | Mammals | LD ₅₀ | 545mg/kg | 4093-35-0 |
| Ecological risk | Mammals | LD ₅₀ | 246mg/kg | 4097-89-6 |
| Ecological risk | Mammals | LD ₅₀ | 4825mg/kg | 4098-71-9 |
| Ecological risk | Mammals | LD ₅₀ | 16mg/kg | 4104-03-4 |
| Ecological risk | Mammals | LD ₅₀ | 700mg/kg | 4116-10-3 |
| Ecological risk | Mammals | LD ₅₀ | 358mg/kg | 41198-08-7 |
| Ecological risk | Mammals | LD ₅₀ | 240mg/kg | 4129-17-3 |
| Ecological risk | Mammals | LD ₅₀ | 94mg/kg | 41340-25-4 |
| Ecological risk | Mammals | LD ₅₀ | 2500mg/kg | 4137-12-6 |
| Ecological risk | Mammals | LD ₅₀ | 1447mg/kg | 41394-05-2 |
| Ecological risk | Mammals | LD ₅₀ | 3030mg/kg | 41407-89-0 |
| Ecological risk | Mammals | LD ₅₀ | 343mg/kg | 41575-94-4 |
| Ecological risk | Mammals | LD ₅₀ | 2830mg/kg | 4169-04-4 |
| Ecological risk | Mammals | LD ₅₀ | 80mg/kg | 4170-30-3 |
| Ecological risk | Mammals | LD ₅₀ | 250mg/kg | 41814-78-2 |
| Ecological risk | Mammals | LD ₅₀ | 125mg/kg | 420-04-2 |
| Ecological risk | Mammals | LD ₅₀ | 178mg/kg | 420-12-2 |

| | | | | |
|-----------------|---------|------------------|------------|------------|
| Ecological risk | Mammals | LD ₅₀ | > 400mg/kg | 42012-90-8 |
| Ecological risk | Mammals | LD ₅₀ | 640mg/kg | 42064-87-9 |
| Ecological risk | Mammals | LD ₅₀ | 3100mg/kg | 4223-11-4 |
| Ecological risk | Mammals | LD ₅₀ | 27mg/kg | 42509-80-8 |
| Ecological risk | Mammals | LD ₅₀ | 680mg/kg | 4255-24-7 |
| Ecological risk | Mammals | LD ₅₀ | 29mg/kg | 43033-72-3 |
| Ecological risk | Mammals | LD ₅₀ | 1800mg/kg | 4317-14-0 |
| Ecological risk | Mammals | LD ₅₀ | 210mg/kg | 4330-99-8 |
| Ecological risk | Mammals | LD ₅₀ | 14730mg/kg | 4335-09-5 |
| Ecological risk | Mammals | LD ₅₀ | 2147mg/kg | 4342-03-4 |
| Ecological risk | Mammals | LD ₅₀ | 360mg/kg | 4360-12-7 |
| Ecological risk | Mammals | LD ₅₀ | 18mg/kg | 437-38-7 |
| Ecological risk | Mammals | LD ₅₀ | 543mg/kg | 440-17-5 |
| Ecological risk | Mammals | LD ₅₀ | 478mg/kg | 4415-51-4 |
| Ecological risk | Mammals | LD ₅₀ | 875mg/kg | 444-27-9 |
| Ecological risk | Mammals | LD ₅₀ | 1410mg/kg | 4454-05-1 |
| Ecological risk | Mammals | LD ₅₀ | 400mg/kg | 446-86-6 |
| Ecological risk | Mammals | LD ₅₀ | 8980mg/kg | 4499-01-8 |
| Ecological risk | Mammals | LD ₅₀ | 10mg/kg | 453-18-9 |
| Ecological risk | Mammals | LD ₅₀ | 1210mg/kg | 4544-15-4 |
| Ecological risk | Mammals | LD ₅₀ | 610mg/kg | 4551-59-1 |
| Ecological risk | Mammals | LD ₅₀ | 2750mg/kg | 4621-04-9 |
| Ecological risk | Mammals | LD ₅₀ | 1090mg/kg | 4630-95-9 |
| Ecological risk | Mammals | LD ₅₀ | 3600mg/kg | 4658-28-0 |
| Ecological risk | Mammals | LD ₅₀ | 56mg/kg | 466-06-8 |

| | | | | |
|-----------------|---------|------------------|------------|-----------|
| Ecological risk | Mammals | LD ₅₀ | 5mg/kg | 4681-36-1 |
| Ecological risk | Mammals | LD ₅₀ | 15900mg/kg | 4691-65-0 |
| Ecological risk | Mammals | LD ₅₀ | 10mg/kg | 470-90-6 |
| Ecological risk | Mammals | LD ₅₀ | 763mg/kg | 4719-04-4 |
| Ecological risk | Mammals | LD ₅₀ | 712mg/kg | 4740-11-8 |
| Ecological risk | Mammals | LD ₅₀ | 545mg/kg | 475-81-0 |
| Ecological risk | Mammals | LD ₅₀ | 112mg/kg | 481-39-0 |
| Ecological risk | Mammals | LD ₅₀ | 65mg/kg | 481-42-5 |
| Ecological risk | Mammals | LD ₅₀ | 58mg/kg | 485-31-4 |
| Ecological risk | Mammals | LD ₅₀ | 550mg/kg | 4856-87-5 |
| Ecological risk | Mammals | LD ₅₀ | 1150mg/kg | 4940-11-8 |
| Ecological risk | Mammals | LD ₅₀ | 3600mg/kg | 495-45-4 |
| Ecological risk | Mammals | LD ₅₀ | 607mg/kg | 4985-15-3 |
| Ecological risk | Mammals | LD ₅₀ | 475mg/kg | 50-01-1 |
| Ecological risk | Mammals | LD ₅₀ | 162mg/kg | 50-06-6 |
| Ecological risk | Mammals | LD ₅₀ | 30mg/kg | 50-07-7 |
| Ecological risk | Mammals | LD ₅₀ | 995mg/kg | 50-10-2 |
| Ecological risk | Mammals | LD ₅₀ | 850mg/kg | 50-12-4 |
| Ecological risk | Mammals | LD ₅₀ | 10mg/kg | 50-18-0 |
| Ecological risk | Mammals | LD ₅₀ | 650mg/kg | 50-31-7 |
| Ecological risk | Mammals | LD ₅₀ | 995mg/kg | 50-52-2 |
| Ecological risk | Mammals | LD ₅₀ | 623mg/kg | 50-63-5 |
| Ecological risk | Mammals | LD ₅₀ | 285mg/kg | 500-28-7 |
| Ecological risk | Mammals | LD ₅₀ | 480mg/kg | 502-55-6 |
| Ecological risk | Mammals | LD ₅₀ | 17mg/kg | 505-60-2 |

| | | | | |
|-----------------|---------|------------------|------------|------------|
| Ecological risk | Mammals | LD ₅₀ | 830mg/kg | 50528-97-7 |
| Ecological risk | Mammals | LD ₅₀ | 437mg/kg | 5053-08-7 |
| Ecological risk | Mammals | LD ₅₀ | 25mg/kg | 50539-67-8 |
| Ecological risk | Mammals | LD ₅₀ | 202mg/kg | 50588-13-1 |
| Ecological risk | Mammals | LD ₅₀ | 500mg/kg | 507-70-0 |
| Ecological risk | Mammals | LD ₅₀ | > 400mg/kg | 50765-76-9 |
| Ecological risk | Mammals | LD ₅₀ | > 800mg/kg | 50765-82-7 |
| Ecological risk | Mammals | LD ₅₀ | 6150mg/kg | 51-03-6 |
| Ecological risk | Mammals | LD ₅₀ | 200mg/kg | 51-05-8 |
| Ecological risk | Mammals | LD ₅₀ | 1950mg/kg | 51-06-9 |
| Ecological risk | Mammals | LD ₅₀ | 1700mg/kg | 51-12-7 |
| Ecological risk | Mammals | LD ₅₀ | 2650mg/kg | 51-34-3 |
| Ecological risk | Mammals | LD ₅₀ | 10mg/kg | 51-75-2 |
| Ecological risk | Mammals | LD ₅₀ | 7080mg/kg | 51005-00-6 |
| Ecological risk | Mammals | LD ₅₀ | 117mg/kg | 5104-49-4 |
| Ecological risk | Mammals | LD ₅₀ | 660mg/kg | 51109-83-2 |
| Ecological risk | Mammals | LD ₅₀ | 4465mg/kg | 513-37-1 |
| Ecological risk | Mammals | LD ₅₀ | 4500mg/kg | 5131-58-8 |
| Ecological risk | Mammals | LD ₅₀ | 600mg/kg | 51322-75-9 |
| Ecological risk | Mammals | LD ₅₀ | 710mg/kg | 519-37-9 |
| Ecological risk | Mammals | LD ₅₀ | 1630mg/kg | 52-49-3 |
| Ecological risk | Mammals | LD ₅₀ | 28mg/kg | 52-85-7 |
| Ecological risk | Mammals | LD ₅₀ | 500mg/kg | 520-45-6 |
| Ecological risk | Mammals | LD ₅₀ | 4700mg/kg | 5205-11-8 |
| Ecological risk | Mammals | LD ₅₀ | 500mg/kg | 52112-66-0 |

| | | | | |
|-----------------|---------|------------------|-----------|------------|
| Ecological risk | Mammals | LD ₅₀ | 820mg/kg | 5216-25-1 |
| Ecological risk | Mammals | LD ₅₀ | 2350mg/kg | 5221-53-4 |
| Ecological risk | Mammals | LD ₅₀ | 4290mg/kg | 5223-06-3 |
| Ecological risk | Mammals | LD ₅₀ | 2500mg/kg | 52622-55-6 |
| Ecological risk | Mammals | LD ₅₀ | 383mg/kg | 52645-53-1 |
| Ecological risk | Mammals | LD ₅₀ | 560mg/kg | 52671-26-8 |
| Ecological risk | Mammals | LD ₅₀ | 1200mg/kg | 52756-25-9 |
| Ecological risk | Mammals | LD ₅₀ | 700mg/kg | 53-10-1 |
| Ecological risk | Mammals | LD ₅₀ | 400mg/kg | 53-86-1 |
| Ecological risk | Mammals | LD ₅₀ | 520mg/kg | 5328-04-1 |
| Ecological risk | Mammals | LD ₅₀ | 506mg/kg | 53380-23-7 |
| Ecological risk | Mammals | LD ₅₀ | 2310mg/kg | 53421-38-8 |
| Ecological risk | Mammals | LD ₅₀ | 10mg/kg | 53494-70-5 |
| Ecological risk | Mammals | LD ₅₀ | 330mg/kg | 5370-01-4 |
| Ecological risk | Mammals | LD ₅₀ | 1400mg/kg | 53734-79-5 |
| Ecological risk | Mammals | LD ₅₀ | 27mg/kg | 538-28-3 |
| Ecological risk | Mammals | LD ₅₀ | 400mg/kg | 538-75-0 |
| Ecological risk | Mammals | LD ₅₀ | 200mg/kg | 5389-12-8 |
| Ecological risk | Mammals | LD ₅₀ | 235mg/kg | 53912-89-3 |
| Ecological risk | Mammals | LD ₅₀ | 330mg/kg | 54-11-5 |
| Ecological risk | Mammals | LD ₅₀ | 900mg/kg | 54-80-8 |
| Ecological risk | Mammals | LD ₅₀ | 1500mg/kg | 54-84-2 |
| Ecological risk | Mammals | LD ₅₀ | 100mg/kg | 540-73-8 |
| Ecological risk | Mammals | LD ₅₀ | 10mg/kg | 542-58-5 |
| Ecological risk | Mammals | LD ₅₀ | 470mg/kg | 542-75-6 |

| | | | | |
|-----------------|---------|------------------|--------------|------------|
| Ecological risk | Mammals | LD ₅₀ | 113mg/kg | 542-92-7 |
| Ecological risk | Mammals | LD ₅₀ | 1300mg/kg | 54247-25-5 |
| Ecological risk | Mammals | LD ₅₀ | 30mg/kg | 5432-28-0 |
| Ecological risk | Mammals | LD ₅₀ | 83mg/kg | 544-16-1 |
| Ecological risk | Mammals | LD ₅₀ | 1450mg/kg | 5443-49-2 |
| Ecological risk | Mammals | LD ₅₀ | 37mg/kg | 545-55-1 |
| Ecological risk | Mammals | LD ₅₀ | 1580mg/kg | 54533-86-7 |
| Ecological risk | Mammals | LD ₅₀ | 2mg/kg | 54593-83-8 |
| Ecological risk | Mammals | LD ₅₀ | 2720mg/kg | 548-68-5 |
| Ecological risk | Mammals | LD ₅₀ | 24mg/kg | 55-38-9 |
| Ecological risk | Mammals | LD ₅₀ | 34mg/kg | 55-52-7 |
| Ecological risk | Mammals | LD ₅₀ | 105mg/kg | 55-63-0 |
| Ecological risk | Mammals | LD ₅₀ | 10mg/kg | 55-91-4 |
| Ecological risk | Mammals | LD ₅₀ | 840mg/kg | 550-70-9 |
| Ecological risk | Mammals | LD ₅₀ | 51mg/kg | 55285-14-8 |
| Ecological risk | Mammals | LD ₅₀ | 1150mg/kg | 55290-64-7 |
| Ecological risk | Mammals | LD ₅₀ | > 3750mg/kg | 5534-09-8 |
| Ecological risk | Mammals | LD ₅₀ | 1500mg/kg | 55353-26-9 |
| Ecological risk | Mammals | LD ₅₀ | 1400mg/kg | 55363-08-1 |
| Ecological risk | Mammals | LD ₅₀ | 1600mg/kg | 554-00-7 |
| Ecological risk | Mammals | LD ₅₀ | 300mg/kg | 555-57-7 |
| Ecological risk | Mammals | LD ₅₀ | 5mg/kg | 555-77-1 |
| Ecological risk | Mammals | LD ₅₀ | > 17300mg/kg | 5550-12-9 |
| Ecological risk | Mammals | LD ₅₀ | 420mg/kg | 556-52-5 |
| Ecological risk | Mammals | LD ₅₀ | 1540mg/kg | 556-67-2 |

| | | | | |
|-----------------|---------|------------------|------------|------------|
| Ecological risk | Mammals | LD ₅₀ | 775mg/kg | 5560-72-5 |
| Ecological risk | Mammals | LD ₅₀ | 110mg/kg | 55689-65-1 |
| Ecological risk | Mammals | LD ₅₀ | 119mg/kg | 557-30-2 |
| Ecological risk | Mammals | LD ₅₀ | 500mg/kg | 5579-85-1 |
| Ecological risk | Mammals | LD ₅₀ | 2mg/kg | 558-25-8 |
| Ecological risk | Mammals | LD ₅₀ | 647mg/kg | 5581-45-3 |
| Ecological risk | Mammals | LD ₅₀ | 292mg/kg | 55843-86-2 |
| Ecological risk | Mammals | LD ₅₀ | 700mg/kg | 5585-73-9 |
| Ecological risk | Mammals | LD ₅₀ | 630mg/kg | 55861-78-4 |
| Ecological risk | Mammals | LD ₅₀ | 720mg/kg | 5591-45-7 |
| Ecological risk | Mammals | LD ₅₀ | 869mg/kg | 5598-52-7 |
| Ecological risk | Mammals | LD ₅₀ | 1500mg/kg | 56-04-2 |
| Ecological risk | Mammals | LD ₅₀ | 738mg/kg | 56-18-8 |
| Ecological risk | Mammals | LD ₅₀ | 87mg/kg | 56-35-9 |
| Ecological risk | Mammals | LD ₅₀ | 99mg/kg | 56-36-0 |
| Ecological risk | Mammals | LD ₅₀ | 99mg/kg | 56-38-2 |
| Ecological risk | Mammals | LD ₅₀ | 13mg/kg | 56-72-4 |
| Ecological risk | Mammals | LD ₅₀ | 480mg/kg | 56293-29-9 |
| Ecological risk | Mammals | LD ₅₀ | 13mg/kg | 563-12-2 |
| Ecological risk | Mammals | LD ₅₀ | 700mg/kg | 5633-16-9 |
| Ecological risk | Mammals | LD ₅₀ | 257mg/kg | 56400-60-3 |
| Ecological risk | Mammals | LD ₅₀ | 709mg/kg | 56425-91-3 |
| Ecological risk | Mammals | LD ₅₀ | 769mg/kg | 565-74-2 |
| Ecological risk | Mammals | LD ₅₀ | 10200mg/kg | 56534-02-2 |
| Ecological risk | Mammals | LD ₅₀ | 741mg/kg | 56562-66-4 |

| | | | | |
|-----------------|---------|------------------|-----------|------------|
| Ecological risk | Mammals | LD ₅₀ | 3900mg/kg | 56730-87-1 |
| Ecological risk | Mammals | LD ₅₀ | 5160mg/kg | 56744-45-7 |
| Ecological risk | Mammals | LD ₅₀ | 560mg/kg | 56776-01-3 |
| Ecological risk | Mammals | LD ₅₀ | 1002mg/kg | 56839-43-1 |
| Ecological risk | Mammals | LD ₅₀ | 122mg/kg | 57-14-7 |
| Ecological risk | Mammals | LD ₅₀ | 122mg/kg | 57-24-9 |
| Ecological risk | Mammals | LD ₅₀ | 136mg/kg | 57-39-6 |
| Ecological risk | Mammals | LD ₅₀ | 1635mg/kg | 57-41-0 |
| Ecological risk | Mammals | LD ₅₀ | 1803mg/kg | 57010-32-9 |
| Ecological risk | Mammals | LD ₅₀ | 880mg/kg | 57109-90-7 |
| Ecological risk | Mammals | LD ₅₀ | 565mg/kg | 57165-49-8 |
| Ecological risk | Mammals | LD ₅₀ | 67mg/kg | 572-48-5 |
| Ecological risk | Mammals | LD ₅₀ | 9mg/kg | 5723-63-7 |
| Ecological risk | Mammals | LD ₅₀ | 554mg/kg | 57262-94-9 |
| Ecological risk | Mammals | LD ₅₀ | 1319mg/kg | 57308-51-7 |
| Ecological risk | Mammals | LD ₅₀ | 646mg/kg | 57342-05-9 |
| Ecological risk | Mammals | LD ₅₀ | 841mg/kg | 57469-77-9 |
| Ecological risk | Mammals | LD ₅₀ | 631mg/kg | 5748-26-5 |
| Ecological risk | Mammals | LD ₅₀ | 215mg/kg | 57495-14-4 |
| Ecological risk | Mammals | LD ₅₀ | 1500mg/kg | 57534-43-7 |
| Ecological risk | Mammals | LD ₅₀ | 2540mg/kg | 57645-91-7 |
| Ecological risk | Mammals | LD ₅₀ | 327mg/kg | 58-08-2 |
| Ecological risk | Mammals | LD ₅₀ | 285mg/kg | 58-15-1 |
| Ecological risk | Mammals | LD ₅₀ | 1800mg/kg | 58-38-8 |
| Ecological risk | Mammals | LD ₅₀ | 65mg/kg | 5809-59-6 |

| | | | | |
|-----------------|---------|------------------|------------|------------|
| Ecological risk | Mammals | LD ₅₀ | 610mg/kg | 581-88-4 |
| Ecological risk | Mammals | LD ₅₀ | 500mg/kg | 5810-11-7 |
| Ecological risk | Mammals | LD ₅₀ | 613mg/kg | 58139-96-1 |
| Ecological risk | Mammals | LD ₅₀ | 261mg/kg | 5826-91-5 |
| Ecological risk | Mammals | LD ₅₀ | 25mg/kg | 5827-05-4 |
| Ecological risk | Mammals | LD ₅₀ | 9mg/kg | 58270-08-9 |
| Ecological risk | Mammals | LD ₅₀ | 300mg/kg | 583-39-1 |
| Ecological risk | Mammals | LD ₅₀ | 95mg/kg | 58338-59-3 |
| Ecological risk | Mammals | LD ₅₀ | 68mg/kg | 5836-04-4 |
| Ecological risk | Mammals | LD ₅₀ | 685mg/kg | 584-79-2 |
| Ecological risk | Mammals | LD ₅₀ | 650mg/kg | 58769-20-3 |
| Ecological risk | Mammals | LD ₅₀ | 19500mg/kg | 58968-53-9 |
| Ecological risk | Mammals | LD ₅₀ | 590mg/kg | 59-87-0 |
| Ecological risk | Mammals | LD ₅₀ | 1950mg/kg | 590-21-6 |
| Ecological risk | Mammals | LD ₅₀ | 1500mg/kg | 590-63-6 |
| Ecological risk | Mammals | LD ₅₀ | 6550mg/kg | 59029-39-9 |
| Ecological risk | Mammals | LD ₅₀ | 924mg/kg | 591-27-5 |
| Ecological risk | Mammals | LD ₅₀ | 130mg/kg | 591-87-7 |
| Ecological risk | Mammals | LD ₅₀ | > 800mg/kg | 59118-21-7 |
| Ecological risk | Mammals | LD ₅₀ | 170mg/kg | 59209-40-4 |
| Ecological risk | Mammals | LD ₅₀ | 500mg/kg | 5926-26-1 |
| Ecological risk | Mammals | LD ₅₀ | 916mg/kg | 5928-69-8 |
| Ecological risk | Mammals | LD ₅₀ | 420mg/kg | 5929-09-9 |
| Ecological risk | Mammals | LD ₅₀ | 750mg/kg | 59652-29-8 |
| Ecological risk | Mammals | LD ₅₀ | 800mg/kg | 598-78-7 |

| | | | | |
|-----------------|---------|------------------|-------------|------------|
| Ecological risk | Mammals | LD ₅₀ | 3200mg/kg | 60-01-5 |
| Ecological risk | Mammals | LD ₅₀ | 200mg/kg | 60-11-7 |
| Ecological risk | Mammals | LD ₅₀ | 1790mg/kg | 60-12-8 |
| Ecological risk | Mammals | LD ₅₀ | 55mg/kg | 60-13-9 |
| Ecological risk | Mammals | LD ₅₀ | 244mg/kg | 60-24-2 |
| Ecological risk | Mammals | LD ₅₀ | 32mg/kg | 60-34-4 |
| Ecological risk | Mammals | LD ₅₀ | 1392mg/kg | 60-93-5 |
| Ecological risk | Mammals | LD ₅₀ | 1100mg/kg | 60-99-1 |
| Ecological risk | Mammals | LD ₅₀ | 990mg/kg | 60029-23-4 |
| Ecological risk | Mammals | LD ₅₀ | 1540mg/kg | 6009-02-5 |
| Ecological risk | Mammals | LD ₅₀ | 70mg/kg | 6012-97-1 |
| Ecological risk | Mammals | LD ₅₀ | 460mg/kg | 603-00-9 |
| Ecological risk | Mammals | LD ₅₀ | > 2500mg/kg | 6039-48-1 |
| Ecological risk | Mammals | LD ₅₀ | 500mg/kg | 6047-17-2 |
| Ecological risk | Mammals | LD ₅₀ | 278mg/kg | 60559-94-6 |
| Ecological risk | Mammals | LD ₅₀ | 14mg/kg | 60559-98-0 |
| Ecological risk | Mammals | LD ₅₀ | 700mg/kg | 6062-26-6 |
| Ecological risk | Mammals | LD ₅₀ | 490mg/kg | 60634-63-1 |
| Ecological risk | Mammals | LD ₅₀ | 144mg/kg | 60747-25-3 |
| Ecological risk | Mammals | LD ₅₀ | 889mg/kg | 60763-63-5 |
| Ecological risk | Mammals | LD ₅₀ | 145mg/kg | 60789-94-8 |
| Ecological risk | Mammals | LD ₅₀ | 1850mg/kg | 60853-38-5 |
| Ecological risk | Mammals | LD ₅₀ | 1250mg/kg | 609-66-5 |
| Ecological risk | Mammals | LD ₅₀ | 860mg/kg | 609-99-4 |
| Ecological risk | Mammals | LD ₅₀ | 7604mg/kg | 6092-18-8 |

| | | | | |
|-----------------|---------|------------------|------------|------------|
| Ecological risk | Mammals | LD ₅₀ | 730mg/kg | 61-01-8 |
| Ecological risk | Mammals | LD ₅₀ | 15800mg/kg | 6106-04-3 |
| Ecological risk | Mammals | LD ₅₀ | 840mg/kg | 6138-79-0 |
| Ecological risk | Mammals | LD ₅₀ | 550mg/kg | 617-38-9 |
| Ecological risk | Mammals | LD ₅₀ | 390mg/kg | 617-79-8 |
| Ecological risk | Mammals | LD ₅₀ | 1600mg/kg | 61706-44-3 |
| Ecological risk | Mammals | LD ₅₀ | 216mg/kg | 618-85-9 |
| Ecological risk | Mammals | LD ₅₀ | 30mg/kg | 619-72-7 |
| Ecological risk | Mammals | LD ₅₀ | 17mg/kg | 62-73-7 |
| Ecological risk | Mammals | LD ₅₀ | 37mg/kg | 62-75-9 |
| Ecological risk | Mammals | LD ₅₀ | 1107mg/kg | 62-97-5 |
| Ecological risk | Mammals | LD ₅₀ | 1080mg/kg | 62232-46-6 |
| Ecological risk | Mammals | LD ₅₀ | > 450mg/kg | 6231-03-4 |
| Ecological risk | Mammals | LD ₅₀ | 860mg/kg | 626-17-5 |
| Ecological risk | Mammals | LD ₅₀ | 42mg/kg | 62613-15-4 |
| Ecological risk | Mammals | LD ₅₀ | 250mg/kg | 627-09-8 |
| Ecological risk | Mammals | LD ₅₀ | 51mg/kg | 627-44-1 |
| Ecological risk | Mammals | LD ₅₀ | 170mg/kg | 627-51-0 |
| Ecological risk | Mammals | LD ₅₀ | 400mg/kg | 62708-54-7 |
| Ecological risk | Mammals | LD ₅₀ | 145mg/kg | 62774-96-3 |
| Ecological risk | Mammals | LD ₅₀ | 460mg/kg | 628-96-6 |
| Ecological risk | Mammals | LD ₅₀ | 2085mg/kg | 62906-35-8 |
| Ecological risk | Mammals | LD ₅₀ | 3440mg/kg | 62906-36-9 |
| Ecological risk | Mammals | LD ₅₀ | 230mg/kg | 63-25-2 |
| Ecological risk | Mammals | LD ₅₀ | 1530mg/kg | 630-93-3 |

| | | | | |
|-----------------|---------|------------------|------------|------------|
| Ecological risk | Mammals | LD ₅₀ | 2500mg/kg | 631-93-6 |
| Ecological risk | Mammals | LD ₅₀ | > 100mg/kg | 63233-56-7 |
| Ecological risk | Mammals | LD ₅₀ | 2mg/kg | 63333-35-7 |
| Ecological risk | Mammals | LD ₅₀ | 660mg/kg | 6334-11-8 |
| Ecological risk | Mammals | LD ₅₀ | 150mg/kg | 6336-01-2 |
| Ecological risk | Mammals | LD ₅₀ | 998mg/kg | 63659-19-8 |
| Ecological risk | Mammals | LD ₅₀ | 1257mg/kg | 63675-72-9 |
| Ecological risk | Mammals | LD ₅₀ | 58mg/kg | 637-32-1 |
| Ecological risk | Mammals | LD ₅₀ | 127mg/kg | 63710-43-0 |
| Ecological risk | Mammals | LD ₅₀ | 150mg/kg | 63869-09-0 |
| Ecological risk | Mammals | LD ₅₀ | 135mg/kg | 639-58-7 |
| Ecological risk | Mammals | LD ₅₀ | 1498mg/kg | 63906-64-9 |
| Ecological risk | Mammals | LD ₅₀ | 6mg/kg | 63907-08-4 |
| Ecological risk | Mammals | LD ₅₀ | 400mg/kg | 63917-01-1 |
| Ecological risk | Mammals | LD ₅₀ | 508mg/kg | 63918-50-3 |
| Ecological risk | Mammals | LD ₅₀ | 89mg/kg | 6392-46-7 |
| Ecological risk | Mammals | LD ₅₀ | 1360mg/kg | 63957-56-2 |
| Ecological risk | Mammals | LD ₅₀ | 60mg/kg | 63982-52-5 |
| Ecological risk | Mammals | LD ₅₀ | 461mg/kg | 64-31-3 |
| Ecological risk | Mammals | LD ₅₀ | 275mg/kg | 64-43-7 |
| Ecological risk | Mammals | LD ₅₀ | 2490mg/kg | 64-77-7 |
| Ecological risk | Mammals | LD ₅₀ | 500mg/kg | 64037-31-6 |
| Ecological risk | Mammals | LD ₅₀ | 600mg/kg | 64037-74-7 |
| Ecological risk | Mammals | LD ₅₀ | 650mg/kg | 64048-98-2 |
| Ecological risk | Mammals | LD ₅₀ | 35mg/kg | 64050-52-8 |

| | | | | |
|-----------------|---------|------------------|------------|------------|
| Ecological risk | Mammals | LD ₅₀ | 950mg/kg | 642-72-8 |
| Ecological risk | Mammals | LD ₅₀ | 472mg/kg | 64249-01-0 |
| Ecological risk | Mammals | LD ₅₀ | 5060mg/kg | 6425-08-7 |
| Ecological risk | Mammals | LD ₅₀ | 140mg/kg | 6436-05-1 |
| Ecological risk | Mammals | LD ₅₀ | 25mg/kg | 644-64-4 |
| Ecological risk | Mammals | LD ₅₀ | 214mg/kg | 6452-73-9 |
| Ecological risk | Mammals | LD ₅₀ | 156mg/kg | 6465-92-5 |
| Ecological risk | Mammals | LD ₅₀ | 1170mg/kg | 6493-05-6 |
| Ecological risk | Mammals | LD ₅₀ | 50mg/kg | 65-30-5 |
| Ecological risk | Mammals | LD ₅₀ | 980mg/kg | 65-45-2 |
| Ecological risk | Mammals | LD ₅₀ | 1700mg/kg | 65-85-0 |
| Ecological risk | Mammals | LD ₅₀ | 502mg/kg | 65043-22-3 |
| Ecological risk | Mammals | LD ₅₀ | 105mg/kg | 65094-73-7 |
| Ecological risk | Mammals | LD ₅₀ | 24150mg/kg | 652-67-5 |
| Ecological risk | Mammals | LD ₅₀ | 1800mg/kg | 65650-98-8 |
| Ecological risk | Mammals | LD ₅₀ | 1595mg/kg | 65765-07-3 |
| Ecological risk | Mammals | LD ₅₀ | 53mg/kg | 65907-30-4 |
| Ecological risk | Mammals | LD ₅₀ | 1200mg/kg | 660-53-7 |
| Ecological risk | Mammals | LD ₅₀ | 325mg/kg | 66230-04-4 |
| Ecological risk | Mammals | LD ₅₀ | 150mg/kg | 66276-87-7 |
| Ecological risk | Mammals | LD ₅₀ | 4190mg/kg | 66357-59-3 |
| Ecological risk | Mammals | LD ₅₀ | 907mg/kg | 66441-11-0 |
| Ecological risk | Mammals | LD ₅₀ | 460mg/kg | 6659-62-7 |
| Ecological risk | Mammals | LD ₅₀ | 3593mg/kg | 66734-13-2 |
| Ecological risk | Mammals | LD ₅₀ | 720mg/kg | 66795-86-6 |

| | | | | |
|-----------------|---------|------------------|------------|------------|
| Ecological risk | Mammals | LD ₅₀ | 710mg/kg | 668-37-1 |
| Ecological risk | Mammals | LD ₅₀ | 639mg/kg | 66941-53-5 |
| Ecological risk | Mammals | LD ₅₀ | 112mg/kg | 66952-49-6 |
| Ecological risk | Mammals | LD ₅₀ | 3710mg/kg | 67-03-8 |
| Ecological risk | Mammals | LD ₅₀ | 604mg/kg | 67-20-9 |
| Ecological risk | Mammals | LD ₅₀ | 695mg/kg | 67-66-3 |
| Ecological risk | Mammals | LD ₅₀ | 30mg/kg | 671-04-5 |
| Ecological risk | Mammals | LD ₅₀ | 505mg/kg | 67114-26-5 |
| Ecological risk | Mammals | LD ₅₀ | 1447mg/kg | 67306-00-7 |
| Ecological risk | Mammals | LD ₅₀ | 2220mg/kg | 67367-65-1 |
| Ecological risk | Mammals | LD ₅₀ | 1560mg/kg | 6789-80-6 |
| Ecological risk | Mammals | LD ₅₀ | 2800mg/kg | 68-12-2 |
| Ecological risk | Mammals | LD ₅₀ | 840mg/kg | 68-88-2 |
| Ecological risk | Mammals | LD ₅₀ | 19700mg/kg | 68037-57-0 |
| Ecological risk | Mammals | LD ₅₀ | 833mg/kg | 6805-41-0 |
| Ecological risk | Mammals | LD ₅₀ | 350mg/kg | 6814-58-0 |
| Ecological risk | Mammals | LD ₅₀ | 2900mg/kg | 68190-29-4 |
| Ecological risk | Mammals | LD ₅₀ | 1210mg/kg | 68334-67-8 |
| Ecological risk | Mammals | LD ₅₀ | 191mg/kg | 684-16-2 |
| Ecological risk | Mammals | LD ₅₀ | > 450mg/kg | 6840-11-5 |
| Ecological risk | Mammals | LD ₅₀ | 1200mg/kg | 68411-48-3 |
| Ecological risk | Mammals | LD ₅₀ | 887mg/kg | 68483-33-0 |
| Ecological risk | Mammals | LD ₅₀ | 2500mg/kg | 68586-17-4 |
| Ecological risk | Mammals | LD ₅₀ | > 400mg/kg | 68630-75-1 |
| Ecological risk | Mammals | LD ₅₀ | 65mg/kg | 6879-02-3 |

| | | | | |
|-----------------|---------|------------------|-------------|------------|
| Ecological risk | Mammals | LD ₅₀ | 549mg/kg | 68906-88-7 |
| Ecological risk | Mammals | LD ₅₀ | 1580mg/kg | 68917-09-9 |
| Ecological risk | Mammals | LD ₅₀ | 410mg/kg | 6899-10-1 |
| Ecological risk | Mammals | LD ₅₀ | 660mg/kg | 69-05-6 |
| Ecological risk | Mammals | LD ₅₀ | 891mg/kg | 69-72-7 |
| Ecological risk | Mammals | LD ₅₀ | > 3200mg/kg | 69-74-9 |
| Ecological risk | Mammals | LD ₅₀ | 600mg/kg | 690-94-8 |
| Ecological risk | Mammals | LD ₅₀ | 200mg/kg | 6900-06-7 |
| Ecological risk | Mammals | LD ₅₀ | 8mg/kg | 6923-22-4 |
| Ecological risk | Mammals | LD ₅₀ | 439mg/kg | 69267-51-2 |
| Ecological risk | Mammals | LD ₅₀ | 722mg/kg | 69317-48-2 |
| Ecological risk | Mammals | LD ₅₀ | 2405mg/kg | 69377-81-7 |
| Ecological risk | Mammals | LD ₅₀ | 3900mg/kg | 6954-48-9 |
| Ecological risk | Mammals | LD ₅₀ | 1052mg/kg | 696-99-1 |
| Ecological risk | Mammals | LD ₅₀ | 745mg/kg | 6973-01-9 |
| Ecological risk | Mammals | LD ₅₀ | 75mg/kg | 6974-12-5 |
| Ecological risk | Mammals | LD ₅₀ | 25mg/kg | 6988-21-2 |
| Ecological risk | Mammals | LD ₅₀ | 3820mg/kg | 70-07-5 |
| Ecological risk | Mammals | LD ₅₀ | 1386mg/kg | 70384-91-7 |
| Ecological risk | Mammals | LD ₅₀ | 682mg/kg | 70476-82-3 |
| Ecological risk | Mammals | LD ₅₀ | 1025mg/kg | 7075-03-8 |
| Ecological risk | Mammals | LD ₅₀ | 504mg/kg | 70891-37-1 |
| Ecological risk | Mammals | LD ₅₀ | 114mg/kg | 709-55-7 |
| Ecological risk | Mammals | LD ₅₀ | 52mg/kg | 70907-55-0 |
| Ecological risk | Mammals | LD ₅₀ | 930mg/kg | 71-43-2 |

| | | | | |
|-----------------|---------|------------------|-------------|------------|
| Ecological risk | Mammals | LD ₅₀ | 1035mg/kg | 71-79-4 |
| Ecological risk | Mammals | LD ₅₀ | 850mg/kg | 71-82-9 |
| Ecological risk | Mammals | LD ₅₀ | 4556mg/kg | 71010-91-8 |
| Ecological risk | Mammals | LD ₅₀ | 268mg/kg | 71048-99-2 |
| Ecological risk | Mammals | LD ₅₀ | 2200mg/kg | 71208-66-7 |
| Ecological risk | Mammals | LD ₅₀ | 110mg/kg | 7122-04-5 |
| Ecological risk | Mammals | LD ₅₀ | > 2000mg/kg | 71251-30-4 |
| Ecological risk | Mammals | LD ₅₀ | 1211mg/kg | 713-68-8 |
| Ecological risk | Mammals | LD ₅₀ | 20500mg/kg | 71343-75-4 |
| Ecological risk | Mammals | LD ₅₀ | 16800mg/kg | 71343-76-5 |
| Ecological risk | Mammals | LD ₅₀ | 1400mg/kg | 71500-37-3 |
| Ecological risk | Mammals | LD ₅₀ | > 500mg/kg | 7152-03-6 |
| Ecological risk | Mammals | LD ₅₀ | 1644mg/kg | 71561-11-0 |
| Ecological risk | Mammals | LD ₅₀ | 1788mg/kg | 71628-96-1 |
| Ecological risk | Mammals | LD ₅₀ | 640mg/kg | 7174-27-8 |
| Ecological risk | Mammals | LD ₅₀ | 3125mg/kg | 718-21-8 |
| Ecological risk | Mammals | LD ₅₀ | 9910mg/kg | 71878-19-8 |
| Ecological risk | Mammals | LD ₅₀ | 16800mg/kg | 72490-01-8 |
| Ecological risk | Mammals | LD ₅₀ | 230mg/kg | 7281-04-1 |
| Ecological risk | Mammals | LD ₅₀ | 2600mg/kg | 7287-36-7 |
| Ecological risk | Mammals | LD ₅₀ | 61mg/kg | 7292-16-2 |
| Ecological risk | Mammals | LD ₅₀ | 1250mg/kg | 73-05-2 |
| Ecological risk | Mammals | LD ₅₀ | 10250mg/kg | 73-09-6 |
| Ecological risk | Mammals | LD ₅₀ | 1450mg/kg | 73-66-5 |
| Ecological risk | Mammals | LD ₅₀ | 3450mg/kg | 7300-34-7 |

| | | | | |
|-----------------|---------|------------------|-------------|------------|
| Ecological risk | Mammals | LD ₅₀ | 4500mg/kg | 73070-37-8 |
| Ecological risk | Mammals | LD ₅₀ | 1850mg/kg | 73138-27-9 |
| Ecological risk | Mammals | LD ₅₀ | 870mg/kg | 73622-67-0 |
| Ecological risk | Mammals | LD ₅₀ | 238mg/kg | 73747-29-2 |
| Ecological risk | Mammals | LD ₅₀ | 1500mg/kg | 73908-94-8 |
| Ecological risk | Mammals | LD ₅₀ | 1110mg/kg | 73987-24-3 |
| Ecological risk | Mammals | LD ₅₀ | 1170mg/kg | 74-11-3 |
| Ecological risk | Mammals | LD ₅₀ | 765mg/kg | 74037-29-9 |
| Ecological risk | Mammals | LD ₅₀ | 271mg/kg | 741-58-2 |
| Ecological risk | Mammals | LD ₅₀ | > 3200mg/kg | 74115-24-5 |
| Ecological risk | Mammals | LD ₅₀ | 5190mg/kg | 7420-06-6 |
| Ecological risk | Mammals | LD ₅₀ | 21mg/kg | 74252-25-8 |
| Ecological risk | Mammals | LD ₅₀ | 12500mg/kg | 74849-93-7 |
| Ecological risk | Mammals | LD ₅₀ | 4400mg/kg | 7492-44-6 |
| Ecological risk | Mammals | LD ₅₀ | 74mg/kg | 74957-49-6 |
| Ecological risk | Mammals | LD ₅₀ | 2460mg/kg | 75-05-8 |
| Ecological risk | Mammals | LD ₅₀ | 682mg/kg | 75-08-1 |
| Ecological risk | Mammals | LD ₅₀ | 1600mg/kg | 75-09-2 |
| Ecological risk | Mammals | LD ₅₀ | 5577mg/kg | 75-12-7 |
| Ecological risk | Mammals | LD ₅₀ | 3300mg/kg | 75-18-3 |
| Ecological risk | Mammals | LD ₅₀ | 900mg/kg | 75-98-9 |
| Ecological risk | Mammals | LD ₅₀ | > 367mg/kg | 75272-39-8 |
| Ecological risk | Mammals | LD ₅₀ | 6100mg/kg | 75433-60-2 |
| Ecological risk | Mammals | LD ₅₀ | 7mg/kg | 757-58-4 |
| Ecological risk | Mammals | LD ₅₀ | 350mg/kg | 75786-57-1 |

| | | | | |
|-----------------|---------|------------------|-------------|------------|
| Ecological risk | Mammals | LD ₅₀ | 85mg/kg | 75867-00-4 |
| Ecological risk | Mammals | LD ₅₀ | 300mg/kg | 759-73-9 |
| Ecological risk | Mammals | LD ₅₀ | 920mg/kg | 76-01-7 |
| Ecological risk | Mammals | LD ₅₀ | 600mg/kg | 76-02-8 |
| Ecological risk | Mammals | LD ₅₀ | 89mg/kg | 764-41-0 |
| Ecological risk | Mammals | LD ₅₀ | 675mg/kg | 7654-03-7 |
| Ecological risk | Mammals | LD ₅₀ | 1480mg/kg | 76578-14-8 |
| Ecological risk | Mammals | LD ₅₀ | 303mg/kg | 7659-86-1 |
| Ecological risk | Mammals | LD ₅₀ | 1140mg/kg | 76674-21-0 |
| Ecological risk | Mammals | LD ₅₀ | 1300mg/kg | 76738-62-0 |
| Ecological risk | Mammals | LD ₅₀ | 1200mg/kg | 76775-57-0 |
| Ecological risk | Mammals | LD ₅₀ | 720mg/kg | 7681-80-3 |
| Ecological risk | Mammals | LD ₅₀ | > 3800mg/kg | 76840-16-9 |
| Ecological risk | Mammals | LD ₅₀ | 153mg/kg | 7689-03-4 |
| Ecological risk | Mammals | LD ₅₀ | 7400mg/kg | 76930-44-4 |
| Ecological risk | Mammals | LD ₅₀ | 780mg/kg | 77-04-3 |
| Ecological risk | Mammals | LD ₅₀ | 6300mg/kg | 77-06-5 |
| Ecological risk | Mammals | LD ₅₀ | 600mg/kg | 77-21-4 |
| Ecological risk | Mammals | LD ₅₀ | 1620mg/kg | 77182-82-2 |
| Ecological risk | Mammals | LD ₅₀ | > 2700mg/kg | 77234-90-3 |
| Ecological risk | Mammals | LD ₅₀ | 750mg/kg | 77287-90-2 |
| Ecological risk | Mammals | LD ₅₀ | 237mg/kg | 77458-01-6 |
| Ecological risk | Mammals | LD ₅₀ | 3mg/kg | 7786-34-7 |
| Ecological risk | Mammals | LD ₅₀ | 6270mg/kg | 78-10-4 |
| Ecological risk | Mammals | LD ₅₀ | 1660mg/kg | 78-11-5 |

| | | | | |
|-----------------|---------|------------------|------------|------------|
| Ecological risk | Mammals | LD ₅₀ | 890mg/kg | 78-57-9 |
| Ecological risk | Mammals | LD ₅₀ | 1870mg/kg | 78-59-1 |
| Ecological risk | Mammals | LD ₅₀ | 600mg/kg | 78-71-7 |
| Ecological risk | Mammals | LD ₅₀ | 78mg/kg | 78816-67-8 |
| Ecological risk | Mammals | LD ₅₀ | > 100mg/kg | 78919-13-8 |
| Ecological risk | Mammals | LD ₅₀ | 7410mg/kg | 78922-31-3 |
| Ecological risk | Mammals | LD ₅₀ | 836mg/kg | 79-00-5 |
| Ecological risk | Mammals | LD ₅₀ | 4920mg/kg | 79-01-6 |
| Ecological risk | Mammals | LD ₅₀ | 2600mg/kg | 79-09-4 |
| Ecological risk | Mammals | LD ₅₀ | 1950mg/kg | 79-14-1 |
| Ecological risk | Mammals | LD ₅₀ | 1200mg/kg | 79-27-6 |
| Ecological risk | Mammals | LD ₅₀ | 3250mg/kg | 80-05-7 |
| Ecological risk | Mammals | LD ₅₀ | 4556mg/kg | 80-09-1 |
| Ecological risk | Mammals | LD ₅₀ | 2700mg/kg | 80-11-5 |
| Ecological risk | Mammals | LD ₅₀ | 740mg/kg | 80-18-2 |
| Ecological risk | Mammals | LD ₅₀ | 1200mg/kg | 80-49-9 |
| Ecological risk | Mammals | LD ₅₀ | 200mg/kg | 8001-50-1 |
| Ecological risk | Mammals | LD ₅₀ | 660mg/kg | 8003-06-3 |
| Ecological risk | Mammals | LD ₅₀ | 11520mg/kg | 8007-75-8 |
| Ecological risk | Mammals | LD ₅₀ | 3870mg/kg | 8008-98-8 |
| Ecological risk | Mammals | LD ₅₀ | 1650mg/kg | 8016-37-3 |
| Ecological risk | Mammals | LD ₅₀ | 4550mg/kg | 8016-38-4 |
| Ecological risk | Mammals | LD ₅₀ | 1150mg/kg | 8016-87-3 |
| Ecological risk | Mammals | LD ₅₀ | 75mg/kg | 8022-00-2 |
| Ecological risk | Mammals | LD ₅₀ | 730mg/kg | 8023-53-8 |

| | | | | |
|-----------------|---------|------------------|--------------|------------|
| Ecological risk | Mammals | LD ₅₀ | 4200mg/kg | 8023-94-7 |
| Ecological risk | Mammals | LD ₅₀ | 3550mg/kg | 8025-81-8 |
| Ecological risk | Mammals | LD ₅₀ | 475mg/kg | 8027-00-7 |
| Ecological risk | Mammals | LD ₅₀ | 4700mg/kg | 80341-98-6 |
| Ecological risk | Mammals | LD ₅₀ | > 500mg/kg | 80472-82-8 |
| Ecological risk | Mammals | LD ₅₀ | > 20624mg/kg | 8064-47-9 |
| Ecological risk | Mammals | LD ₅₀ | 96mg/kg | 8065-71-2 |
| Ecological risk | Mammals | LD ₅₀ | 1500mg/kg | 8065-92-7 |
| Ecological risk | Mammals | LD ₅₀ | 72mg/kg | 8066-01-1 |
| Ecological risk | Mammals | LD ₅₀ | 2980mg/kg | 8066-10-2 |
| Ecological risk | Mammals | LD ₅₀ | 500mg/kg | 80834-79-3 |
| Ecological risk | Mammals | LD ₅₀ | 24mg/kg | 81250-14-8 |
| Ecological risk | Mammals | LD ₅₀ | 15mg/kg | 81250-24-0 |
| Ecological risk | Mammals | LD ₅₀ | 1040mg/kg | 81486-22-8 |
| Ecological risk | Mammals | LD ₅₀ | 13100mg/kg | 81859-24-7 |
| Ecological risk | Mammals | LD ₅₀ | 580mg/kg | 81994-68-5 |
| Ecological risk | Mammals | LD ₅₀ | 62mg/kg | 821-06-7 |
| Ecological risk | Mammals | LD ₅₀ | 751mg/kg | 822-36-6 |
| Ecological risk | Mammals | LD ₅₀ | 228mg/kg | 82350-97-8 |
| Ecological risk | Mammals | LD ₅₀ | 105mg/kg | 82560-54-1 |
| Ecological risk | Mammals | LD ₅₀ | 4015mg/kg | 82586-52-5 |
| Ecological risk | Mammals | LD ₅₀ | 208mg/kg | 826-39-1 |
| Ecological risk | Mammals | LD ₅₀ | 824mg/kg | 82857-38-3 |
| Ecological risk | Mammals | LD ₅₀ | 740mg/kg | 83-05-6 |
| Ecological risk | Mammals | LD ₅₀ | 1700mg/kg | 83-07-8 |

| | | | | |
|-----------------|---------|------------------|-------------|------------|
| Ecological risk | Mammals | LD ₅₀ | 253mg/kg | 83519-04-4 |
| Ecological risk | Mammals | LD ₅₀ | 474mg/kg | 83657-18-5 |
| Ecological risk | Mammals | LD ₅₀ | 474mg/kg | 83657-24-3 |
| Ecological risk | Mammals | LD ₅₀ | 39mg/kg | 83733-82-8 |
| Ecological risk | Mammals | LD ₅₀ | 750mg/kg | 84-02-6 |
| Ecological risk | Mammals | LD ₅₀ | 620mg/kg | 84-04-8 |
| Ecological risk | Mammals | LD ₅₀ | 250mg/kg | 84542-20-1 |
| Ecological risk | Mammals | LD ₅₀ | > 4800mg/kg | 849-55-8 |
| Ecological risk | Mammals | LD ₅₀ | 1530mg/kg | 85-44-9 |
| Ecological risk | Mammals | LD ₅₀ | > 500mg/kg | 85697-11-6 |
| Ecological risk | Mammals | LD ₅₀ | 620mg/kg | 857-95-4 |
| Ecological risk | Mammals | LD ₅₀ | 3790mg/kg | 86-04-4 |
| Ecological risk | Mammals | LD ₅₀ | 1060mg/kg | 86-12-4 |
| Ecological risk | Mammals | LD ₅₀ | 75mg/kg | 867-27-6 |
| Ecological risk | Mammals | LD ₅₀ | 1459mg/kg | 86780-90-7 |
| Ecological risk | Mammals | LD ₅₀ | 63mg/kg | 86811-46-3 |
| Ecological risk | Mammals | LD ₅₀ | 11300mg/kg | 86924-37-0 |
| Ecological risk | Mammals | LD ₅₀ | 11500mg/kg | 87-02-5 |
| Ecological risk | Mammals | LD ₅₀ | > 2220mg/kg | 87-08-1 |
| Ecological risk | Mammals | LD ₅₀ | 27mg/kg | 87-86-5 |
| Ecological risk | Mammals | LD ₅₀ | 456mg/kg | 871-58-9 |
| Ecological risk | Mammals | LD ₅₀ | 500mg/kg | 87757-18-4 |
| Ecological risk | Mammals | LD ₅₀ | 820mg/kg | 88-06-2 |
| Ecological risk | Mammals | LD ₅₀ | 2200mg/kg | 88-09-5 |
| Ecological risk | Mammals | LD ₅₀ | 2700mg/kg | 88-10-8 |

| | | | | |
|-----------------|---------|------------------|------------|------------|
| Ecological risk | Mammals | LD ₅₀ | 891mg/kg | 88-72-2 |
| Ecological risk | Mammals | LD ₅₀ | 630mg/kg | 88032-76-2 |
| Ecological risk | Mammals | LD ₅₀ | 669mg/kg | 88485-37-4 |
| Ecological risk | Mammals | LD ₅₀ | 500mg/kg | 89-80-5 |
| Ecological risk | Mammals | LD ₅₀ | 491mg/kg | 892-20-6 |
| Ecological risk | Mammals | LD ₅₀ | 856mg/kg | 89591-51-5 |
| Ecological risk | Mammals | LD ₅₀ | 1700mg/kg | 89778-26-7 |
| Ecological risk | Mammals | LD ₅₀ | 237mg/kg | 89784-60-1 |
| Ecological risk | Mammals | LD ₅₀ | 665mg/kg | 89845-17-0 |
| Ecological risk | Mammals | LD ₅₀ | 520mg/kg | 90-02-8 |
| Ecological risk | Mammals | LD ₅₀ | 520mg/kg | 90-05-1 |
| Ecological risk | Mammals | LD ₅₀ | 1870mg/kg | 90-15-3 |
| Ecological risk | Mammals | LD ₅₀ | 595mg/kg | 90-16-4 |
| Ecological risk | Mammals | LD ₅₀ | 1260mg/kg | 90-22-2 |
| Ecological risk | Mammals | LD ₅₀ | 960mg/kg | 90-39-1 |
| Ecological risk | Mammals | LD ₅₀ | 1200mg/kg | 90-72-2 |
| Ecological risk | Mammals | LD ₅₀ | 660mg/kg | 90-82-4 |
| Ecological risk | Mammals | LD ₅₀ | 2500mg/kg | 9003-01-4 |
| Ecological risk | Mammals | LD ₅₀ | 7900mg/kg | 9004-87-9 |
| Ecological risk | Mammals | LD ₅₀ | 2850mg/kg | 9006-42-2 |
| Ecological risk | Mammals | LD ₅₀ | 8260mg/kg | 9010-05-3 |
| Ecological risk | Mammals | LD ₅₀ | 18100mg/kg | 9010-06-4 |
| Ecological risk | Mammals | LD ₅₀ | 17500mg/kg | 9010-41-7 |
| Ecological risk | Mammals | LD ₅₀ | 8394mg/kg | 9011-05-6 |
| Ecological risk | Mammals | LD ₅₀ | 3700mg/kg | 9014-01-1 |

| | | | | |
|-----------------|---------|------------------|-------------|------------|
| Ecological risk | Mammals | LD ₅₀ | 1380mg/kg | 9015-54-7 |
| Ecological risk | Mammals | LD ₅₀ | 30mg/kg | 90293-48-4 |
| Ecological risk | Mammals | LD ₅₀ | 20mg/kg | 90293-50-8 |
| Ecological risk | Mammals | LD ₅₀ | 1100mg/kg | 90729-41-2 |
| Ecological risk | Mammals | LD ₅₀ | 3800mg/kg | 9084-06-4 |
| Ecological risk | Mammals | LD ₅₀ | 550mg/kg | 91-10-1 |
| Ecological risk | Mammals | LD ₅₀ | 30mg/kg | 91-15-6 |
| Ecological risk | Mammals | LD ₅₀ | 5750mg/kg | 911-45-5 |
| Ecological risk | Mammals | LD ₅₀ | 575mg/kg | 91595-86-7 |
| Ecological risk | Mammals | LD ₅₀ | 30mg/kg | 919-86-8 |
| Ecological risk | Mammals | LD ₅₀ | 500mg/kg | 91933-08-3 |
| Ecological risk | Mammals | LD ₅₀ | 2400mg/kg | 92-06-8 |
| Ecological risk | Mammals | LD ₅₀ | 400mg/kg | 92-09-1 |
| Ecological risk | Mammals | LD ₅₀ | 25mg/kg | 920-37-6 |
| Ecological risk | Mammals | LD ₅₀ | 421mg/kg | 921-09-5 |
| Ecological risk | Mammals | LD ₅₀ | 2500mg/kg | 925-83-7 |
| Ecological risk | Mammals | LD ₅₀ | 765mg/kg | 928-70-1 |
| Ecological risk | Mammals | LD ₅₀ | > 3200mg/kg | 93-02-7 |
| Ecological risk | Mammals | LD ₅₀ | 650mg/kg | 93-65-2 |
| Ecological risk | Mammals | LD ₅₀ | 650mg/kg | 93-72-1 |
| Ecological risk | Mammals | LD ₅₀ | 495mg/kg | 93-78-7 |
| Ecological risk | Mammals | LD ₅₀ | 4290mg/kg | 94-04-2 |
| Ecological risk | Mammals | LD ₅₀ | 700mg/kg | 94-11-1 |
| Ecological risk | Mammals | LD ₅₀ | 514mg/kg | 94-62-2 |
| Ecological risk | Mammals | LD ₅₀ | 600mg/kg | 94-80-4 |

| | | | | |
|-----------------|---------|------------------|-------------|------------|
| Ecological risk | Mammals | LD ₅₀ | 700mg/kg | 94-82-6 |
| Ecological risk | Mammals | LD ₅₀ | 3160mg/kg | 94238-00-3 |
| Ecological risk | Mammals | LD ₅₀ | 1020mg/kg | 94361-06-5 |
| Ecological risk | Mammals | LD ₅₀ | 3600mg/kg | 94788-64-4 |
| Ecological risk | Mammals | LD ₅₀ | 2500mg/kg | 95-04-5 |
| Ecological risk | Mammals | LD ₅₀ | 850mg/kg | 95-06-7 |
| Ecological risk | Mammals | LD ₅₀ | 560mg/kg | 95-14-7 |
| Ecological risk | Mammals | LD ₅₀ | 380mg/kg | 95-16-9 |
| Ecological risk | Mammals | LD ₅₀ | 763mg/kg | 95-25-0 |
| Ecological risk | Mammals | LD ₅₀ | 121mg/kg | 95-48-7 |
| Ecological risk | Mammals | LD ₅₀ | 500mg/kg | 95-50-1 |
| Ecological risk | Mammals | LD ₅₀ | 510mg/kg | 95-54-5 |
| Ecological risk | Mammals | LD ₅₀ | 40mg/kg | 95-57-8 |
| Ecological risk | Mammals | LD ₅₀ | 727mg/kg | 95-65-8 |
| Ecological risk | Mammals | LD ₅₀ | 1500mg/kg | 95-74-9 |
| Ecological risk | Mammals | LD ₅₀ | 48mg/kg | 953-17-3 |
| Ecological risk | Mammals | LD ₅₀ | > 1013mg/kg | 95343-20-7 |
| Ecological risk | Mammals | LD ₅₀ | 525mg/kg | 958-93-0 |
| Ecological risk | Mammals | LD ₅₀ | > 500mg/kg | 95882-64-7 |
| Ecological risk | Mammals | LD ₅₀ | 70mg/kg | 96-05-9 |
| Ecological risk | Mammals | LD ₅₀ | 5630mg/kg | 96-08-2 |
| Ecological risk | Mammals | LD ₅₀ | 170mg/kg | 96-12-8 |
| Ecological risk | Mammals | LD ₅₀ | 616mg/kg | 96-19-5 |
| Ecological risk | Mammals | LD ₅₀ | 110mg/kg | 96-23-1 |
| Ecological risk | Mammals | LD ₅₀ | 26mg/kg | 96-24-2 |

| | | | | |
|-----------------|---------|------------------|-------------|------------|
| Ecological risk | Mammals | LD ₅₀ | 740mg/kg | 964-52-3 |
| Ecological risk | Mammals | LD ₅₀ | 570mg/kg | 96489-71-3 |
| Ecological risk | Mammals | LD ₅₀ | 1850mg/kg | 97-05-2 |
| Ecological risk | Mammals | LD ₅₀ | 1300mg/kg | 97110-59-3 |
| Ecological risk | Mammals | LD ₅₀ | 860mg/kg | 97174-79-3 |
| Ecological risk | Mammals | LD ₅₀ | 815mg/kg | 972-02-1 |
| Ecological risk | Mammals | LD ₅₀ | > 800mg/kg | 97817-39-5 |
| Ecological risk | Mammals | LD ₅₀ | 3045mg/kg | 98-06-6 |
| Ecological risk | Mammals | LD ₅₀ | 991mg/kg | 98-10-2 |
| Ecological risk | Mammals | LD ₅₀ | 4912mg/kg | 98043-60-8 |
| Ecological risk | Mammals | LD ₅₀ | 540mg/kg | 985-12-6 |
| Ecological risk | Mammals | LD ₅₀ | 1650mg/kg | 98816-32-1 |
| Ecological risk | Mammals | LD ₅₀ | 57mg/kg | 98886-44-3 |
| Ecological risk | Mammals | LD ₅₀ | 1870mg/kg | 99-03-6 |
| Ecological risk | Mammals | LD ₅₀ | 1072mg/kg | 99-08-1 |
| Ecological risk | Mammals | LD ₅₀ | 535mg/kg | 99-09-2 |
| Ecological risk | Mammals | LD ₅₀ | > 3200mg/kg | 99-11-6 |
| Ecological risk | Mammals | LD ₅₀ | 1960mg/kg | 99-99-0 |
| Ecological risk | Mammals | LD ₅₀ | 18mg/kg | 990-73-8 |
| Ecological risk | Mammals | LD ₅₀ | 82mg/kg | 997-70-6 |
| Ecological risk | Mammals | LD ₅₀ | 600mg/kg | 999-81-5 |
| Ecological risk | Algae | IC ₅₀ | 110mg/L | 62-73-7 |
| Ecological risk | Algae | IC ₅₀ | 1.14mg/L | 118-96-7 |
| Ecological risk | Algae | IC ₅₀ | 0.0459mg/L | 7287-19-6 |
| Ecological risk | Algae | IC ₅₀ | 0.015mg/L | 42874-03-3 |

| | | | | |
|-----------------|-------|------------------|----------------|-------------|
| Ecological risk | Algae | IC ₅₀ | 6.32mg/L | 114-26-1 |
| Ecological risk | Algae | IC ₅₀ | 0.2mg/L | 1461-22-9 |
| Ecological risk | Algae | IC ₅₀ | 0.118mg/L | 64902-72-3 |
| Ecological risk | Algae | IC ₅₀ | 0.0372mg/L | 51218-45-2 |
| Ecological risk | Algae | IC ₅₀ | 0.612mg/L | 74223-64-6 |
| Ecological risk | Algae | IC ₅₀ | 0.427mg/L | 101-21-3 |
| Ecological risk | Algae | IC ₅₀ | 0.292303mg/L | 85-01-8 |
| Ecological risk | Algae | IC ₅₀ | 1003.38012mg/L | 2706-90-3 |
| Ecological risk | Algae | IC ₅₀ | 0.0383mg/L | 15545-48-9 |
| Ecological risk | Algae | IC ₅₀ | 0.23mg/L | 131860-33-8 |
| Ecological risk | Algae | IC ₅₀ | 5.58mg/L | 99-50-3 |
| Ecological risk | Algae | IC ₅₀ | 2.41mg/L | 84-74-2 |
| Ecological risk | Algae | IC ₅₀ | 0.0486mg/L | 122-34-9 |
| Ecological risk | Algae | IC ₅₀ | 0.5mg/L | 67129-08-2 |
| Ecological risk | Algae | IC ₅₀ | 0.62mg/L | 2039-46-5 |
| Ecological risk | Algae | IC ₅₀ | 1.4mg/L | 175013-18-0 |
| Ecological risk | Algae | IC ₅₀ | 0.8mg/L | 14816-18-3 |
| Ecological risk | Algae | IC ₅₀ | 0.39mg/L | 60207-90-1 |
| Ecological risk | Algae | IC ₅₀ | 0.76mg/L | 452-86-8 |
| Ecological risk | Algae | IC ₅₀ | 0.9mg/L | 58-89-9 |
| Ecological risk | Algae | IC ₅₀ | 7.69mg/L | 25057-89-0 |
| Ecological risk | Algae | IC ₅₀ | 0.017mg/L | 101-20-2 |
| Ecological risk | Algae | IC ₅₀ | 0.237mg/L | 3766-60-7 |
| Ecological risk | Algae | IC ₅₀ | 9.31mg/L | 4180-23-8 |
| Ecological risk | Algae | IC ₅₀ | 0.9mg/L | 40487-42-1 |

| | | | | |
|-----------------|---------|------------------|--------------|-------------|
| Ecological risk | Algae | IC ₅₀ | 0.0495mg/L | 34123-59-6 |
| Ecological risk | Algae | IC ₅₀ | 0.432mg/L | 2303-16-4 |
| Ecological risk | Algae | IC ₅₀ | 0.108mg/L | 15972-60-8 |
| Ecological risk | Algae | IC ₅₀ | 0.0257mg/L | 21087-64-9 |
| Ecological risk | Algae | IC ₅₀ | 0.13mg/L | 4685-14-7 |
| Ecological risk | Algae | IC ₅₀ | 0.102mg/L | 1910-42-5 |
| Ecological risk | Algae | IC ₅₀ | 40mg/L | 738-70-5 |
| Ecological risk | Algae | IC ₅₀ | 1.73mg/L | 2764-72-9 |
| Ecological risk | Algae | IC ₅₀ | 0.12mg/L | 141517-21-7 |
| Ecological risk | Algae | IC ₅₀ | 1.94mg/L | 94-74-6 |
| Ecological risk | Algae | IC ₅₀ | 0.21298mg/L | 56296-78-7 |
| Ecological risk | Algae | IC ₅₀ | 0.0121mg/L | 79617-96-2 |
| Ecological risk | Mysid | LC ₅₀ | 0.00416 mg/L | 175013-18-0 |
| Ecological risk | Daphnia | LC ₅₀ | 1.58 mg/L | 361377-29-9 |
| Ecological risk | Daphnia | LC ₅₀ | 0.092 mg/L | 5436-43-1 |
| Ecological risk | Daphnia | LC ₅₀ | 0.011 mg/L | 137-30-4 |
| Ecological risk | Daphnia | LC ₅₀ | 40.1 mg/L | 107534-96-3 |
| Ecological risk | Daphnia | LC ₅₀ | 0.1 mg/L | 85-69-8 |
| Ecological risk | Daphnia | LC ₅₀ | 4.9413 mg/L | 67747-09-5 |
| Ecological risk | Daphnia | LC ₅₀ | 29.5339 mg/L | 15920-93-1 |
| Ecological risk | Daphnia | LC ₅₀ | 0.054 mg/L | 60348-60-9 |
| Ecological risk | Daphnia | LC ₅₀ | 0.05 mg/L | 117-81-7 |
| Ecological risk | Daphnia | LC ₅₀ | 2.4 mg/L | 151-50-8 |
| Ecological risk | Daphnia | LC ₅₀ | 0.12 mg/L | 79617-96-2 |
| Ecological risk | Daphnia | LC ₅₀ | 14 mg/L | 112281-77-3 |

| | | | | |
|-----------------|---------|------------------|--------------|-------------|
| Ecological risk | Daphnia | LC ₅₀ | 40 mg/L | 33972-75-7 |
| Ecological risk | Daphnia | LC ₅₀ | 0.16 mg/L | 7012-37-5 |
| Ecological risk | Daphnia | LC ₅₀ | 0.036 mg/L | 11096-82-5 |
| Ecological risk | Daphnia | LC ₅₀ | 2.5904 mg/L | 57-63-6 |
| Ecological risk | Daphnia | LC ₅₀ | 0.0033 mg/L | 56-36-0 |
| Ecological risk | Daphnia | LC ₅₀ | 3.52 mg/L | 27854-31-5 |
| Ecological risk | Daphnia | LC ₅₀ | 3.94 mg/L | 58-73-1 |
| Ecological risk | Daphnia | LC ₅₀ | 0.022 mg/L | 3648-20-2 |
| Ecological risk | Daphnia | LC ₅₀ | 0.0866 mg/L | 28553-12-0 |
| Ecological risk | Daphnia | LC ₅₀ | 100 mg/L | 210880-92-5 |
| Ecological risk | Daphnia | LC ₅₀ | 0.6 mg/L | 13746-66-2 |
| Ecological risk | Daphnia | LC ₅₀ | 5122 mg/L | 57-55-6 |
| Ecological risk | Daphnia | LC ₅₀ | 0.15 mg/L | 70887-94-4 |
| Ecological risk | Daphnia | LC ₅₀ | 0.014 mg/L | 14324-55-1 |
| Ecological risk | Daphnia | LC ₅₀ | 0.00553 mg/L | 77238-39-2 |
| Ecological risk | Daphnia | LC ₅₀ | 1.9 mg/L | 218-01-9 |
| Ecological risk | Daphnia | LC ₅₀ | 0.06 mg/L | 53826-13-4 |
| Ecological risk | Daphnia | LC ₅₀ | 0.234 mg/L | 56296-78-7 |
| Ecological risk | Daphnia | LC ₅₀ | 20 mg/L | 131-17-9 |
| Ecological risk | Daphnia | LC ₅₀ | 2.01 mg/L | 2897-21-4 |
| Ecological risk | Daphnia | LC ₅₀ | 0.12939 mg/L | 129453-61-8 |
| Ecological risk | Daphnia | LC ₅₀ | 215 mg/L | 111-55-7 |
| Ecological risk | Daphnia | LC ₅₀ | 80 mg/L | 153719-23-4 |
| Ecological risk | Daphnia | LC ₅₀ | 234.18 mg/L | 723-46-6 |
| Ecological risk | Daphnia | LC ₅₀ | 40 mg/L | 83657-22-1 |

| | | | | |
|-----------------|---------|------------------|---------------|--------------|
| Ecological risk | Daphnia | LC ₅₀ | 8.8 mg/L | 51384-51-1 |
| Ecological risk | Daphnia | LC ₅₀ | 0.35 mg/L | 84-75-3 |
| Ecological risk | Daphnia | LC ₅₀ | 6 mg/L | 100986-85-4 |
| Ecological risk | Daphnia | LC ₅₀ | 320.1898 mg/L | 20830-75-5 |
| Ecological risk | Daphnia | LC ₅₀ | 0.438 mg/L | 3055-97-8 |
| Ecological risk | Daphnia | LC ₅₀ | 8.817493 mg/L | 375-95-1 |
| Ecological risk | Daphnia | LC ₅₀ | 0.039 mg/L | 27554-26-3 |
| Ecological risk | Daphnia | LC ₅₀ | 0.18 mg/L | 11104-28-2 |
| Ecological risk | Daphnia | LC ₅₀ | 0.25 mg/L | 50-32-8 |
| Ecological risk | Daphnia | LC ₅₀ | 0.031 mg/L | 11097-69-1 |
| Ecological risk | Daphnia | LC ₅₀ | 1.6 mg/L | 525-66-6 |
| Ecological risk | Daphnia | LC ₅₀ | 4.052 mg/L | 88671-89-0 |
| Ecological risk | Daphnia | LC ₅₀ | 0.11071 mg/L | 41318-75-6 |
| Ecological risk | Daphnia | LC ₅₀ | 0.84 mg/L | 54739-18-3 |
| Ecological risk | Daphnia | LC ₅₀ | 100 mg/L | 42200-33-9 |
| Ecological risk | Daphnia | LC ₅₀ | 5.415 mg/L | 133855-98-8 |
| Ecological risk | Daphnia | LC ₅₀ | 4 mg/L | 1219922-30-1 |
| Ecological risk | Daphnia | LC ₅₀ | 1 mg/L | 85-01-8 |
| Ecological risk | Daphnia | LC ₅₀ | 9.932 mg/L | 16012-55-8 |
| Ecological risk | Daphnia | LC ₅₀ | 0.277 mg/L | 131860-33-8 |
| Ecological risk | Daphnia | LC ₅₀ | 0.1949 mg/L | 56-55-3 |
| Ecological risk | Daphnia | LC ₅₀ | 0.53 mg/L | 141517-21-7 |
| Ecological risk | Daphnia | LC ₅₀ | 0.83 mg/L | 70887-84-2 |
| Ecological risk | Daphnia | LC ₅₀ | 0.2538 mg/L | 129-00-0 |
| Ecological risk | Daphnia | LC ₅₀ | 0.01112 mg/L | 189084-64-8 |

| | | | | |
|-----------------|-----------|------------------|-------------------------|-------------|
| Ecological risk | Daphnia | LC ₅₀ | 0.026 mg/L | 26761-40-0 |
| Ecological risk | Daphnia | LC ₅₀ | 7.097 mg/L | 43121-43-3 |
| Ecological risk | Daphnia | LC ₅₀ | 0.326 mg/L | 54910-89-3 |
| Ecological risk | Daphnia | LC ₅₀ | 10.4 mg/L | 25812-30-0 |
| Ecological risk | Daphnia | LC ₅₀ | 0.148 mg/L | 9016-45-9 |
| Ecological risk | Daphnia | LC ₅₀ | 3.05 mg/L | 1478-61-1 |
| Ecological risk | Daphnia | LC ₅₀ | 0.003 mg/L | 101043-37-2 |
| Ecological risk | Daphnia | LC ₅₀ | 3.39 mg/L | 111988-49-9 |
| Ecological risk | Earthworm | NOEC | 8.57 mg/kg | 135285-90-4 |
| Ecological risk | Earthworm | NOEC | 0.75 mg/kg | 138261-41-3 |
| Ecological risk | Earthworm | NOEC | 28 mg/kg | 86-73-7 |
| Ecological risk | Earthworm | NOEC | 289 mg/kg | 2795-39-3 |
| Ecological risk | Earthworm | NOEC | 141.3 mg/kg | 2691-41-0 |
| Ecological risk | Earthworm | NOEC | 1.51 ug/cm ² | 118-96-7 |
| Ecological risk | Earthworm | NOEC | 3.09 mg/kg | 150824-47-8 |
| Ecological risk | Earthworm | NOEC | 10 mg/kg | 84-74-2 |
| Ecological risk | Earthworm | NOEC | 0.52 mg/kg | 210880-92-5 |
| Ecological risk | Earthworm | NOEC | 7.5 mg/kg | 121-82-4 |
| Ecological risk | Earthworm | NOEC | 1 mg/kg | 8018-01-7 |
| Ecological risk | Earthworm | NOEC | 0.291 mg/kg | 111988-49-9 |
| Ecological risk | Earthworm | NOEC | 15 mg/kg | 84-66-2 |
| Ecological risk | Earthworm | NOEC | 32 mg/kg | 639-58-7 |
| Ecological risk | Earthworm | NOEC | 20 mg/kg | 131-11-3 |
| Ecological risk | Earthworm | NOEC | 50 mg/kg | 131860-33-8 |