



Measuring Popularity Bias, Fairness for Users, and Feedback Loops in Recommender Systems

by
Cebo Mkhwanazi

Supervisor: Prof M.V. Gwetu
Co-supervisor: Dr S.O Sunday

June 2026



Declaration

I, **Cebo Mkhwanazi**, declare that this document, entitled *Measuring Popularity Bias, Fairness for Users, and Feedback Loops in Recommender Systems*, is my own work, that it has not been submitted before for any degree or examination at this or any other institution, and that all sources I have used or quoted have been indicated and acknowledged by means of complete references.

I further declare that:

1. The work submitted is the result of my own investigation, except where otherwise stated in the text and fully referenced.
2. I have not allowed, and will not allow, anyone else to copy my work with the intention of passing it off as their own work.
3. Where generative artificial intelligence (AI) tools were used in the preparation of this thesis, their use was limited to support tasks (for example, language editing, code debugging, or literature organisation) and did not replace my own analysis, experimental design, interpretation of results, or academic argument. All substantive claims, tables, figures, and conclusions are my responsibility and have been verified against the underlying data and code.
4. I understand that misrepresentation of authorship, plagiarism, or undisclosed use of AI in ways that breach Stellenbosch University's policies on academic integrity may lead to disciplinary action.
5. I grant permission to Stellenbosch University to reproduce this thesis, in whole or in part, for library and archival purposes and for inclusion in the institutional repository, subject to the University's policies on copyright and embargo.
6. Where this thesis draws on proprietary or restricted data (including the Takealot e-commerce corpus), I have complied with the access, anonymisation, and use conditions agreed with the data provider and my supervisors; no confidential material that would breach those agreements is disclosed beyond what is necessary for academic evaluation.

Signature:_____

Date:_____

Name: Cebo Mkhwanazi

Abstract

Recommender Systems (RS) are critical tools for content discovery, yet many algorithms fail to promote diverse content, instead exhibiting a measurable popularity bias—the disproportionate recommendation of already popular items. This phenomenon leads to significant exposure disparity, reinforcing market imbalances and restricting user access to niche content. This thesis presents a rigorous empirical study that detects and quantifies inherent popularity and exposure bias across classical Collaborative Filtering (CF) architectures and Content-Based models.

Using standard benchmark datasets (MovieLens, Last.fm, Book-Crossing) alongside a proprietary, highly sparse e-commerce dataset from Takealot, the study implements a unified, three-phase evaluation framework. **Experiment A** measures macro-level exposure bias, revealing that Matrix Factorization models (SVD, ALS) act as extreme popularity amplifiers, exhibiting near-perfect Gini coefficients and collapsing catalog coverage on sparse data. **Experiment B** investigates user-centric fairness, quantifying a "niche tax" where models significantly degrade in ranking quality (NDCG@10) and predictive accuracy (RMSE) for users with non-mainstream tastes. **Experiment C** employs a longitudinal feedback simulation to demonstrate how CF models drive diversity decay over time, while content-based models show resilience against filter bubbles.

The results provide quantitative evidence that architectural differences significantly contribute to bias amplification, independent of the underlying data distribution. The severe exacerbation of these biases in the sparse Takealot environment highlights the danger of relying solely on dense academic benchmarks for model selection. These findings underscore the necessity of adopting holistic evaluation metrics beyond traditional accuracy, and demonstrate that mitigating algorithmic concentration is essential to ensure long-term ecosystem health and fairness in digital platforms.

Acknowledgements

First and foremost, I thank God for the strength, perseverance, and clarity needed to complete this degree. To my parents, siblings, and wider family: thank you for your patience, encouragement, and belief in me throughout long nights of reading, coding, and writing. This work would not have been possible without your support at home.

I am deeply grateful to my supervisor, **Prof. M.V. Gwetu**, for his guidance, intellectual rigour, and steady mentorship from the earliest research questions through to the final manuscript. I thank my co-supervisor, **Dr. S.O. Sunday**, for constructive feedback, methodological advice, and for helping me keep the empirical programme focused and defensible. Their combined supervision shaped both the scope and the quality of this thesis.

This research was conducted within the **School for Data Science and Computational Thinking** at **Stellenbosch University**. I thank the School's academic and administrative staff for creating an environment in which applied, data-intensive research is taken seriously, and for the resources and collegial culture that made sustained experimental work feasible.

I acknowledge the **Standard Bank Lab for Recommender Systems** for institutional support, collaboration space, and a community of researchers working on recommendation, fairness, and real-world machine learning problems. Conversations with lab members sharpened my thinking about evaluation beyond accuracy and about the gap between benchmark studies and production-like sparsity.

I thank **Stellenbosch University** for the opportunity to pursue postgraduate study and for upholding standards of academic integrity that this work aspires to meet. I am grateful to colleagues and peers who read drafts, debated results, and shared practical advice on tooling and reproducibility.

For data and domain context, I thank those who facilitated access to the proprietary Takealot e-commerce corpus under appropriate confidentiality and use constraints. I also acknowledge the maintainers and research communities behind the public benchmarks used in this study (MovieLens, Last.fm 2K, and Book-Crossing), without whose openly documented datasets comparative recommender-system research would be far poorer.

Any errors or omissions in interpretation remain my own. To everyone named above and to those I have failed to mention by name but who helped along the way: thank you.

Contents

Declaration	1
Abstract	2
Acknowledgements	3
List of Abbreviations	9
1 Introduction	12
1.1 Context and Motivation	12
1.1.1 Technical, Social, and Economic Imperatives	12
1.2 Problem Statement	12
1.3 Research Objectives and Questions	13
1.4 Scope and Limitations	13
1.4.1 Focus Area	13
1.4.2 System Scale and Constraints	13
1.4.3 Methodological Limitations	14
1.5 Key Contributions	14
1.6 Thesis Outline	14
2 Literature Review	16
2.1 Recommender systems paradigms	16
2.2 Theoretical foundations of bias	17
2.3 Popularity and exposure bias: the propagation chain	17
2.4 User-centric fairness and disparate impact	18
2.5 Temporal dynamics and feedback loops	18
2.6 Mitigation strategies: a methodological survey	19
2.7 Theoretical framework	19
2.7.1 The Bias Propagation Chain model	19
2.7.2 Constructs and formal definitions	20
2.7.3 Hypotheses	20
2.7.4 The Sparsity Amplification Conjecture	21
2.8 The research gap	22
3 Methodology and Experimental Framework	23
3.1 Research Design Overview	23
3.2 Datasets and Domains	23
3.3 Data Preprocessing	24
3.4 Ethics and Data Use	24
3.5 Algorithmic Baselines & Constraints	24
3.6 Evaluation Metrics Formulations	24
3.6.1 Macro-Level Metrics (Distributional Equity)	24

3.6.2	Micro-Level Metrics (Ranking Quality & Accuracy)	25
3.7	Statistical Testing Framework	25
3.8	Implementation and Reproducibility	25
3.9	Longitudinal feedback simulator (Experiment C)	26
3.10	Threats to validity	26
4	Experiment A: Macro-Level Exposure Bias	27
4.1	Purpose and alignment with the research design	27
4.2	Protocol and computational details	27
4.3	Concentration and catalogue coverage	27
4.4	Popularity amplification and tail behaviour	28
4.5	Average recommendation popularity and accuracy	29
4.6	Post-processing mitigation: popularity-aware re-ranking	29
4.7	Discussion and answer to RQ1	30
5	Experiment B - User-Centric Fairness (The "Niche Tax")	31
5.1	User Stratification Strategy	31
5.2	The RMSE Methodological Artifact	31
5.3	Predictive Disparities	31
5.4	Ranking Fairness (NDCG@10)	31
5.5	Summary of Findings	33
6	Experiment C - Longitudinal Feedback Dynamics	34
6.1	Simulation Design	34
6.2	The Stochastic User Choice Model	34
6.3	Collaborative "Popularity Creep"	34
6.4	Content Model Resilience	34
6.5	Summary of Findings	34
7	Discussion	36
7.1	The Interconnectedness of Biases	36
7.2	The Domain Extreme	36
7.3	Threats to Validity	36
7.4	Implications for Practitioners	36
8	Conclusion	37
8.1	Summary of the Study	37
8.2	Key Takeaways	37
8.3	Directions for Future Research	37
	References / Bibliography	37
A	Extended tables for macro and micro metrics	42
A.1	Macro-level (catalog) metrics	42
A.2	Micro-level (user-centric) metrics	44
A.3	Longitudinal feedback simulation (full iteration grid)	45
B	Additional visualizations and diagrams	47
B.1	End-to-end evaluation pipeline	47
B.2	Stylised feedback loop with explicit simulator knobs	47
B.3	Cross-dataset figures (same assets as the main text)	47

C	Extended software specifications	51
C.1	Repository layout	51
C.2	Language runtime and hardware assumptions	51
C.3	Core dependency pins	51
C.4	Pinned versions (pip freeze excerpt)	51
C.5	Regeneration checklist	52

List of Figures

2.1	The <i>Bias Propagation Chain</i> : MNAR training data and exposure-coupled objectives produce macro-level concentration, uneven segment-level service, and feedback-generated logs that re-enter training. Macro diagnostics, user-centric tests, and longitudinal simulation (Experiments A–C) interrogate successive links of the same loop.	20
2.2	Relations among constructs used in this thesis: training-side popularity skew and exposure-coupled missingness shape segment-level disparities; feedback and retraining link user-level outcomes to longitudinal diversity loss, with catalog starvation as the extreme macro outcome.	21
3.1	The three main steps of the testing plan.	23
4.1	Macro-level exposure inequality (left) and catalogue coverage (right). Darker Gini cells indicate stronger concentration; coverage is read directly from the colour scale. Heatmaps are produced from the merged results table after <code>run_all_datasets.py</code> (public corpora) and the Takealot pipeline.	28
5.1	Fairness gap $\Delta\text{RMSE} = \text{RMSE}_{\text{niche}} - \text{RMSE}_{\text{mainstream}}$ by dataset and model. Positive values indicate higher error for niche users. Note that content models that fall back to a global mean for rating prediction can show flat ΔRMSE ; segment NDCG should be read alongside this chart.	32
5.2	RMSE by user segment (Niche vs. Mainstream) across datasets and models. . . .	32
6.1	Feedback simulation: aggregate diversity (unique recommended items) and ARP over five iterations for SVD and TF-IDF, by dataset. Trajectories illustrate how collaborative vs. content-based models respond to synthetic clicks.	35
B.1	Unified pipeline: shared preprocessing and model training feed three evaluation tracks (Chapters 4–6).	48
B.2	Longitudinal simulator: logs evolve from recommendations and stochastic clicks, then re-enter training.	48
B.3	Appendix: Gini heatmap	48
B.4	Appendix: catalog coverage heatmap	49
B.5	Appendix: niche RMSE gap	49
B.6	Appendix: RMSE by segment	50
B.7	Appendix: feedback diversity	50
C.1	Code and artefact layout relative to the research repository root.	51

List of Tables

2.1	Illustrative coverage of key dimensions in selected prior work (Y = addressed; (Y) = partial; empty = not central). The final row sketches this thesis.	22
4.1	Spearman ρ between training popularity and recommendation-slot frequency (higher implies stronger popularity alignment). Values come from <code>combined_macro_bias_metrics.csv</code> .	
4.2	Aggregate diversity (unique recommended items) and long-tail share of recommendation slots (fraction from the least popular 20% of training items).	29
4.3	Test RMSE for models that expose global rating-scale predictors in the macro pipeline (empty cells where RMSE is not computed in this export).	29
A.1	Macro metrics (part I): concentration and popularity alignment.	42
A.2	Macro metrics (part II): tail mass, diversity, metadata entropy, RMSE.	43
A.3	Micro metrics (part I): RMSE by taste segment and Δ RMSE.	44
A.4	Micro metrics (part II): NDCG@10 by taste segment.	44
A.5	Feedback simulation: aggregate diversity and ARP at every iteration (SVD vs. TF-IDF).	45
C.1	Scientific stack directly exercised by <code>run_all.py</code>	52

List of Abbreviations

The following abbreviations and acronyms are used throughout this thesis. Model names in code (e.g. `LogReg`, `RandomForest`) follow the implementation in `run_all.py`. Each table spans the full text width with abbreviations in the first column and definitions in the second.

General abbreviations and metrics

Abbrev.	Meaning
AI	Artificial intelligence (including generative tools declared in the Declaration).
ALS	Alternating least squares; implicit matrix factorisation baseline (<code>implicit</code> library).
ARP	Average recommendation popularity: mean training-set interaction count of recommended items, averaged over users.
CF	Collaborative filtering: recommendations from user–item interaction patterns.
Δ GAP	Absolute difference in group average popularity between two user segments.
Δ RMSE	Difference in root mean squared error between niche and mainstream user segments (niche minus mainstream).
GAP	Group average popularity: mean popularity of items recommended to a user group.
Gini	Gini coefficient of the item recommendation-frequency distribution (0 = perfect equality, 1 = maximal concentration).
IPS	Inverse propensity scoring; debiasing estimator discussed in the literature (not implemented in this thesis).
k -core	Iterative filtering that retains users and items with at least k interactions in the bipartite graph.
k -NN	k -nearest neighbours; user-based collaborative filtering baseline (<code>surprise.KNNBasic</code>).
LT@20%	Long-tail share: fraction of recommendation slots assigned to items in the least popular 20% of the training catalogue.
MF	Matrix factorisation; latent-factor collaborative filtering.
ML-100K	MovieLens 100K benchmark dataset.
ML-1M	MovieLens 1M benchmark dataset.
MNAR	Missing not at random; missingness depends on unobserved preference and exposure.
NDCG	Normalized discounted cumulative gain; ranking-quality metric with position discounting.
NDCG@ K	NDCG computed at cutoff K (this thesis uses $K=10$ unless stated otherwise).
NeuMF	Neural matrix factorisation (excluded from experiments; cited for scope).
RF	Random forest regressor on label-encoded user and item identifiers.
RMSE	Root mean squared error between predicted and held-out ratings.
RQ	Research question (RQ1–RQ3 map to Experiments A–C).
RS	Recommender system(s).
RecSys	Recommender-systems research community and conference context.
SKU	Stock keeping unit; individual product identifier in e-commerce catalogues.
SVD	Biased probabilistic matrix factorisation via <code>surprise.SVD</code> (latent-factor baseline).
TF–IDF	Term frequency–inverse document frequency; content-based vectorisation of item metadata.

Baseline shorthand (tables and figures)

Abbrev.	Meaning
LogReg	Per-user logistic regression on TF-IDF features (high vs. low rating vs. user median).
RandomForest	Random forest on encoded <code>user_id</code> and <code>item_id</code> pairs.
SVD+Rerank	Post-processing re-rank on top of SVD scores with a popularity penalty ($\lambda=0.8$ on MovieLens 100K and Takealot).
TF-IDF	Content-based recommender using cosine similarity between user profiles and item vectors.

Chapter 1

Introduction

1.1 Context and Motivation

Personalized recommender systems are the primary mechanisms through which users discover new content on modern digital platforms, from streaming services to large-scale e-commerce marketplaces. These systems operate by learning from historical user interactions. Because historical engagement naturally exhibits a skew where a small fraction of items receives the majority of attention, recommendation algorithms tend to learn and amplify this pattern. This phenomenon, known as popularity bias, causes systems to disproportionately recommend blockbuster items while systematically under-representing the "long tail" of the catalog.

1.1.1 Technical, Social, and Economic Imperatives

Addressing this bias is not merely a theoretical computer science problem; it is driven by critical technical, social, and economic imperatives.

From a **technical perspective**, optimizing purely for historical "accuracy" (e.g., minimizing error on past clicks) is fundamentally flawed. When algorithms act as popularity amplifiers, they fail at their primary goal of *discovery*. A system that only recommends items a user would have easily found anyway provides little technical utility and suffers from catalog starvation, exposing only a fraction of the available inventory.

From a **social perspective**, unchecked algorithmic bias creates profound real-world consequences, most notably the creation of "filter bubbles." When recommendation engines consistently narrow the scope of content shown to users, they limit diverse viewpoints, homogenize user experiences, and systematically disadvantage users who have unique or niche preferences. The social imperative demands systems that are fair not just to the mainstream majority, but to all consumer segments.

Finally, the **economic imperative** is perhaps the most urgent for digital marketplaces. Platforms like Takealot rely on a vast ecosystem of third-party vendors. When popularity bias dictates visibility, it creates a "winner-takes-all" economy [7]. Niche vendors and emerging products are algorithmically suppressed, driving them out of the marketplace. For the platform, this reduces long-term resilience, as a healthy e-commerce ecosystem requires a thriving long tail, not just a dominant top tier.

1.2 Problem Statement

While the existence of popularity and exposure bias is documented, significant gaps remain regarding their comparative manifestation across different algorithmic families and dataset sparsity levels. The core problem explored in this research is the lack of a standardized baseline to characterize how specific architectures amplify these biases, particularly when transitioning

from dense academic datasets to sparse, real-world e-commerce environments. This study addresses the following critical gaps:

1. **The Matthew Effect in algorithmic cycles:** Popularity bias creates self-reinforcing cycles where mainstream dominance is reinforced at the expense of content diversity.
2. **Incomplete characterization across algorithms:** There is a lack of comparative analysis examining how bias propagation differs between memory-based methods (k -NN), model-based systems (SVD/ALS), and content-based approaches (TF-IDF, Logistic Regression).
3. **Insufficient user-centric analysis:** System-level statistics often overlook how different user segments (e.g., niche-focused vs. mainstream-focused) are differentially impacted, leading to an unfair "niche tax."
4. **Quality-bias trade-offs:** The relationship between ranking quality (e.g., NDCG) and fairness remains poorly understood in unmitigated environments.

1.3 Research Objectives and Questions

This study breaks them down into three main questions about what items get shown, how fair the system is to individuals, and what happens over time:

- **RQ1:** How concentrated are recommendations across items under different algorithmic paradigms?
- **RQ2:** How do accuracy and ranking metrics disparate across varying user segments, specifically mainstream vs. niche users?
- **RQ3:** Under a stylized longitudinal feedback process, how do diversity and popularity-related metrics evolve?

1.4 Scope and Limitations

1.4.1 Focus Area

This research is scoped to focus specifically on popularity bias and exposure bias in the context of both explicit and implicit feedback recommender systems. The study explores how these biases manifest at the macro-level (catalog coverage), micro-level (user fairness), and longitudinally over time. It specifically investigates whether architectural design choices—rather than just the data—drive bias amplification.

The research does **not** cover demographic or representation bias (e.g., based on gender or ethnicity), nor does it evaluate online A/B testing in live production environments, as all evaluations are conducted offline using historical datasets and simulations.

1.4.2 System Scale and Constraints

To ensure methodological rigor while maintaining feasibility, this study focuses on:

- **Algorithms:** Well-established baseline, neighborhood, matrix factorization, and content-based algorithms. Deep learning approaches (e.g., NeuMF) requiring extensive computational resources are excluded to allow for controlled, isolated testing of foundational bias mechanisms.
- **Datasets:** A mix of publicly available dense benchmarks (MovieLens, Last.fm, Book-Crossing) and a proprietary, ultra-sparse e-commerce dataset (Takealot), limiting generalizability strictly to these specific sparsity profiles.

1.4.3 Methodological Limitations

Offline metrics are imperfect proxies for online performance and may not fully capture real-world user satisfaction. Furthermore, the longitudinal feedback loop simulation (Experiment C) relies on a stochastic user choice model; while grounded in theoretical probabilities, it cannot perfectly capture dynamic human responses. Finally, the evaluation of content-based models via RMSE introduces methodological artifacts due to the necessity of mean-fallback placeholders for unpredicted items.

1.5 Key Contributions

Most research on recommender systems only looks at very dense and clean datasets, like the MovieLens movie ratings. These datasets do not look like real, messy, and very large online stores. The main new idea in this research is comparing different types of data. This thesis directly compares four standard public datasets with a huge, very sparse e-commerce dataset from the Takealot store. By comparing these, this research finds that matrix factorization models fail completely in sparse datasets, mostly showing nothing but the top few items. It also proves that content-based models naturally avoid getting trapped in filter bubbles over time.

1.6 Thesis Outline

The remainder of this document is organised as follows. Each empirical chapter answers one research question (RQ1–RQ3) under a shared offline protocol; Chapters 2 and 3 supply the conceptual and operational foundations.

Chapter 2 (Literature Review) Surveys collaborative and content-based recommender paradigms, missing-not-at-random (MNAR) feedback, macro-level popularity and exposure metrics, user-centric fairness, longitudinal feedback dynamics, and post-processing mitigations. The chapter closes with the *Bias Propagation Chain* theoretical framework and testable hypotheses (H1–H3) that link macro concentration, segment-level disparity, and diversity decay over simulated feedback rounds.

Chapter 3 (Methodology) Specifies datasets (MovieLens 100K and 1M, Last.fm 2K, Book-Crossing, and the proprietary Takealot corpus), k -core preprocessing, six baseline families (k -NN, SVD, ALS, TF-IDF, per-user logistic regression, random forest on identifiers), metric definitions (Gini, catalogue coverage, ARP, NDCG@10, RMSE by taste segment), the stochastic click simulator for Experiment C, statistical testing, implementation details, and threats to validity.

Chapter 4 (Experiment A, RQ1) Quantifies catalogue-level concentration and popularity amplification across algorithms and domains, including optional SVD popularity re-ranking on MovieLens 100K and Takealot. Answers whether collaborative latent-factor and implicit models concentrate exposure more strongly than content-based pipelines under matched protocols (H1).

Chapter 5 (Experiment B, RQ2) Segments users into niche, diverse, and mainstream cohorts and reports RMSE and NDCG@10 disparities—the “niche tax.” Examines whether accuracy and ranking quality diverge across segments and how sparsity (especially on Takealot) shapes those gaps (H2).

Chapter 6 (Experiment C, RQ3) Runs five-round feedback simulations for SVD versus TF-IDF with a blended relevance–popularity click model. Tracks aggregate diversity and ARP over iterations to test whether collaborative filtering amplifies popularity while content-based models remain more resilient (H3).

Chapter 7 (Discussion) Synthesises findings across the three experiments, relates macro catalog starvation to segment-level unfairness and feedback loops, discusses the Takealot domain extreme, and revisits validity threats and implications for practitioners.

Chapter 8 (Conclusion) Summarises contributions, states key takeaways, and outlines directions for future work (e.g. calibrated click models, stronger debiasing, and live evaluation).

References Bibliography of sources cited in the main text.

Appendices Appendix A provides extended macro- and micro-metric tables exported from the evaluation pipeline; Appendix B repeats principal figures and workflow diagrams; Appendix C documents repository layout, dependencies, and reproducibility steps.

Chapter 2

Literature Review

This chapter surveys recommender-system paradigms, the statistical foundations of biased feedback, the propagation of popularity and exposure bias, user-centric fairness, longitudinal dynamics, and post-processing mitigation. Throughout, the objective is not encyclopaedic coverage but to establish an intellectual corridor: each strand of prior work clarifies why a *unified* evaluation of macro-level exposure, segment-level disparities, and feedback dynamics, especially under extreme catalogue sparsity, remains insufficiently evidenced in the literature that this thesis addresses.

2.1 Recommender systems paradigms

Recommender systems can be organised by the signals they exploit and the inductive biases they impose. Collaborative filtering (CF) predicts preferences from patterns of user–item interactions alone. Its earliest large-scale architecture, GroupLens for Usenet news, established the collaborative paradigm in operational form [47]. Item-based k -nearest neighbours (k -NN) later scaled CF by exploiting local item–item similarity structure rather than dense user–user neighbourhoods [49]; neighbourhood methods remain standard baselines because their predictions are transparently tied to co-occurrence statistics.

Model-based CF replaces explicit similarity tables with compact latent representations. Matrix factorisation (MF) techniques, popularised through the Netflix Prize context [38], factorise partially observed rating matrices into low-dimensional user and item embeddings. Alternating least squares (ALS) on implicit feedback matrices [33] targets settings where only positive events are observed and unlabelled user–item pairs carry information through absence; the distinction between explicit ratings and implicit counts is therefore not merely representational but affects optimisation geometry and what “missing” means statistically.

Content-based systems score items from descriptions or metadata, typically via vector-space models and similarity in feature space [42]. Linear classifiers on bag-of-words or TF–IDF features, and tree ensembles on tabular features, instantiate the same paradigm at different complexity levels. Hybrid systems combine collaborative and content signals [6]; the present thesis instead treats families side-by-side so that architectural differences in bias amplification can be isolated.

Architectural assumptions and historical skew. The architectural assumptions embedded in each paradigm have direct consequences for how algorithms encode and propagate the statistical properties of historical data, including its skew. Latent-factor models compress co-occurrence structure into smooth subspaces that favour frequent items with dense support; k -NN propagates support from local neighbourhoods whose effective radius shrinks in sparse graphs; content models condition on text similarity and can decouple ranking from global popularity when metadata is informative. These distinctions motivate the six baseline families evaluated empirically later: user-based k -NN, biased MF (SVD), implicit ALS, TF–IDF profiling, per-user logistic regression on text, and a popularity-memorising random forest on identifiers.

Deep learning and graph models (scope boundary). Neural collaborative filtering [31], neural graph collaborative filtering [54], and simplified graph convolutions such as LightGCN [32] achieve strong accuracy on academic benchmarks. Recent work nevertheless shows that graph convolutional recommenders can *amplify* popularity bias relative to simpler baselines [18]. For the present thesis, deep architectures are set aside deliberately: isolating bias mechanisms and interpreting distributional metrics requires controlled, interpretable baselines whose failure modes (e.g., collapse to a handful of items under sparsity) can be traced to identifiable components of the pipeline. The empirical contribution is therefore orthogonal to chasing state-of-the-art accuracy on dense leaderboards.

While the mechanisms of collaborative and content-based scoring are well understood in isolation, far less work positions them *jointly* under identical macro-, segment-, and longitudinal protocols on the same sparse e-commerce stress test; Section 2.8 addresses that gap.

2.2 Theoretical foundations of bias

Interaction logs are not a random sample of user preferences. Marlin and Zemel [44] formalised collaborative prediction under non-random missingness, showing that missing ratings carry information about both users and items. Steck [51] proved a sharper negative result: optimising RMSE on data missing not at random (MNAR) does not generally minimise RMSE on the unbiased target one would wish to estimate. In recommender systems, missingness is intertwined with exposure: users cannot rate items they never see. The interaction log $\mathcal{D}$ in e-commerce is therefore MNAR by construction: interaction frequency correlates with past exposure, which is itself a function of prior recommendations. Algorithms trained on $\mathcal{D}$ risk learning the *exposure policy* of the legacy system as much as they learn latent preference.

Steck [52] further showed that standard accuracy metrics can conflate predictive skill with conformity to popularity, so that models appear “more accurate” when they systematically favour head items. Causal and propensity-aware learning offers principled counterfactual objectives: inverse propensity scoring (IPS) for training and evaluation [50] remains a gold standard for debiasing under explicit exposure models. The present thesis does *not* implement IPS; the contribution is instead *measurement* and comparative diagnosis, quantifying how far different architectures push recommendations along concentration, coverage, and segment disparity dimensions under realistic MNAR sparsity. MNAR provides the vocabulary in which failures such as ALS instability on ultra-sparse retail logs should be read: they are not arbitrary implementation artefacts but predictable interactions between implicit-feedback objectives and pathologically thin support.

2.3 Popularity and exposure bias: the propagation chain

Economic grounding. The “long tail” narrative [7] posits that digital platforms can profit from aggregating demand for niche inventory. Brynjolfsson et al. [13] provided econometric support that long-tail sales can be substantial in aggregate on large retailers. Popularity bias in recommenders works against that advantage by reallocating visibility toward already dominant SKUs.

Early measurement and survey consolidation. Novelty- and diversity-oriented evaluation surfaced popularity concentration early in the RecSys community [16]. Abdollahpouri et al. [2] articulated the *popularity amplifier*: models not only score items by predicted relevance but inherit training-frequency structure that further elevates head items. The workshop paper of Abdollahpouri et al. [3] showed that aggregate accuracy coexists with grossly unequal exposure when measured through average recommendation popularity (ARP), Gini coefficients, and catalog coverage, metrics that tell a different story from RMSE alone.

Surveys synthesise dozens of definitions and mitigation families [37]; they also reveal that e-commerce and ultra-sparse interaction regimes remain under-represented relative to MovieLens-style benchmarks. Complementary multimedia studies employ Gini-based audits in domains with heavy-tailed popularity [39], paralleling the macro-level diagnostics used later in this thesis.

Distributional inequality. The Gini coefficient is a standard inequality index for recommendation frequency vectors [20]. Finite-sample bias in inequality estimation is well known [21]; large-scale simulation mitigates but does not remove sensitivity to tail noise, motivating conservative interpretation on small-catalogue slices.

While macro-level bias metrics are now mainstream, their interaction with *cross-algorithm* benchmarks and with *segment-level* consumer disparities on the same pipeline is less standardised. The transition to user-centric fairness follows.

2.4 User-centric fairness and disparate impact

Provider versus consumer fairness. Ekstrand et al. situate fairness in recommenders along multiple stakeholder axes [25]. Burke [14] formalises multi-sided objectives: optimising for one side (e.g., consumers) can harm another (e.g., producers). Macro-level exposure metrics align with producer-side equity; segment RMSE and NDCG align with consumer-side equity.

Mainstreaminess, niche users, and Δ GAP. Abdollahpouri et al. [5] define user-centred popularity bias evaluation, mainstreaminess scores, and group-level gaps that directly inform Experiment B in this thesis. Related longitudinal and calibration analyses connect popularity bias to time-varying disparities [4]. Disparate impact need not be defined only on protected attributes: Ekstrand et al. [24] document outcome disparities linked to author metadata in book recommendation, illustrating that subgroup analysis is mainstream in fairness-sensitive evaluations.

User-level (non-)aggregation. Leonhardt et al. [40] argue that system-level accuracy masks per-user inequality, which motivates per-user test construction and Mann–Whitney tests between mainstream and niche cohorts. Group recommendation extends popularity-tax analyses to multi-user settings [55].

Accuracy–fairness tension. Optimising accuracy can reduce diversity [34]. Dynamic settings worsen the trade-off: popularity bias interacts with temporal drift [58]. These strands justify reporting *both* ranking quality and distributional metrics, rather than treating RMSE as sufficient welfare evidence.

2.5 Temporal dynamics and feedback loops

Societal concern with shrinking information diets motivates attention to feedback, but technical argument rests on formal studies. Pariser [46] popularised the filter-bubble metaphor; economic evidence that recommenders can reduce *sales* diversity predates modern deep learning [27]. Chaney et al. [17] demonstrate algorithmic confounding: when recommendations shape subsequent consumption, naïve retraining homogenises users and can reduce welfare. Mansoury et al. [43] provide a compact model of bias amplification across feedback cycles and motivate simulation-based study. Jiang et al. [36] show degeneracy toward trivial rankings under particular feedback regimes. Simulation-based evaluation itself requires methodological defence [56].

Diversity at different granularities. Fleder et al. [28] document that recommenders can increase *individual* diversity while decreasing *aggregate* catalogue diversity, a nuance relevant when contrasting collaborative and content-based trajectories. Recent large-scale observational work on streaming listening [8] complements simulation evidence.

While feedback-loop analyses are mature for collaborative filters, direct comparison of collaborative versus content-based dynamics under identical click-generation assumptions remains comparatively rare, and that gap is precisely the niche Experiment C occupies in this thesis.

2.6 Mitigation strategies: a methodological survey

Mitigations are commonly grouped by *when* they act: on training data, inside the objective, or on the produced ranking.

Pre-processing. Rebalancing or reweighting training interactions can attenuate head domination before any latent model is fit [12, 59].

In-processing. IPS and related estimators adjust losses for propensity [50]. Popularity-aware regularisers in learning-to-rank MF [1] penalise head items during training. Not all popularity signal is harmful; Zhao et al. [57] disentangle benign versus harmful components, relevant when interpreting hybrid click models that retain a popularity channel.

Post-processing. Personalised re-ranking after candidate generation is a direct antecedent to the popularity-penalty reranker evaluated in this thesis [2]. Calibration objectives refine score-to-probability mappings [53]. Pairwise rank constraints embed fairness between groups at decision time [11].

Post-processing is attractive when legacy models must be audited without retraining; its limitation is that it cannot correct biases rooted in missing not-at-random training support, which is another reason MNAR analysis remains central.

2.7 Theoretical framework

The preceding sections reviewed collaborative and content-based paradigms, MNAR foundations, macro-level popularity metrics, user-centric fairness, feedback simulations, and mitigations largely as distinct threads. This section makes explicit the *single* conceptual system that the empirical programme tests. Macro-level exposure concentration, segment-level disparities, and longitudinal diversity loss are treated as three observational scales on one underlying process: the **Bias Propagation Chain**. The chain has identifiable ancestry in sociology, missing-data theory, causal exposure modelling, and fairness-aware machine learning [9, 23, 41, 45, 48, 50].

2.7.1 The Bias Propagation Chain model

Let $\mathcal{D}$ denote the logged user–item interaction matrix (or equivalently the set of observed events). Following Little and Rubin [41], Rubin [48], missingness in $\mathcal{D}$ is not innocuous: under MNAR, the probability that an entry is observed depends on latent preference and on which items the platform has historically surfaced. Schnabel et al. [50] formalise the implication for evaluation: observed ratings (or clicks) are draws from the intersection of user taste and the *exposure policy*, not from taste alone. Collaborative objectives fitted on $\mathcal{D}$ therefore inherit a popularity-skewed support set; latent-factor and neighbourhood methods can further *amplify* head-item concentration because their inductive bias rewards co-occurrence structure that is itself popularity-shaped [2, 52]. At the macro scale this behaviour is the algorithmic analogue of cumulative advantage [45]: small initial differences in visibility compound through repeated fitting on biased evidence.

The same mechanism read at the *user* scale becomes a question of disparate service quality: users whose tastes align with the head of the popularity distribution experience denser collaborative signal and rankings closer to the training support, whereas users in the tail face sparser neighbourhoods and systematically weaker predictions [5, 40]. Read longitudinally, recommendations alter the next round of exposures; retraining on logs produced by the system closes a feedback loop that can homogenise consumption and rankings [17, 43]. These three lenses are coupled stages of one chain, not three unrelated “bias types.” Figure 2.1 summarises the model used throughout later chapters.




Figure 2.1: The *Bias Propagation Chain*: MNAR training data and exposure-coupled objectives produce macro-level concentration, uneven segment-level service, and feedback-generated logs that re-enter training. Macro diagnostics, user-centric tests, and longitudinal simulation (Experiments A–C) interrogate successive links of the same loop.

2.7.2 Constructs and formal definitions

The literature often uses “popularity bias,” “exposure bias,” and “diversity” interchangeably. The operational definitions below fix the quantities evaluated later and separate *training-side* skew from *decision-time* missingness, *segment-level* welfare loss, and *dynamic* narrowing.

Popularity bias (training distribution). Let f_i denote the empirical frequency (or implicit count) of item i in $\mathcal{D}$. Popularity bias is the structural over-representation of high- f_i items relative to a reference measure that would obtain under uniform sampling of user–item pairs or under an idealised uniform exposure design. It is a property of the *data generating process* that produces $\mathcal{D}$, prior to any particular scoring model.

Exposure bias (surfacing and missingness). For user u , let P_u denote a latent full-information preference distribution over items and let E_u denote the platform exposure distribution (which items u can interact with). Observed events for u are draws from a restricted support set where E_u is positive; this is the recommender-system specialisation of MNAR [44, 50]. Exposure bias names the wedge between P_u and what the system surfaces, *including* which coordinates of $\mathcal{D}$ are ever filled. It is not reducible to “the model likes popular items”; it is the causal structure that makes those items likelier to appear in $\mathcal{D}$ in the first place.

Niche tax (segment-level service gap). Partition users into mainstream and niche cohorts using a mainstreamness score or equivalent long-tail diagnostic [5]. The niche tax is the systematic excess prediction or ranking error (e.g., higher RMSE, lower NDCG@ K) for the niche cohort relative to the mainstream cohort *under the same model and protocol*. It is an outcome disparity metric, not a property of $\mathcal{D}$ alone.

Diversity decay (longitudinal). Let $R^{(t)}$ denote the multiset (or empirical distribution) of recommended items at feedback round t , aggregated across users. Diversity decay is the reduction over increasing t in dispersion indices defined on $R^{(t)}$ (e.g., falling catalogue coverage, rising concentration), holding the simulation protocol fixed [17, 43].

Catalog starvation (extreme macro manifestation). Catalog starvation is the limiting regime in which the recommended support collapses to a vanishing fraction of the catalogue (near-zero coverage, near-degenerate Gini), so that discovery for long-tail inventory effectively ceases even when overall accuracy remains misleadingly stable [52]. It is the macro endpoint of the chain under extreme sparsity and strong collaborative amplification, as documented for Takealot-style logs in Experiment A (Chapter 4).

Figure 2.2 situates the constructs in relation to one another.

2.7.3 Hypotheses

Research Questions 1–3 (Chapter 1) are reframed here as directional hypotheses derived from the Bias Propagation Chain. Each maps to one experiment.

H1 (Experiment A, RQ1). Matrix factorisation and implicit ALS, by minimising squared or implicit-feedback loss on MNAR data with popularity-skewed support, concentrate recommendations on head items more strongly than content-based models whose features are not monotone




Figure 2.2: Relations among constructs used in this thesis: training-side popularity skew and exposure-coupled missingness shape segment-level disparities; feedback and retraining link user-level outcomes to longitudinal diversity loss, with catalog starvation as the extreme macro outcome.

in interaction counts. *Directional prediction*: collaborative latent-factor and implicit baselines exhibit higher Gini / ARP and lower catalogue coverage than TF-IDF, lexical logistic, and identifier-feature baselines on matched protocols, with the gap widening under extreme sparsity (Takealot).

H2 (Experiment B, RQ2). Niche users draw on thinner collaborative neighbourhoods and fewer reliable positives for head-aligned latent factors; mainstream users align with the training support. *Directional prediction*: niche cohorts show statistically higher RMSE and lower NDCG@10 than mainstream cohorts under user-based k -NN, biased MF/SVD, and ALS, with smaller (or reversed) gaps for content-based pipelines that partially decouple predictions from global co-occurrence.

H3 (Experiment C, RQ3). Under iterative retraining on logs generated from the system’s own recommendations, collaborative models reinforce their own exposure policy: ARP rises and aggregate diversity falls across rounds. Content-based models, relying on item-feature similarity rather than re-estimating popularity from thinning interaction graphs, show weaker monotonic concentration or relative resilience. *Directional prediction*: non-decreasing ARP and non-increasing coverage for collaborative trajectories versus flatter or recovering trajectories for content-based trajectories under the shared click simulator.

2.7.4 The Sparsity Amplification Conjecture

Sparsity is not only a logistical difficulty; it is hypothesised to *amplify* every link in Figure 2.1. When the number of observations per item and per user is small, each additional appearance of a head SKU constitutes a larger share of the available evidence, so MNAR popularity skew is statistically sharper relative to the noise floor. Latent factors estimated from a nearly bipartite graph lack orthogonal directions to separate niche taste from popularity, so optimisers collapse toward frequency-shaped solutions [51]. Niche users meet fewer reliable neighbours, so the niche tax tightens. Post-processing mitigations that do not inject new propensity structure cannot repair missing support [2]. Dense benchmarks therefore risk reporting *stable-looking* bias that is mechanically dampened by abundant counts; the Takealot corpus functions as a stress test

that makes the chain visible in magnified form. This conjecture is evaluated jointly across Chapters 4–6 and the domain comparison to public datasets.

2.8 The research gap

Recent surveys [37] subsume much of the popularity-bias literature yet still leave open several combinations that this thesis treats as a *single* empirical programme. Table 2.1 summarises coverage of four dimensions (macro bias, user-centric fairness, longitudinal dynamics, and sparse e-commerce stress) for representative foundations; cells highlight absent or partial coverage motivating the present work.

Table 2.1: Illustrative coverage of key dimensions in selected prior work (Y = addressed; (Y) = partial; empty = not central). The final row sketches this thesis.

Reference	Macro	User	Dynamic	Sparse e-com.
Abdollahpouri et al. [2019]	Y	(Y)		
Abdollahpouri et al. [2021]	(Y)	Y		
Mansoury et al. [2020]	(Y)		Y	
Chaney et al. [2018]	(Y)		Y	
Klimashevskaja et al. [2024]	Y	Y	(Y)	(Y)
This thesis	Y	Y	Y	Y

Claim 1: Isolated paradigms. Foundational popularity-bias papers often foreground collaborative filters [3, 43]. Comparative benchmarking across memory-based CF, latent-factor CF, and multiple content paradigms under *identical* logging assumptions is rarer.

Claim 2: Dense-benchmark dominance. MovieLens, Last.fm, and related corpora dominate offline studies [37]. Amazon-style ratings are denser than many marketplace logs; ultra-sparse regimes with interaction densities orders of magnitude smaller are under-documented.

Claim 3: Split metrics. Macro-level exposure studies and user-centric segment studies frequently appear in *different* papers. A unified table that reports Gini, coverage, ARP, and mainstream–niche NDCG/RMSE gaps for the *same* algorithm list is still uncommon.

Claim 4: Feedback simulations and content models. Feedback-loop analyses emphasise collaborative training cycles [17, 43]. Directly contrasting collaborative (SVD) and content-based (TF-IDF) trajectories under a shared stochastic click rule addresses an open methodological question: whether textual similarity can act as a diversity regulariser when feedback confounds ratings.

Claim 5: Stress-testing sparsity. Dense-benchmark conclusions need not transfer directionally to proprietary retail graphs. When matrix factorisation collapses to vanishing coverage while text-based models retain dispersion, the failure is interpretable through MNAR and exposure amplification rather than through “low accuracy” alone.

Mapping claims to experiments. Experiment A (Chapter 4) closes Claims 1–2 on concentration; Experiment B (Chapter 5) closes Claim 3 on segment disparity; Experiment C (Chapter 6) closes Claim 4 on dynamics; the Takealot corpus closes Claim 5 on domain stress. Together they instantiate the intersection advertised in the abstract: *algorithmic bias, user-group fairness, and longitudinal dynamics* evaluated coherently, with sparse e-commerce as a counterpoint to textbook benchmarks.

Chapter 3

Methodology and Experimental Framework

3.1 Research Design Overview

To fully study these three bias problems in recommender systems, this study uses a clear, numbers-based plan across different types of data. The testing setup compares six types of algorithms on five different datasets. This covers both crowded movie-rating data and very sparse online shopping data.

The testing plan is split into three steps:

1. **Experiment A (Macro-Level Exposure Bias):** Checking how the system recommends items overall and how much of the store actually gets shown.
2. **Experiment B (User-Centric Fairness):** Grouping users by their past choices to see if the system works worse for some groups.
3. **Experiment C (Longitudinal Feedback Dynamics):** Running a loop that guesses user clicks over multiple steps to see what happens in the long run.




Figure 3.1: The three main steps of the testing plan.

3.2 Datasets and Domains

Standard academic datasets do not show the real problems of large, empty online stores. Because of this, the study tests models on data with different levels of crowding.

Public Datasets:

- **MovieLens 100K and 1M** [30]: Crowded, clear movie datasets. The item details are simple words for movie genres.
- **Last.fm 2K** [15]: A dataset showing how many times a song was played. The play numbers were grouped into clear ratings from 1 to 5. Item details are made by combining artist names and user tags.
- **Book-Crossing** [60]: A sparse dataset of book ratings. Empty links with no real ratings were removed to keep the error testing exact.

E-Commerce Data (Takealot Dataset): To anchor the study in the real world, a large, private data snapshot from the Takealot online store was used. This dataset is special because it has a massive number of rare items and is very sparse. The inputs were taken from customer reviews, and the item details were made by linking product names, brand names, and store categories together.

3.3 Data Preprocessing

Let G_0 be the interaction bipartite graph. For chosen thresholds (k_U, k_I) (both 10 in code), the k -core filtering strategy repeats the following until convergence:

$$\mathcal{U}_{t+1} = \{u : \deg_{G_t}(u) \geq k_U\}, \quad \mathcal{I}_{t+1} = \{i : \deg_{G_t}(i) \geq k_I\}, \quad (3.1)$$

keeping only edges between $\mathcal{U}_{t+1}$ and $\mathcal{I}_{t+1}$, then sets G_{t+1} accordingly. This removes tail users and items, yielding a denser core for more stable collaborative estimates.

3.4 Ethics and Data Use

3.5 Algorithmic Baselines & Constraints

The setup tests six recommendation models across collaborative and content-based paradigms:

- **User-Based k -NN (Surprise):** Uses cosine similarity and user-based aggregation to provide predictions $\hat{r}_{ui}$.
- **SVD (Biased Probabilistic Matrix Factorization):** Uses `surprise.SVD`, optimizing regularized squared error on observed ratings with latent factors and bias terms.
- **ALS (Implicit Library):** Fits alternating least squares on a sparse user $\times$ item matrix with nonzeros r_{ui} from training ratings (factors= 50, iterations= 15, regularization= 0.01).
- **TF-IDF Profile Model:** Represents items with TF-IDF vectors $\mathbf{v}_i \in \mathbb{R}^d$ of metadata. A user u 's profile is $\bar{\mathbf{v}}_u = \frac{1}{|H_u|} \sum_{i \in H_u} \mathbf{v}_i$, and items are scored via cosine similarity.
- **Per-User Logistic Regression:** Defines a binary label $y = 1$ if r_{ui} is at or above the user's median rating. A pipeline of TF-IDF and logistic regression predicts $\mathbb{P}(y = 1 | \text{metadata})$ for candidates.
- **Random Forest on IDs:** User and item identifiers are label-encoded, and a random forest regressor predicts $\hat{r}_{ui}$ from the pair (u, i) only, capturing memorized popularity structure without text.

3.6 Evaluation Metrics Formulations

3.6.1 Macro-Level Metrics (Distributional Equity)

1. Gini Index

The Gini Index assesses recommendation distribution inequality, showing perfect equality at 0 and maximal inequality at 1 [20].

$$G = \frac{\sum_{i=1}^n \sum_{j=1}^n |x_i - x_j|}{2n^2 \bar{x}} \quad (3.2)$$

where x_i represents the recommendation frequency of item i , n is the total number of items, and $\bar{x}$ is the mean recommendation frequency.

2. Catalogue Coverage

This metric quantifies the percentage of unique items recommended to users.

$$\text{Coverage} = \frac{|\{i \in I : \text{item } i \text{ is recommended}\}|}{|I|} \times 100\% \quad (3.3)$$

where I represents the full item catalogue.

3. Group Average Popularity (GAP) and ΔGAP

GAP measures the average popularity of items recommended to a user group g . ΔGAP quantifies disparities between groups (e.g., mainstream vs. niche-focused users).

$$\text{GAP}_g = \frac{1}{|U_g|} \sum_{u \in U_g} \frac{1}{|R_u|} \sum_{i \in R_u} \text{pop}(i) \quad (3.4)$$

$$\Delta\text{GAP} = |\text{GAP}_{g1} - \text{GAP}_{g2}| \quad (3.5)$$

where $\text{pop}(i)$ is an item’s interaction count, U_g is a user group, and R_u is user u ’s recommendations.

4. Exposure Fairness

Evaluates how equitably items are visible in recommendations using entropy $H(E)$.

$$H(E) = - \sum_{i=1}^n p_i \log p_i \quad \text{where} \quad p_i = \frac{\text{Exposure}(i)}{\sum_{j=1}^n \text{Exposure}(j)} \quad (3.6)$$

5. Average Recommendation Popularity (ARP)

Measures the average popularity of recommended items:

$$\text{ARP} = \frac{1}{|U|} \sum_{u \in U} \frac{1}{|R_u|} \sum_{i \in R_u} \text{pop}(i) \quad (3.7)$$

3.6.2 Micro-Level Metrics (Ranking Quality & Accuracy)

While macro metrics capture fairness, standard micro-level metrics including **NDCG@10** and **RMSE** are utilized to ensure that fairness interventions are evaluated against the traditional predictive baseline, observing the quality-bias trade-off curve.

3.7 Statistical Testing Framework

3.8 Implementation and Reproducibility

Core numerical tooling uses NumPy and Pandas; scikit-learn supplies TF-IDF, logistic regression, random forests, and cosine similarity. Surprise provides k -NN and SVD (with a bias-only fallback if unavailable). ALS uses the `implicit` library. Reproducibility is guaranteed via isolated pipelines (e.g., `run_all.py` and `run_takealot_full.py`).

Known Limitations:

- **Segment RMSE for ALS, TF-IDF, LogReg:** The implementation assigns the global training mean prediction to every test row for RMSE computation for these models, while still computing genuine top- K lists for NDCG. Therefore niche, diverse, and mainstream RMSE are *identical* within each of these model families on a given dataset. Only k-NN, SVD, and Random Forest provide differentiated segment RMSE.
- **ALS robustness:** Failures fall back to trivial recommendations (first catalog items), which can artifactually inflate concentration metrics.

3.9 Longitudinal feedback simulator (Experiment C)

Synthetic clicks blend normalised model relevance $s_{ui} \in [0, 1]$ with normalised training popularity $\tilde{p}_i \in [0, 1]$ (min–max scaled within the current training log). Each item in the per-user top-5 slate is clicked independently with probability

$$c_{ui} = \text{clip}(0.7 s_{ui} + 0.3 \tilde{p}_i, [0, 1]), \quad (3.8)$$

followed by a Bernoulli draw. Accepted clicks append a rating of 5.0; duplicate (u, i) pairs keep the latest event. Weights $(0.7, 0.3)$ match `simulate_clicks` in `run_all.py` and are *not* calibrated to live Takealot traffic.

3.10 Threats to validity

Internal. k -core filtering removes the sparsest users and items; mean-fallback RMSE for ALS, TF-IDF, and per-user logistic regression can hide segment-level error structure even when NDCG uses genuine ranked lists. **External.** Offline metrics omit position bias, inventory churn, and marketing interventions present in production. **Construct.** Niche versus mainstream segments are inferred from training interactions only. **Statistical.** Multiple comparisons across models and datasets are reported without a global family-wise correction; emphasis is placed on effect sizes and stability across corpora.

Chapter 4

Experiment A: Macro-Level Exposure Bias

4.1 Purpose and alignment with the research design

Experiment A addresses **RQ1** (Chapter 1): how concentrated recommendations are across items under different algorithmic families and domains. It operationalises **Hypothesis H1** from Chapter 2: collaborative latent-factor and implicit baselines should exhibit stronger macro-level concentration (higher Gini, lower catalogue coverage, higher ARP where applicable) than content-based pipelines under the *same* preprocessing, split, and top- K protocol (Chapter 3). Metrics follow Section 3.6: Gini on recommendation-slot frequencies, catalogue coverage, ARP computed from training interaction counts, Spearman rank correlation between item training popularity and recommendation-slot frequency, long-tail share (fraction of recommendations drawn from the least popular 20% of training items), and aggregate diversity (count of distinct items recommended). RMSE is reported where the model exposes a global rating predictor in the pipeline (user-based k -NN, SVD, random forest).


4.2 Protocol and computational details

For each dataset, models were fit on the training fold, then each test user received a ranked list of **ten** unseen items (candidates excluded the user’s training items). Recommendation lists were pooled across test users to build the item exposure histogram used for Gini, coverage, and entropy diagnostics. Popularity for ARP and for the Spearman diagnostic used **global training-set** interaction counts prior to splitting. All randomised steps matched Chapter 3 (seeded split, fixed ALS and SVD hyperparameters). Takealot used the official train/test release without an additional k -core so that tail behaviour of the marketplace is visible.

4.3 Concentration and catalogue coverage

Figure 4.1 summarises the two headline diagnostics: **Gini** on the vector of per-item recommendation counts (higher means fewer items capture most slots) and **catalogue coverage** (fraction of the full item set that receives at least one recommendation slot across the test cohort).

Collaborative amplification. Implicit ALS attains the highest Gini on every corpus in this run: 0.987 (MovieLens 100K), 0.996 (MovieLens 1M), 0.993 (Last.fm 2K), 0.995 (Book-Crossing), and 1.000 rounded to three decimals (0.9998) on Takealot. Catalogue coverage collapses in parallel: 3.3×10^{-2} on MovieLens 100K, 1.9×10^{-2} on MovieLens 1M, 1.7×10^{-2} on Last.fm, 1.1×10^{-2} on Book-Crossing, and 2.9×10^{-4} on Takealot (approximately 0.00029% of the catalogue), with only **14** distinct items receiving any recommendation slot for ALS on Takealot. User-based k -NN



(a) Gini coefficient on recommendation-slot frequencies (model $\times$ dataset).

(b) Catalogue coverage (% of items ever recommended in the evaluation run).

Figure 4.1: Macro-level exposure inequality (left) and catalogue coverage (right). Darker Gini cells indicate stronger concentration; coverage is read directly from the colour scale. Heatmaps are produced from the merged results table after `run_all_datasets.py` (public corpora) and the Takealot pipeline.

and biased SVD remain concentrated relative to content models but are generally less extreme than ALS on coverage, which is consistent with implicit confidence weights sharpening popularity under sparsity (Chapter 3).

Content-based dispersal. Per-user logistic regression achieves the highest coverage on every dataset (0.89–0.95 on public benchmarks and 0.56 on Takealot) and the lowest Gini among non-trivial baselines on MovieLens 100K (0.543). TF-IDF occupies an intermediate band: strong coverage on dense movies (0.32–0.36) and nearly half of the Takealot catalogue (0.49) while still exhibiting moderate Gini because lexical similarity can correlate with incidental popularity in metadata.

4.4 Popularity amplification and tail behaviour

Table 4.1 reports the Spearman correlation between training popularity and recommendation-slot frequency. Large positive values indicate that the model allocates additional recommendation mass to already popular items beyond what a uniform allocator would imply [3, 52]. Table 4.2 complements this with aggregate diversity (unique items recommended across the test cohort) and the long-tail share metric exported by the pipeline (fraction of slots drawn from the least popular 20% of training items).

Table 4.1: Spearman ρ between training popularity and recommendation-slot frequency (higher implies stronger popularity alignment). Values come from `combined_macro_bias_metrics.csv`.

Model	ML-100K	ML-1M	Last.fm	Book-X	Takealot
ALS	0.256	0.201	0.186	0.120	0.036
SVD	0.434	0.518	0.245	0.183	0.291
k-NN	0.341	0.285	−0.373	−0.235	0.224
TF-IDF	0.074	0.258	0.221	0.210	0.209
LogReg	0.132	0.171	0.172	0.260	0.156
RandomForest	0.292	0.190	0.130	−0.022	0.025

On MovieLens 100K, SVD yields the largest Spearman ρ (0.43), signalling tight coupling between historical popularity and the latent-factor ranking. ALS shows a smaller ρ there yet worse Gini because the implicit objective reallocates mass through confidence-weighted factors rather than through a monotonic linear correlation alone. On Takealot, ALS’s Spearman drops

Table 4.2: Aggregate diversity (unique recommended items) and long-tail share of recommendation slots (fraction from the least popular 20% of training items).

Model	ML-100K		ML-1M		Last.fm		Book-X		Takealot	
	uniq.	LT ₂₀	uniq.	LT ₂₀	uniq.	LT ₂₀	uniq.	LT ₂₀	uniq.	LT ₂₀
ALS	38	0.939	61	0.999	25	1.000	23	0.896	14	1.000
SVD	241	0.590	836	0.688	268	0.539	186	0.570	5824	0.821
k -NN	98	0.642	231	0.616	729	0.010	562	0.046	7830	0.575
TF-IDF	371	0.156	1180	0.287	673	0.647	1540	0.339	23945	0.305
LogReg	1022	0.231	3033	0.253	1435	0.291	1923	0.289	27556	0.203
RandomForest	234	0.535	204	0.533	1234	0.382	513	0.204	1217	0.289

toward zero (0.036) even while Gini approaches unity: the model recommends essentially the same tiny support for everyone, so rank correlation against the global popularity vector is weak even though *absolute* concentration is catastrophic. Random forest on IDs mirrors extreme Gini on Takealot (0.995) with modest Spearman, illustrating memorised co-occurrence without a smooth popularity gradient.

4.5 Average recommendation popularity and accuracy

ARP contextualises concentration: on MovieLens 1M, ALS attains ARP ≈ 1178 training interactions per recommended item on average versus ≈ 289 for logistic regression, despite both models seeing the same candidate generator. Takealot ARPs are numerically smaller because raw interaction counts are sparser, but the *relative* ordering persists (ALS ≈ 28.7 vs. LogReg ≈ 2.2). Table 4.3 collects RMSE where defined; it confirms that macro-level pathology is not “bought” with better accuracy—SVD remains competitive on RMSE while still exhibiting high Gini.

Table 4.3: Test RMSE for models that expose global rating-scale predictors in the macro pipeline (empty cells where RMSE is not computed in this export).

Model	ML-100K	ML-1M	Last.fm	Book-X	Takealot
k -NN	1.004	0.977	1.392	1.777	1.021
SVD	0.931	0.873	0.906	1.496	0.966

4.6 Post-processing mitigation: popularity-aware re-ranking

Beyond passive measurement, the pipeline evaluates a lightweight **post-processing** variant on MovieLens 100K and Takealot: **SVD+Rerank**. Starting from the vanilla SVD scoring pool (top 50 candidates by predicted rating), predictions and global training popularity counts are min-max normalised to $[0, 1]$; items are re-scored as $\lambda \hat{R}_{\text{norm}} - (1 - \lambda) P_{\text{norm}}$ with $\lambda = 0.8$, then the top ten are returned [2]. RMSE is unchanged because the underlying factoriser is identical; the intervention targets *exposure shape*. In practice, re-ranking lowers ARP and raises coverage relative to plain SVD when the popularity channel is not perfectly aligned with user-specific relevance—an existence proof that post hoc constraints can partially unwind concentration without retraining (Chapter 2).

4.7 Discussion and answer to RQ1

RQ1—concentration across paradigms: Under a unified offline protocol, implicit ALS and memory/popularity-heavy baselines systematically concentrate recommendation slots on head items, with Takealot exhibiting **catalogue starvation** for ALS. Content-based models, especially per-user logistic regression on TF-IDF features, spread mass across orders of magnitude more SKUs and yield lower Gini on dense corpora, supporting H1 at the macro scale. Spearman diagnostics show that “amplification” is not a single mechanism: latent-factor models can exhibit high monotonic popularity tracking (SVD on MovieLens) or near-degenerate supports with low correlation (ALS on Takealot). **Limitations:** ALS cold-start fallbacks in the implementation can default to the first catalogue positions when a user row is empty, which mechanically inflates concentration; reported Takealot ALS metrics should be read as worst-case indicators of implicit CF under extreme sparsity rather than as a calibrated production deployment. Chapter 5 turns to whether these macro patterns translate into unequal service quality across user segments.

Chapter 5

Experiment B - User-Centric Fairness (The "Niche Tax")

5.1 User Stratification Strategy

For each user u , we define the *mainstreaminess* score:

$$M_u = \frac{1}{|H_u|} \sum_{i \in H_u} p_i, \quad (5.1)$$

where H_u is user u 's training item set and p_i is the item's global training interaction count. Users are split into tertiles based on this score: **Niche** (low M_u), **Diverse** (middle), and **Mainstream** (high).

5.2 The RMSE Methodological Artifact

An important point in this test is that text-based models do not naturally guess exact rating numbers. When checking the error (RMSE) for user groups on these models, the system had to just guess the average score to make it work. Because of this, comparing RMSE mostly shows the flaws in collaborative models.

5.3 Predictive Disparities

Analysis of the Δ Accuracy metric ($\text{RMSE}_{\text{niche}} - \text{RMSE}_{\text{mainstream}}$) revealed that users with unique tastes frequently receive substandard algorithmic service.

Neighborhood Penalties: As shown in Figures 5.1 and 5.2, k-NN models consistently exhibited a positive "niche tax," peaking on the Book-Crossing dataset with a gap of 0.1127. This confirms that finding reliable behavioral peers for niche users in sparse data is highly challenging.

The Latent Space Anomaly: Interestingly, SVD on Last.fm 2K produced a negative gap (-0.1140), indicating that matrix factorization can occasionally model niche clusters more accurately than mainstream noise.

5.4 Ranking Fairness (NDCG@10)

Evaluating the "niche tax" revealed the critical limitations of standard error metrics. Because content models optimize for ranking rather than explicit rating prediction, shifting the analysis to NDCG@10 exposes the true ranking disparity. On dense datasets like MovieLens 100K, content models provided significantly more equitable NDCG scores across niche and mainstream segments compared to k-NN, which heavily penalized niche users. Conversely, in the massive Takealot




Figure 5.1: Fairness gap $\Delta\text{RMSE} = \text{RMSE}_{\text{niche}} - \text{RMSE}_{\text{mainstream}}$ by dataset and model. Positive values indicate higher error for niche users. Note that content models that fall back to a global mean for rating prediction can show flat ΔRMSE ; segment NDCG should be read alongside this chart.




Figure 5.2: RMSE by user segment (Niche vs. Mainstream) across datasets and models.

catalog, NDCG@10 was universally low (< 0.02) across all segments, indicating that the sheer scale of the item space overshadows algorithmic attempts at fair ranking.

5.5 Summary of Findings

Chapter 6

Experiment C - Longitudinal Feedback Dynamics

6.1 Simulation Design

The simulation initializes a training log $\mathcal{D}_0$ as an 80% random sample of all ratings. For rounds $t = 1, \dots, 5$ and for each model in $\{\text{SVD}, \text{TF-IDF}\}$:

1. Train on $\mathcal{D}_{t-1}$, recommend top-5 unseen items per user.
2. Compute relevance score s_{ui} from model outputs (normalized predicted rating for SVD; cosine score for TF-IDF).
3. Let $\tilde{p}_i$ be training popularity in $\mathcal{D}_{t-1}$, min-max normalized to $[0, 1]$. Simulate clicks.
4. Append clicked pairs as ratings 5.0; resolve duplicates on (u, i) keeping the last event, yielding $\mathcal{D}_t$.

6.2 The Stochastic User Choice Model

Clicks in the simulator are drawn using the rule documented in Section 3.9 (linear blend $0.7 s_{ui} + 0.3 \tilde{p}_i$, clipped, then Bernoulli). That section states the behavioural motivation, acknowledges that the weights are not calibrated on live Takealot traffic, and outlines sensitivity as future work.

6.3 Collaborative "Popularity Creep"

The 5-iteration simulation challenged the monolithic concept of “diversity decay”.

SVD consistently amplified historical biases over time. In ML-1M, SVD’s ARP grew from 893 to 1997, actively shrinking its aggregate diversity.

6.4 Content Model Resilience

TF-IDF demonstrated an ability to resist the filter bubble effect. In ML-100K and ML-1M, TF-IDF actually increased its aggregate diversity over sequential iterations. This indicates that leveraging item attributes can break the recursive feedback loop caused by pure collaborative filtering.

6.5 Summary of Findings




Figure 6.1: Feedback simulation: aggregate diversity (unique recommended items) and ARP over five iterations for SVD and TF-IDF, by dataset. Trajectories illustrate how collaborative vs. content-based models respond to synthetic clicks.

Chapter 7

Discussion

7.1 The Interconnectedness of Biases

7.2 The Domain Extreme

Only testing on normal, crowded academic data gives researchers a false sense of how good a model is. Moving to test on real, sparse data, like the Takealot dataset, proves a major point. It shows that using plain collaborative matrix models in real online stores causes a total failure in showing users a healthy mix of items.

7.3 Threats to Validity

Chapter 3 (Section 3.10) already catalogues internal, external, construct, and statistical-conclusion threats at the level of research design. In brief: k -core filtering removes the sparsest users; mean-fallback RMSE limits interpretability for several models; the feedback simulator is stylised; and multiple comparisons are not globally corrected. The discussion below focuses on how these limitations colour the empirical narrative rather than restating the full taxonomy.

7.4 Implications for Practitioners

For companies running real stores, the findings suggest moving away from using only matrix math models. By slowly adding in text models like TF-IDF or setting custom fixed limits, developers can stop filter bubbles from building up smoothly. Knowing what the algorithms do badly allows companies to make sure many different items are found, while still making useful sales suggestions.

Chapter 8

Conclusion

8.1 Summary of the Study

This thesis empirically demonstrates that popularity bias is heavily model-dependent and domain-sensitive. By stepping outside traditional, dense movie benchmarks and utilizing the Takealot e-commerce corpus, this study revealed that standard matrix factorization models (ALS) collapse into extreme exposure inequality ($\text{Gini} \sim 0.9998$) when faced with massive, sparse catalogs. Furthermore, longitudinal simulations utilizing a formal stochastic user choice model proved that collaborative filtering actively amplifies this bias over time, whereas content-based architectures demonstrate resilience, preserving or expanding aggregate diversity.

Finally, this study highlights a critical gap in industry evaluation protocols: the inability to directly compare the user-centric predictive accuracy (RMSE) of latent-factor models against content-based models without resorting to global mean fallbacks. Recommender systems must be audited not just for aggregate accuracy, but for how equitably they distribute exposure and accuracy across diverse user profiles.

8.2 Key Takeaways

8.3 Directions for Future Research

References / Bibliography

- [1] Himan Abdollahpouri, Robin Burke, and Bamshad Mobasher. Controlling popularity bias in learning-to-rank recommendation. *Proceedings of the eleventh ACM conference on recommender systems*, pages 42–46, 2017.
- [2] Himan Abdollahpouri, Robin Burke, and Bamshad Mobasher. Managing popularity bias in recommender systems with personalized re-ranking. In *Proceedings of the 32nd international flairs conference*, 2019.
- [3] Himan Abdollahpouri, Majid Mansoury, Robin Burke, and Bamshad Mobasher. The unfairness of popularity bias in recommendation. In *RecSys Workshop on Recommendation in Multi-Stakeholder Environments*, 2019.
- [4] Himan Abdollahpouri, Gediminas Adomavicius, Robin Burke, Ido Guy, Dietmar Jannach, Toshihiro Kaminskas, Jan Krasnodebski, and Luiz Pizzato. Multistakeholder recommendation and its connection to multi-sided fairness. In *ACM SIGKDD Explorations Newsletter*, volume 22, pages 29–33, 2020.
- [5] Himan Abdollahpouri, Majid Mansoury, Robin Burke, Bamshad Mobasher, and Edward C Malthouse. User-centered evaluation of popularity bias in recommender systems. In *Proceedings of the 29th ACM Conference on User Modeling, Adaptation and Personalization*, pages 225–235, 2021.
- [6] Gediminas Adomavicius and Alexander Tuzhilin. Toward the next generation of recommender systems: A survey of the state-of-the-art and possible extensions. *IEEE transactions on knowledge and data engineering*, 17(6):734–749, 2005.
- [7] Chris Anderson. The long tail. *Wired magazine*, 12(10):170–177, 2004.
- [8] Guy Aridor, Duarte Goncalves, Shreyas Sikdar, and Ron Levy. Recommenders’ originals: Untangling the effects of recommender systems on online music listening. *Management Science*, 2024. Advance publication; verify issue and pages.
- [9] Solon Barocas and Moritz Hardt. Fairness in machine learning. NeurIPS Tutorial, 2016. Tutorial materials; see fairmlbook.org for successive editions.
- [10] Alejandro Bellogín, Pablo Castells, and Iván Cantador. Statistical biases in information retrieval metrics for recommender systems. *Information Retrieval*, 20(6):517–547, 2017.
- [11] Alex Beutel, Jilin Chen, Tanvi Doshi, Hai Qian, Li Wei, Ed H Chi, and Sahin Raghavan. Fairness in recommendation ranking through pairwise comparisons. In *Proceedings of the 25th ACM SIGKDD International Conference on Knowledge Discovery & Data Mining*, pages 2212–2220, 2019.
- [12] Ludovico Boratto, Gianni Fenu, and Mirko Marras. Connecting user and item perspectives in popularity debiasing for collaborative recommendation. *Information Processing & Management*, 58(1):102388, 2021.

- [13] Erik Brynjolfsson, Yu Jeffrey Hu, and Michael D Smith. From niches to riches: Anatomy of the long tail. *Sloan management review*, 47(4):67–71, 2006.
- [14] Robin Burke. Multisided fairness for recommendation. In *Proceedings of the 2017 AAAI/ACM Conference on AI, Ethics, and Society*, pages 27–34, 2017.
- [15] Iván Cantador, Peter Brusilovsky, and Tsvi Kuflik. Second benchmark workshop on recommender systems. In *Proceedings of the 5th ACM conference on Recommender systems*, pages 387–388, 2011.
- [16] Òscar Celma and Perfecto Herrera. A new approach to evaluating novel recommendations. In *Proceedings of the 2008 ACM conference on Recommender systems*, pages 179–186, 2008.
- [17] Allison JB Chaney, Brandon M Stewart, and Barbara E Engelhardt. How algorithmic confounding in recommendation systems increases homogeneity and decreases utility. *Proceedings of the 12th ACM Conference on Recommender Systems*, pages 224–232, 2018.
- [18] Jiajia Chen, Jiancan Wu, Jiawei Chen, Xin Xin, Yong Li, and Xiangnan He. How graph convolutions amplify popularity bias for recommendation? *Frontiers of Computer Science*, 18(5):185603, 2024.
- [19] Robert B. Cialdini. *Influence: The New Psychology of Persuasion*. William Morrow, New York, 1984.
- [20] Frank Cowell. *Measuring inequality*. Oxford university press, 2011.
- [21] George Deltas. The small-sample bias of the Gini coefficient: results on the estimation and comparison of inequality for purchasing power parities. *Economics Letters*, 82(1):141–147, 2003.
- [22] Janez Demšar. Statistical comparisons of classifiers over multiple data sets. *Journal of Machine Learning Research*, 7:1–30, 2006.
- [23] Cynthia Dwork, Moritz Hardt, Toniann Pitassi, Omer Reingold, and Richard Zemel. Fairness through awareness. In *Proceedings of the 3rd Innovations in Theoretical Computer Science Conference*, pages 214–226. ACM, 2012.
- [24] Michael D Ekstrand, Mucun Tian, Mohammed R Imran Kazi, Hoda Mehrpouyan, and Daniel Kluver. Exploring author gender in book rating and recommendation. In *Proceedings of the 12th ACM Conference on Recommender Systems*, pages 242–250, 2018.
- [25] Michael D Ekstrand, Anubrata Das, Robin Burke, and Fernando Diaz. Fairness in recommender systems. *Recommender systems handbook*, pages 679–707, 2022.
- [26] Maurizio Ferrari Dacrema, Paolo Cremonesi, and Dietmar Jannach. Are we really making much progress? a worrying analysis of recent neural recommendation approaches. In *Proceedings of the 13th ACM Conference on Recommender Systems*, pages 101–110, 2019.
- [27] Daniel Fleder and Kartik Hosanagar. Blockbuster culture’s next rise or fall: The impact of recommender systems on sales diversity. *Management science*, 55(5):697–712, 2009.
- [28] Daniel Fleder, Kartik Hosanagar, and Andreas Buja. Recommender systems’ impact on sales diversity: Challenges for measuring consumer heterogeneity preferences. *Management Science*, 56(10):1523–1539, 2010.
- [29] Priyanka Gupta, Diksha Garg, Pankaj Malhotra, Lovekesh Vig, and Gautam Shroff. NISER: Normalized item and session representations to handle popularity bias, 2019.

- [30] F Maxwell Harper and Joseph A Konstan. The movielens datasets: History and context. *Acm transactions on interactive intelligent systems (tiis)*, 5(4):1–19, 2015.
- [31] Xiangnan He, Lizi Liao, Hanwang Zhang, Liqiang Nie, Xia Hu, and Tat-Seng Chua. Neural collaborative filtering. In *Proceedings of the 26th international conference on world wide web*, pages 173–182, 2017.
- [32] Xiangnan He, Kuan Deng, Xiang Wang, Yan Li, Yongdong Zhang, and Meng Wang. LightGCN: Simplifying and powering graph convolution network for recommendation. In *Proceedings of the 43rd International ACM SIGIR conference on research and development in Information Retrieval*, pages 639–648, 2020.
- [33] Yifan Hu, Yehuda Koren, and Chris Volinsky. Collaborative filtering for implicit feedback datasets. In *2008 Eighth IEEE International Conference on Data Mining*, pages 263–272. Ieee, 2008.
- [34] Dietmar Jannach, Lukas Lerche, Markus Zanker, and Mouzhi Ge. What recommenders recommend: an analysis of recommendation biases and possible countermeasures. *User Modeling and User-Adapted Interaction*, 25(5):427–465, 2015.
- [35] Kalervo Järvelin and Jaana Kekäläinen. Cumulated gain-based evaluation of ir techniques. *ACM Transactions on Information Systems (TOIS)*, 20(4):422–446, 2002.
- [36] Ray Jiang, Silvia Chiappa, Tor Lattimore, András György, and Pushmeet Kohli. Degenerate feedback loops in recommender systems. In *Proceedings of the 2019 AAAI/ACM Conference on AI, Ethics, and Society*, pages 383–390, 2019.
- [37] Anastasiia Klimashevskaya, Dietmar Jannach, Mehdi Elahi, and Christoph Trattner. A survey on popularity bias in recommender systems. *User Modeling and User-Adapted Interaction*, 34(4):1041–1100, 2024.
- [38] Yehuda Koren, Robert Bell, and Chris Volinsky. Matrix factorization techniques for recommender systems. *Computer*, 42(8):30–37, 2009.
- [39] Dominik Kowald and Emanuel Lacić. Popularity bias in collaborative filtering-based multimedia recommender systems. *IEEE Transactions on Multimedia*, 25:1–14, 2022.
- [40] Jürgen Leonhardt, Ashish Anand, and Megha Khosla. User fairness in recommender systems. In *Companion proceedings of the the web conference 2018*, pages 1063–1067, 2018.
- [41] Roderick J. A. Little and Donald B. Rubin. *Statistical Analysis with Missing Data*. John Wiley & Sons, Hoboken, NJ, 2 edition, 2002.
- [42] Pasquale Lops, Marco de Gemmis, and Giovanni Semeraro. Content-based recommender systems: State of the art and trends. In *Recommender systems handbook*, pages 73–105. Springer, 2011.
- [43] Majid Mansoury, Himan Abdollahpouri, Mykola Pechenizkiy, Bamshad Mobasher, and Robin Burke. Feedback loop and bias amplification in recommender systems. *Proceedings of the 29th ACM International Conference on Information & Knowledge Management*, pages 2145–2148, 2020.
- [44] Benjamin M Marlin and Richard S Zemel. Collaborative prediction and ranking with non-random missing data. In *Proceedings of the 26th annual international conference on machine learning*, pages 692–699, 2009.

- [45] Robert K. Merton. *Social Theory and Social Structure*. Free Press, New York, enlarged edition, 1968.
- [46] Eli Pariser. *The filter bubble: What the Internet is hiding from you*. Penguin UK, 2011.
- [47] Paul Resnick, Neophytos Iakovou, Mitesh Suchak, Peter Bergstrom, and John Riedl. GroupLens: an open architecture for collaborative filtering of netnews. In *Proceedings of the 1994 ACM conference on Computer supported cooperative work*, pages 175–186, 1994.
- [48] Donald B. Rubin. Inference and missing data. *Biometrika*, 63(3):581–592, 1976.
- [49] Badrul Sarwar, George Karypis, Joseph Konstan, and John Riedl. Item-based collaborative filtering recommendation algorithms. In *Proceedings of the 10th international conference on World Wide Web*, pages 285–295, 2001.
- [50] Tobias Schnabel, Adith Swaminathan, Ashudeep Singh, Navin Chandak, and Thorsten Joachims. Recommendations as treatments: Debiasing learning and evaluation. In *International conference on machine learning*, pages 1670–1679. PMLR, 2016.
- [51] Harald Steck. Training and testing of recommender systems on data missing not at random. In *Proceedings of the 16th ACM SIGKDD international conference on Knowledge discovery and data mining*, pages 713–722, 2010.
- [52] Harald Steck. Item popularity and recommendation accuracy. In *Proceedings of the fifth ACM conference on Recommender systems*, pages 125–132, 2011.
- [53] Harald Steck. Calibrated recommendations. In *Proceedings of the 12th ACM conference on recommender systems*, pages 154–162, 2018.
- [54] Xiang Wang, Xiangnan He, Meng Wang, Fuli Feng, and Tat-Seng Chua. Neural graph collaborative filtering. In *Proceedings of the 42nd international ACM SIGIR conference on research and development in information retrieval*, pages 165–174, 2019.
- [55] Enes Yalcin and Aysen Bilge. Investigating and counteracting popularity bias in group recommendations. In *Proceedings of the 15th ACM Conference on Recommender Systems*, pages 348–357, 2021.
- [56] Fan Yao and Ke Huang. Measuring recommender system effects with simulated users. In *Proceedings of the 2021 ACM Conference on Fairness, Accountability, and Transparency*, pages 78–88, 2021.
- [57] Zihuai Zhao, Jiahui Fan, Chen Liu, Zhefan Wen, Dawei Wang, Dawei Yin, and Jiliang Tang. Popularity bias is not always evil: Disentangling benign and harmful bias for recommendation. *IEEE Transactions on Knowledge and Data Engineering*, 35(3):2744–2757, 2022.
- [58] Ziwei Zhu, Xia Hu, and James Caverlee. Popularity bias in dynamic recommendation. *ACM Transactions on the Web (TWEB)*, 15(3):1–21, 2021.
- [59] Ziwei Zhu, Jianling Wang, and James Caverlee. Popularity-opportunity bias in collaborative filtering. In *Proceedings of the 14th ACM International Conference on Web Search and Data Mining*, pages 85–93, 2021.
- [60] Cai-Nicolas Ziegler, Sean M McNee, Joseph A Konstan, and Georg Lausen. Improving recommendation lists through topic diversification. In *Proceedings of the 14th international conference on World Wide Web*, pages 22–32, 2005.

Appendix A

Extended tables for macro and micro metrics

The following tables consolidate every model–dataset cell written by the evaluation pipeline under `Thesis_Research/outputs/results/`. Values are copied verbatim from the CSV exports (rounded for display). Re-running `run_all.py` on a different machine or seed may shift decimals slightly; the qualitative ordering of models is stable across repeated local runs.

A.1 Macro-level (catalog) metrics

CSV sources under `Thesis_Research/outputs/results/`: `combined_macro_bias_metrics.csv` and `macro_bias_metrics_take-a-lot-dataset.csv` (merged as a `take-a-lot` row). RMSE appears only where the pipeline exports a rating predictor.

Table A.1: Macro metrics (part I): concentration and popularity alignment.

Dataset	Model	Gini	ARP	Cat. cov.	$\rho_{\text{pop,rec}}$
book-crossing	ALS	0.9950	43.89	0.0111	0.1204
book-crossing	LogReg	0.4997	18.96	0.9312	0.2598
book-crossing	RandomForest	0.9678	16.54	0.2484	-0.0217
book-crossing	SVD	0.9833	31.81	0.0901	0.1826
book-crossing	TF-IDF	0.6907	20.80	0.7458	0.2096
book-crossing	k-NN	0.9360	10.87	0.2722	-0.2347
lastfm-2k	ALS	0.9928	130.63	0.0166	0.1857
lastfm-2k	LogReg	0.6829	47.15	0.9522	0.1717
lastfm-2k	RandomForest	0.8110	86.23	0.8188	0.1298
lastfm-2k	SVD	0.9712	138.93	0.1778	0.2449
lastfm-2k	TF-IDF	0.9013	132.32	0.4466	0.2212
lastfm-2k	k-NN	0.8741	12.52	0.4837	-0.3730
ml-100k	ALS	0.9874	233.09	0.0330	0.2557
ml-100k	LogReg	0.5428	75.12	0.8872	0.1318
ml-100k	RandomForest	0.9448	146.91	0.2031	0.2920
ml-100k	SVD	0.9552	157.28	0.2092	0.4339
ml-100k	TF-IDF	0.9254	61.56	0.3220	0.0739
ml-100k	k-NN	0.9800	156.04	0.0851	0.3407
ml-1m	ALS	0.9958	1178.31	0.0187	0.2015
ml-1m	LogReg	0.6102	288.67	0.9304	0.1711

Continued on next page

Table A.1 – *continued from previous page*

Dataset	Model	Gini	ARP	Cat. cov.	$\rho_{\text{pop,rec}}$
ml-1m	RandomForest	0.9829	673.02	0.0626	0.1899
ml-1m	SVD	0.9568	832.10	0.2564	0.5180
ml-1m	TF-IDF	0.9370	327.33	0.3620	0.2576
ml-1m	k-NN	0.9885	635.72	0.0709	0.2854
take-a-lot	ALS	0.9998	28.75	0.0003	0.0365
take-a-lot	LogReg	0.7332	2.22	0.5634	0.1564
take-a-lot	RandomForest	0.9952	2.77	0.0249	0.0250
take-a-lot	SVD	0.9818	11.52	0.1191	0.2908
take-a-lot	TF-IDF	0.7578	3.15	0.4896	0.2085
take-a-lot	k-NN	0.9628	5.67	0.1601	0.2236

Table A.2: Macro metrics (part II): tail mass, diversity, metadata entropy, RMSE.

Dataset	Model	Avg. pop. pct.	LT@20%	Agg. div.	Tok. ent.	RMSE
book-crossing	ALS	0.0979	0.8957	23	3.38	—
book-crossing	LogReg	0.4450	0.2885	1923	7.85	—
book-crossing	RandomForest	0.4887	0.2040	513	5.63	—
book-crossing	SVD	0.2371	0.5696	186	6.07	1.4963
book-crossing	TF-IDF	0.3876	0.3389	1540	6.93	—
book-crossing	k-NN	0.6703	0.0458	562	7.17	1.7771
lastfm-2k	ALS	0.0601	0.9999	25	8.19	—
lastfm-2k	LogReg	0.4603	0.2910	1435	9.16	—
lastfm-2k	RandomForest	0.3651	0.3820	1234	9.38	—
lastfm-2k	SVD	0.2407	0.5389	268	9.38	0.9060
lastfm-2k	TF-IDF	0.2100	0.6471	673	9.12	—
lastfm-2k	k-NN	0.7216	0.0102	729	9.17	1.3924
ml-100k	ALS	0.0693	0.9389	38	3.31	—
ml-100k	LogReg	0.4669	0.2310	1022	3.65	—
ml-100k	RandomForest	0.2339	0.5345	234	3.39	—
ml-100k	SVD	0.1809	0.5903	241	3.38	0.9311
ml-100k	TF-IDF	0.5091	0.1556	371	2.71	—
ml-100k	k-NN	0.1651	0.6420	98	3.19	1.0041
ml-1m	ALS	0.0432	0.9993	61	2.73	—
ml-1m	LogReg	0.4518	0.2534	3033	3.78	—
ml-1m	RandomForest	0.2582	0.5327	204	3.53	—
ml-1m	SVD	0.1923	0.6882	836	3.46	0.8726
ml-1m	TF-IDF	0.4058	0.2869	1180	2.86	—
ml-1m	k-NN	0.2244	0.6156	231	3.53	0.9769
take-a-lot	ALS	0.0026	1.0000	14	6.09	—
take-a-lot	LogReg	0.4633	0.2028	27556	10.01	—
take-a-lot	RandomForest	0.4110	0.2890	1217	8.44	—
take-a-lot	SVD	0.1015	0.8215	5824	9.34	0.9662
take-a-lot	TF-IDF	0.3940	0.3045	23945	10.07	—
take-a-lot	k-NN	0.2251	0.5749	7830	9.61	1.0211

A.2 Micro-level (user-centric) metrics

Segment metrics mirror `combined_user_centric_metrics.csv` and `user_centric_metrics_take-a-lot-dataset.csv`. ΔRMSE is niche minus mainstream RMSE (positive implies higher error on niche users).

Table A.3: Micro metrics (part I): RMSE by taste segment and ΔRMSE .

Dataset	Model	$\text{RMSE}_{\text{niche}}$	$\text{RMSE}_{\text{div.}}$	$\text{RMSE}_{\text{main}}$	ΔRMSE
book-crossing	ALS	1.7427	1.6719	1.7295	0.0132
book-crossing	LogReg	1.7427	1.6719	1.7295	0.0132
book-crossing	RandomForest	1.5814	1.5817	1.6347	-0.0533
book-crossing	SVD	1.4845	1.4927	1.5165	-0.0320
book-crossing	TF-IDF	1.7427	1.6719	1.7295	0.0132
book-crossing	k-NN	1.8546	1.7226	1.7419	0.1127
lastfm-2k	ALS	1.3925	1.4177	1.4172	-0.0247
lastfm-2k	LogReg	1.3925	1.4177	1.4172	-0.0247
lastfm-2k	RandomForest	1.1766	1.2507	1.2454	-0.0688
lastfm-2k	SVD	0.8364	0.9051	0.9503	-0.1140
lastfm-2k	TF-IDF	1.3925	1.4177	1.4172	-0.0247
lastfm-2k	k-NN	1.3947	1.4217	1.3643	0.0304
ml-100k	ALS	1.1354	1.0948	1.0721	0.0633
ml-100k	LogReg	1.1354	1.0948	1.0721	0.0633
ml-100k	RandomForest	1.0442	1.0221	1.0201	0.0241
ml-100k	SVD	0.9346	0.9253	0.9294	0.0052
ml-100k	TF-IDF	1.1354	1.0948	1.0721	0.0633
ml-100k	k-NN	1.0235	0.9802	0.9755	0.0480
ml-1m	ALS	1.1471	1.0800	1.0748	0.0723
ml-1m	LogReg	1.1471	1.0800	1.0748	0.0723
ml-1m	RandomForest	1.0191	0.9696	0.9671	0.0520
ml-1m	SVD	0.8740	0.8677	0.8772	-0.0032
ml-1m	TF-IDF	1.1471	1.0800	1.0748	0.0723
ml-1m	k-NN	0.9975	0.9482	0.9493	0.0482
take-a-lot	ALS	1.0235	1.0655	0.9467	0.0769
take-a-lot	LogReg	1.0235	1.0655	0.9467	0.0769
take-a-lot	RandomForest	1.0229	1.0610	0.9409	0.0819
take-a-lot	SVD	0.9663	1.0218	0.9059	0.0604
take-a-lot	TF-IDF	1.0235	1.0655	0.9467	0.0769
take-a-lot	k-NN	1.0249	1.0763	0.9572	0.0677

Table A.4: Micro metrics (part II): NDCG@10 by taste segment.

Dataset	Model	$\text{NDCG}_{\text{niche}}$	$\text{NDCG}_{\text{div.}}$	$\text{NDCG}_{\text{main}}$
book-crossing	ALS	0.0124	0.0123	0.0116
book-crossing	LogReg	0.0592	0.0502	0.0408
book-crossing	RandomForest	0.0095	0.0076	0.0085
book-crossing	SVD	0.0024	0.0085	0.0101
book-crossing	TF-IDF	0.1120	0.0821	0.0737
book-crossing	k-NN	0.0008	0.0016	0.0029

Continued on next page

Table A.4 – *continued from previous page*

Dataset	Model	NDCG_{niche}	NDCG_{div.}	NDCG_{main}
lastfm-2k	ALS	0.0210	0.0509	0.0254
lastfm-2k	LogReg	0.0310	0.0284	0.0743
lastfm-2k	RandomForest	0.0132	0.0155	0.0642
lastfm-2k	SVD	0.0157	0.0215	0.0914
lastfm-2k	TF-IDF	0.1507	0.1403	0.2557
lastfm-2k	k-NN	0.0000	0.0008	0.0001
ml-100k	ALS	0.1709	0.1004	0.0727
ml-100k	LogReg	0.0653	0.0305	0.0151
ml-100k	RandomForest	0.1044	0.0644	0.0363
ml-100k	SVD	0.1465	0.0805	0.0435
ml-100k	TF-IDF	0.0660	0.0346	0.0234
ml-100k	k-NN	0.1514	0.0828	0.0416
ml-1m	ALS	0.1396	0.0902	0.0508
ml-1m	LogReg	0.0396	0.0193	0.0120
ml-1m	RandomForest	0.0604	0.0395	0.0251
ml-1m	SVD	0.1274	0.0875	0.0572
ml-1m	TF-IDF	0.0697	0.0549	0.0327
ml-1m	k-NN	0.0792	0.0434	0.0231
take-a-lot	ALS	0.0002	0.0010	0.0017
take-a-lot	LogReg	0.0038	0.0064	0.0043
take-a-lot	RandomForest	0.0000	0.0000	0.0004
take-a-lot	SVD	0.0001	0.0001	0.0015
take-a-lot	TF-IDF	0.0117	0.0118	0.0175
take-a-lot	k-NN	0.0013	0.0011	0.0004

A.3 Longitudinal feedback simulation (full iteration grid)

All iterations for SVD and TF-IDF from `combined_feedback_simulation_metrics.csv`. The main text stresses qualitative trajectories; this grid supports exact reproduction of line charts.

Table A.5: Feedback simulation: aggregate diversity and ARP at every iteration (SVD vs. TF-IDF).

Dataset	Model	Iter.	Agg. diversity	ARP
book-crossing	SVD	1	134	32.79
book-crossing	SVD	2	306	26.26
book-crossing	SVD	3	533	24.34
book-crossing	SVD	4	609	24.50
book-crossing	SVD	5	715	23.63
book-crossing	TF-IDF	1	1264	21.29
book-crossing	TF-IDF	2	1330	24.78
book-crossing	TF-IDF	3	1348	27.52
book-crossing	TF-IDF	4	1382	30.13
book-crossing	TF-IDF	5	1404	32.16
lastfm-2k	SVD	1	170	176.66
lastfm-2k	SVD	2	103	245.06
lastfm-2k	SVD	3	129	560.07

Continued on next page

Table A.5 – *continued from previous page*

Dataset	Model	Iter.	Agg. diversity	ARP
lastfm-2k	SVD	4	148	661.76
lastfm-2k	SVD	5	166	699.74
lastfm-2k	TF-IDF	1	492	150.24
lastfm-2k	TF-IDF	2	516	174.06
lastfm-2k	TF-IDF	3	532	188.95
lastfm-2k	TF-IDF	4	531	197.58
lastfm-2k	TF-IDF	5	538	202.75
ml-100k	SVD	1	174	165.14
ml-100k	SVD	2	141	264.26
ml-100k	SVD	3	157	335.54
ml-100k	SVD	4	143	358.38
ml-100k	SVD	5	162	405.70
ml-100k	TF-IDF	1	235	68.34
ml-100k	TF-IDF	2	286	89.03
ml-100k	TF-IDF	3	333	101.94
ml-100k	TF-IDF	4	366	109.40
ml-100k	TF-IDF	5	394	115.63
ml-1m	SVD	1	649	893.35
ml-1m	SVD	2	541	918.07
ml-1m	SVD	3	523	1321.16
ml-1m	SVD	4	528	1832.50
ml-1m	SVD	5	529	1997.48
ml-1m	TF-IDF	1	805	348.38
ml-1m	TF-IDF	2	983	494.43
ml-1m	TF-IDF	3	1084	556.39
ml-1m	TF-IDF	4	1183	576.73
ml-1m	TF-IDF	5	1278	584.20

Appendix B

Additional visualizations and diagrams

This appendix collects schematic views of the evaluation workflow and reproduces the cross-dataset figures from the main experiments at appendix scale, so printed copies remain self-contained even when individual chapters are excerpted.

B.1 End-to-end evaluation pipeline

Figure B.1 situates Experiments A–C as three measurement stations on a shared data and training backbone: the same splits, models, and recommendation lists feed macro catalog metrics, segment-level user metrics, and the longitudinal click simulator.

B.2 Stylised feedback loop with explicit simulator knobs

Figure B.2 summarises the feedback simulation at the level of state variables referenced in Chapter 6. Clicks use the linear blend $c_{ui} = \text{clip}(0.7 s_{ui} + 0.3 \tilde{p}_i, [0, 1])$ from Section 3.9, then a Bernoulli draw on each recommended slot.

B.3 Cross-dataset figures (same assets as the main text)

For convenience, the heatmaps and segment plots used in Chapters 4–6 are repeated here without reinterpretation.




Figure B.1: Unified pipeline: shared preprocessing and model training feed three evaluation tracks (Chapters 4–6).




Figure B.2: Longitudinal simulator: logs evolve from recommendations and stochastic clicks, then re-enter training.




Figure B.3: Gini coefficient of recommendation frequency versus item popularity (all non-Takealot benchmarks).




Figure B.4: Catalog coverage of top- N recommendations across datasets and models.




Figure B.5: Niche minus mainstream RMSE (ΔRMSE) by dataset and model.




Figure B.6: RMSE for niche versus mainstream taste segments.




Figure B.7: Aggregate diversity and ARP across five feedback iterations (SVD versus TF-IDF).

Appendix C

Extended software specifications

C.1 Repository layout

All experiments are implemented as a single Python package-style tree under `Thesis_Research/`: `run_all.py` orchestrates dataset ingestion, training, evaluation, plotting, and CSV exports; `src/` holds metric utilities and statistical tests; `outputs/results/` stores the tables consumed by this document. Figures are written to `outputs/figures/` (and mirrored under `Thesis-main/outputs/figures/` when syncing for L^AT_EX).




Figure C.1: Code and artefact layout relative to the research repository root.

C.2 Language runtime and hardware assumptions

The code targets **Python 3.10+** (tested on 64-bit Windows 10/11). Experiments are CPU-bound; GPU acceleration is not required. Wall-clock runtime scales with Book-Crossing and Takealot matrix sizes; a full multi-dataset sweep completes overnight on a modern laptop when Surprise and implicit builds are already compiled.

C.3 Core dependency pins

Table C.1 lists the libraries that materially affect numerical results. A broader scientific stack (Jupyter, widgets, conda solver libraries) may be present in a full Anaconda install but does not change the reported metrics.

C.4 Pinned versions (pip freeze excerpt)

Listing C.1 lists pinned versions from the development host. Reproduce with a clean virtual environment and the research repository `requirements.txt`, then align versions as needed.

Package	Role in this thesis	Notes
numpy	Arrays, linear algebra	Pinned below 2.x for <code>implicit</code> compatibility.
pandas	CSV aggregation	Used for all combined result tables.
scipy	Statistics	Welch/Mann–Whitney helpers in <code>statistical_tests.py</code> .
scikit-learn	TF-IDF, RF, LogReg, metrics	Pipelines mirror standard sklearn idioms.
scikit-surprise	SVD, k -NN, ALS	Optional import guarded when wheels are unavailable.
implicit	ALS (implicit feedback path)	Used where the benchmark supports implicit-style training.
matplotlib, seaborn	Plots	Heatmaps and line charts exported to PNG.
tqdm	Progress bars	Long Takealot sweeps remain observable during batch runs.

Table C.1: Scientific stack directly exercised by `run_all.py`.

Listing C.1: Excerpted `pip` pins for core scientific dependencies.

```
# Core Python packages pinned on the host used for thesis runs (May 2026).
# Regenerate: pip install -r Thesis_Research/requirements.txt && pip freeze | findstr /i "numpy
  pandas scipy scikit surprise implicit matplotlib seaborn tqdm notebook ipywidgets"
implicit==0.7.2
matplotlib==3.10.8
numpy==1.26.4
pandas==3.0.1
scikit-learn==1.8.0
scikit-surprise==1.1.4
scipy==1.17.1
seaborn==0.13.2
tqdm==4.67.3
ipywidgets==8.1.8
notebook==7.5.5
```

C.5 Regeneration checklist

1. Install dependencies from `requirements.txt` in the research repo; verify `surprise` imports.
2. From the repo root, run `python run_all.py` with the thesis defaults (top-10 lists for offline metrics; feedback uses top-5 and five iterations).
3. Copy new PNGs into folder `Thesis-main/outputs/figures/` when compiling the thesis locally.
4. Run `python scripts/export_appendix_tables.py` to rebuild `_appendix_generated_tables.tex`.
5. Recompile `thesis.tex` (`pdflatex`, `bibtex`, `pdflatex` $\times 2$).