



Northeast GT

2026 Real Clean Rulebook

Contents

Introduction

- 1) Event & Championship Format
- 2) Racing Rules & Race Operations
- 3) Pit Lane Operations
- 4) NEGT Vehicle Eligibility & Classification
- 5) Vehicle Requirements
- 6) Safety Gear Requirements
- 7) Driver Requirements
- 8) Protests & Compliance
- Appendix A) Warnings, Disclaimers & Other Information
- Appendix B) The Flags
- Appendix C) Penalty Guidelines

Version 3.0.0
February, 2026

Introduction

Welcome to Real Clean Racing with Northeast GT

Northeast GT stands for Northeast Grassroots Touring (NEGT), and NEGТ exists to bring real, clean racing to the road racing circuits of New England and the Northeast. NEGТ presents the Northeast GT road race series – a strictly no-contact, racing championship.

For 2026, our series will now consist of sprint racing and time attack in addition to our growing endurance format. Each event will feature two 3-hour races, several sprint races and multiple time trial sessions. Our endurance format is designed for 1-3 drivers. Driver changes are not required, but the required timed pit stops are. In addition, our partner organization, MassTuning, will host a track day prior to all Northeast GT events, where NEGТ teams and drivers are welcome to test and practice. We will also host our Northeast GT Race Schools during these MassTuning events.

For experienced track-day drivers new to wheel-to-wheel racing, racers returning to competition, and racers new to Northeast GT looking to familiarize themselves with our format, the Northeast GT Race School helps drivers make the transition from HPDEs and time trials to full wheel-to-wheel. Drivers who successfully complete the race school may compete in future NEGТ races.

Mission

Our mission, beyond providing good, clean and affordable racing, is to be as inclusive as possible to the driver, car and team while maintaining the quality of said racing. Real, tough and fair racing can be had without contact. Respect your fellow competitors on and off the track.

No Loopholes

Recognizing that it's impossible for any rulebook to address every conceivable situation, Northeast GT gives its officials the authority to apply and enforce the rules according to both their explicit terms and underlying principle, emphasizing safety, integrity of competition, and fairness. While suggestions and feedback are welcome, the decisions by the officials are final and are not subject to interpretation or negotiation.

Evolution

We will keep what works, and discard or improve what doesn't, as we host some awesome competition, while demystifying the transition from track days to wheel-to-wheel racing and removing roadblocks along the way. Our admin team has years of racing and event management experience, but we recognize that every system takes time to perfect. ***Expect that this rulebook will continue to change in order to best serve the series.***

1A) Event Format

A. Summary

Northeast GT hosts two and three day events featuring MassTuning HPDE, Sprint as well as Endurance Road Racing, time trials aka Time Attack and frequent GT Race Schools.

B. MassTuning HPDE

Our partner MassTuning will host at least two run groups of DE at most NEGT events, the day before competition starts. Teams and drivers are invited to use these as test days.

C. GT Race School

1. NEGT will put on periodic GT Race Schools during the season.
2. The Northeast GT Race School is intended to both promote experienced drivers into wheel-to-wheel racing, as well as serve as a place for current wheel-to-wheel racers to refresh their skills or warm up for the weekend racing.
3. The race school offers classroom sessions to help drivers understand what to expect when transitioning to wheel-to-wheel settings, as well as paddock sessions to help drivers learn hands-on about pit lane, fueling, driver swaps, and other endurance racing, team driving, paddock etiquette and safety items.
4. Of course, on-track sessions build towards a graduation mock race.
5. With successful completion of the Northeast GT Race School, including a written exam, as well as a vehicle exit test, drivers may participate in future Northeast GT wheel-to-wheel sessions, including races later that weekend.

D. Categories of Competition

1. **Time Attack:** Time trial sessions, scored by fastest lap time, over multiple sessions.
2. **Sprint Racing:** These races are currently planned to be around twenty to thirty minutes in length, with multiple races per event.
3. **Endurance Racing:** Most endurance races will feature our traditional format of three hours in length, with a required minimum number of pit stops.

E. Classing Structure

Power-to-weight based classing, with modifiers. Each car's minimum competition weight will be based on a formula using the car's OEM horsepower, torque and a cumulative modifier percentage. Our modifiers are based on vehicle age, drivetrain and configurations, engine modifications, transmission, differential, tire type and width, suspension upgrades, aero and so on. The classing system has many modifiers, but our goal is to allow any car the opportunity to be competitive, so we are taking some items into account that most power-to-weight classing systems don't. Our vision is to have many different chassis, from different eras, with different prep levels, on different tires, all competing together fairly.

1B) Championship

Points Rules

1. Multiple entries from the same team must have a unique name.
2. Teams/drivers may change or reconfigure cars over the course of the season.
3. Points are paid by position in class as follows. 10 points for 1st place, 9 points for 2nd place, 8 points for 3rd place, etc., until 1 point for 10th place.
4. A bonus +1 point paid to every team/driver for each competitor they scored ahead of in class. (# of starters in class - scored Position # in class = bonus points)
5. Both competition days of the championship event at Watkins Glen shall be worth double points.
6. Sprint and endurance drivers/teams must finish at least 50% of race laps turned by the leader to receive any points. Time attack drivers must turn a lap time within 130% of the class leader to receive points.
7. No points are paid to disqualified teams or drivers.
8. Each driver or team's seven best results are counted.
9. If Northeast GT officials end a race before the scheduled race duration, 50% of scheduled race duration must be achieved for race points to count. Time Attack events require at least one timed session, in any conditions.
10. If there is a tie in championship points, the tiebreaker is awarded based on (regardless of drops): # of wins, # of 2nd place finishes, # of 3rd place finishes, etc...until a winner is determined. Final tiebreaker: count only the events in which they both competed.
11. To be eligible for a championship award, teams or drivers must enter at least five event days.
12. Class championships will be scored.
13. If a driver or team changes classes mid-season, they will be credited last place finishing position points for any finishes in their secondary class. Their primary class is the one in which they participated in the most event days or races.

2) Racing Rules & Race Operations

Real clean racing. It's our slogan, and it's what we expect of every single driver, every single lap, every single race.

Northeast GT is a ***no-contact series***, not a “*rubbin’s racin’*” kind of series. No dive-bombing, no sneaking into the “vortex of danger”, no closing the door on another driver, no forcing another driver off-track, no blocking, no driving over your head, and no driving in a manner that would make another driver want to avoid driving around you for fear of contact.

These rules were written with wheel-to-wheel racing in mind, but many apply to time attack as well. Pay attention to references and labels for category specific rules.

A. ***Guiding Principles:*** Northeast GT officials will refer to, but not be limited by, the following racing principles and guidelines in determining fault and remediation related to on-track incidents.

1. **Be aware of those around you.** When in doubt, leave room. If you lose track of a car, they are probably next to you.
2. **Be predictable.** Drive within your means and with purpose. Respect your fellow drivers.
3. **Avoid contact.** Take any reasonable and safe measure to avoid contact without risking additional or worse incidents. No bumping, tapping or leaning on other cars.
4. **There is no such thing as a racing incident or incidental contact.**
5. **Responsibility.** It is the passer’s responsibility to execute a safe pass. It is the passee’s responsibility to be aware they are being passed, to be predictable and to be passed safely.
6. **Racing room -** A car width plus a foot must be given at all times there is overlap established.
7. **The racing line.** The leading car at any moment in any interaction has the right to choose their line, but should act in a predictable manner and make sufficient room for any other car that has established, still has or may still have overlap.
8. **Avoid dive-bombing.** Passes should generally be initiated before turn-in. If a driver initiates a pass/overlap after turn-in, or during a series of connected corners, they are accepting extra responsibility to make a safe pass and must quickly establish position, putting their front wheel past the other driver using the space available or back out of the pass. No shallow angled attacks at the apex.
9. **A pass is considered complete** once the passing car is one car length ahead.
10. **You can be held responsible for your mistakes.** Not all spins, fishtails, and off-tracks are “innocent,” especially if they cause an incident or force another driver to take evasive action.
11. **Off-track and returning -** If your vehicle leaves the racing surface, you must not impact the race when rejoining; if you are on-track, you still need to allow space for rejoining.
12. **No blocking.** The leading driver is allowed to make one move to choose their line after exiting the previous corner; additional moves for the purpose of preventing a pass are prohibited. Reactionary moves or intentionally holding up another car anywhere on track are prohibited.
13. **No “bullying”.** No squeezing other drivers or forcing a fellow driver to avoid contact.
14. **Out-of-class and out-of-position racing should be avoided when possible.** Do not hold up or impede a car that you are not in direct competition with. When passing a car that you are not in direct competition with, treat the driver with extra respect.
15. **Low percentage moves -** Don’t make a move that relies on the car being passed to make room for you. “If it fits, it ships, but if it doesn’t fit, don’t ship it.”
16. **Time Attack cars not on a flier lap should yield the driving line to others whenever able.**
17. **Obey all flags and officials.**

B. Grid

1. All grid orders will be set per event supplementals.
2. Sprint race grids will be set by qualifying times when possible.
3. If a car arrives after the grid has closed, but before the grid has left, the car will be placed at the back of the entire grid.
4. For timed sessions such as time attack and race qualifying, any car arriving to grid after the grid is emptied may be held at NEGT's discretion.
5. For races, if a car arrives after the grid is emptied, but before the race start, the car will be held in pit lane until after the entire field has crossed the start/finish line.

C. Race Starts

1. Starts are double-file and rolling to begin each race, unless Northeast GT officials opt for a single-file rolling start (typically in inclement weather/conditions).
2. Depending on the number of classes and relative pace/spread of the field, NEGT officials may opt for a split start, with multiple pace cars and the field divided by class and/or lap time.
3. Re-starts are single-file.
4. In all cases, the pace car will lead the pack at approximately 35 mph until Northeast GT officials determine conditions are safe to start. The lights on the pace car will be turned off on the final caution lap, and then the pace car will return to the pits. The pack shall remain at the pace set by the pace car, and in formation, until the green flag is waved and the race is officially started/restarted. A green and yellow flag together indicates the race is being started under a yellow/caution condition.

D. Qualifying and Time Attack Starts

1. These sessions will function very much like a normal track day or HPDE session, but with lap timing.
2. Tire scrubbing is not allowed, drivers are expected to warm their tires and brakes simply by turning laps.
3. No passing on the out lap or first lap of a timed and official time attack session unless given point-by.

E. Assorted On-Track Items

1. Lights on during dusk, night, and inclement weather sessions. All required lights shall remain on at all required times.
2. Drivers must be fully strapped in, with all required safety gear on at all times.
3. Any driver whose car becomes disabled shall make their best effort to safely get off the racing surface. These drivers shall stay in their cars until directed otherwise, unless the car is on fire.
4. The flags shown at stations take precedence over the Flagtronics system.
5. Session schedules and lengths are subject to change based on many factors including weather, accidents and so on. Any schedule changes will be announced ASAP.
6. Drivers getting lapped, or being passed by a "not for position" / out-of-class car, shall hold their line, not battle with the other car and yield to blue flags.
7. 115% rule - Any driver who fails to lap within 115% of the class leader, may not be allowed to start or continue to race; further participation for that particular car/driver is at the discretion of Northeast GT officials.

F. Caution

1. Local yellow flags - The track is considered to be yellow from the first station showing any yellow condition until past the first station showing green or no flag. No passing under yellow.
2. Full course caution - Double yellow or code 35 may be used with or without a pace car. No passing.
3. Pit-out closure - During FCY (Full Course Yellow) and any other time the pace car is on the track, pit-out shall be closed from the moment that the pace car crosses the start/finish line until the last car behind the pace car clears the pit out lane.

G. Red Flag

1. No work is allowed on cars in pit-lane during red flag conditions.
2. Yellow-Purple-Red: In racing, cautions lead to cautions, and red flags can lead to bad wrecks. In an effort to bring the entire racing pack down to a stop in a controlled manner, a red flag may be immediately preceded by a full-course yellow or a Code 35 (35mph max virtual safety car).
3. In most situations, to resume after a red flag, a pace car will go on course and pick up the overall leader. The course will then go Code 35 or full course yellow and the pace car will proceed. The other most likely option after a red flag is to go Black Flag All.

H. Required Pit Stops (Endurance Racing)

1. Each car is required to make one timed pit stop for every hour of scheduled race length, minus one, rounding up if needed. Each race will have a minimum of two required pit stops.
2. Pit stops are not counted toward the required total minimum if initiated within 30 minutes of the race start, the end of the previous required stop, or the scheduled end of the race. Time is counted from the race start to pit-in, pit-out to pit-in and pit-in to the scheduled race finish time, respectively.
3. All required stops must be a minimum of three (3) minutes from pit in to pit out. The time will be measured by timer or Flagtronics. Double the time in the pit does not count as double the stops.
4. Do not drive slowly on pit road or stack up at pit out waiting for your pit time to elapse.
5. If a team is off-track for an extended period of time, including missing the start, the team shall receive credit for one required stop for every 10 consecutive minutes they are off-track. This time would be measured from the race start or pit-in time, until their pit-out time. Time during a Red Flag or Black Flag All would not count.
6. Teams failing to complete the designated number of required stops within the required windows shall receive a five (5) lap penalty for each uncompleted required stop. If the race is ended early, any such team will have three laps deducted (to be adjusted per track).

I. Cameras & Video Review

1. Operational forward + rearward facing cameras or a single 360° camera are required, with clear views through windows and onboard memory storage. Ideally, the video should capture the driver's hands. **Devices such as the Garmin Catalyst that do not record or cannot show incomplete laps are not suitable for use as the primary camera.**
2. Time stamped video is strongly recommended and preferred. SmartyCams, Catalysts and other similar systems should also be set to display the current lap.
3. Teams/drivers shall have more than one formatted/tested/ready memory card for each camera.
4. Officials may request video footage at any time to assist with incident investigation and determining responsibility. The footage shall then be provided at the next earliest chance, such as after a scheduled pit stop for endurance teams.
5. To contest on-track related penalties, video evidence must be submitted to an official within 10 minutes following the session's conclusion. If competitors wish to challenge a decision using video, they must have the footage prepped at or trimmed to the relevant time and demonstrate that the video directly relates to the incident in question.
6. Cameras shall not be mounted on the exterior of driver helmets.

J. Contact & Resolution: While this is considered a no-contact series, we recognize that contact can and will happen. How this is handled, as well as learning from the situation, are equally important.

1. Car-to-car contact is not an accepted part of racing with Northeast GT.
2. All contact, overly aggressive driving and driving that required evasive action, should be reported to NEGT. Trimmed or time stamped video should be provided when possible. A report form will be available from Race Control. An online form is also available on our website.
3. Any instance will be reviewed and involved drivers will be counseled.
4. Do not confront another team or driver in an aggressive manner.
5. If possible, respectfully acknowledge contact and have a *calm* discussion between drivers. before leaving the event. Be aware that such situations can be intense and not everyone handles conflict the same way. Allowing some time to literally and figuratively cool off is suggested. If a calm discussion doesn't seem possible, disengage or do not attempt. You don't have to make friends with the other driver, but do not make enemies. The purpose of this is to have a chance to share your feelings on the situation, to learn and to build camaraderie.

K. Remediation & Penalties

1. Remediation will be situationally specific and may include any and all of the following, but is not limited to: a warning, mandate to swap positions, lap(s) removed from the race, time penalty added on to the end of the race, grid spot penalty for the next race or session, disqualification (DQ) from the current and/or next race(s), DQ from all races at an event or ban from future events. Any and all warnings and penalties are final and non-negotiable.
2. Following a race weekend, competitors found to have violated racing rules multiple times may lose their ability to participate in future Northeast GT sessions. In some cases, the competitor may be invited to participate in the NEGT Race School as a path back into racing with Northeast GT. In other instances, a full ban will be applied, especially where Northeast GT officials deem unlikely that the competitor will change their behavior that caused the pattern of issues.
3. See Appendix C for recommended penalties.

3) Pit Lane Operations

A. Driving in Pit Lane

1. Pit Lane speed is 20 mph.
2. Cars traveling in pit lane at speed shall use the lane closest to the track - the travel lane.
3. The middle lane is for slowing into pit stalls and accelerating into the travel lane.
4. Cars should travel through as few pit boxes as possible.
5. Cars already in the travel lane have the right of way. Merging cars shall merge behind any car already in the travel lane, even if they are partially ahead of the car in the travel lane.
6. Cars unable to maintain 20 mph shall travel in the middle lane and may be passed by cars in the travel lane.
7. Cars already in motion have the right of way.
8. Teams shall release their car safely and in such a manner as to not impede the progress of or make contact with another team's car or any personnel.

B. Fueling (Endurance Racing)

1. Fueling is only allowed on Pit Lane during an endurance race.
2. On their last pit stop, teams may only add enough fuel to make the end of the race plus a reasonable buffer.
3. Car must be fully stopped in the pit box before anyone may cross over the pit wall. Until that time, all crew should keep both feet on the ground.
4. Up to five (5) team members, including drivers, may be over the pit wall at any time.
5. During fueling, all persons on the "hot" side of the pit wall must wear the proper gear, as described in Chapter 7, with *visors / face shields down!*
6. Fueling is defined as any time: a fuel jug is over the wall, dry-break is engaged, fuel cap is removed, fuel transfer to the vehicle is taking place or any fueling equipment is over the wall.
7. Fire bottle operator must be in place before fueling begins and must remain in place until fueling is complete. Be like the Marines, first in and last out!
8. The fire bottle operator's sole function is to operate a fully charged 10 lb fire bottle while fueling is in process, ideally while facing oncoming traffic if possible.
9. Vehicle must be off during fueling.
10. Vehicle may not be worked on during fueling.
11. Tools and any equipment may not be staged on or over the wall before or during fueling.
12. A fuel catch pan must be used where fuel may spill onto the ground during fueling.
13. All spills shall be cleaned up immediately and liquids disposed of properly. We recommend a closed type oil drain pan or oil waste jug with a large opening for collecting spilled fuel from pans.
14. Teams may be penalized and/or fined for excessive fuel or oil spills in the pit or paddock.
15. A team shall not have more than one fuel jug over the wall at a time.
16. Teams shall not stage any fuel near the pit wall until a fueling pit stop is imminent. After a fuel stop is complete, fuel jugs shall once again be moved away from the pit wall.

C. Drivers, Driver Changes

1. Drivers shall remain fully belted until their car is completely stopped in their pit stall or paddock.
2. All drivers shall be qualified, wear all their gear at all times and have the proper wristband(s).
3. Any wristbanded endurance driver may drive for any endurance team.
4. There is no requirement for the number of endurance drivers, driver changes or drive time.
5. Drivers must be fully and properly strapped in before the car leaves their pit box.

D. Tire Changes

1. Tire changes in the hot pit are restricted as follows, unless directed otherwise by NEGТ staff.
2. One impact wrench allowed in the hot pit.
3. Teams using manually operated floor jacks may only lift two wheels off the pavement at a time.
4. When utilizing air jacks, a maximum of two tires shall be changed each time the car is lifted.
5. Teams with multi-lug wheels may only have up to a total of five (5) tires in the hot pit at any time.
6. Teams with centerlock wheels may only have up to four total tires in the hot pit at any time.

E. Working on Cars in Pit Lane

1. Teams may perform small repairs and service during pit stops, but not while fueling.
2. Work in the pit lane is limited to ten (10) minutes.
3. Jack stands shall be used anytime a crew member is under or reaching under a car.
4. All team members over the wall, while fueling is not taking place, shall wear a minimum of short sleeves, long pants and closed toe shoes.
5. Vehicles may not be worked on post-race or after a timed session in pit lane.
6. All cars required to report to impound shall not stop in a pit box unless directed to do so by an official.

F. Pit Stall & Pit Equipment

1. All crew over the wall must be at least 16 years of age. Minors must have a waiver completed by parent or legal guardian and be accompanied at the event.
2. Teams shall respect pit stall boundaries in the hot and cold pit, including the fire lane.
3. No open flames, smoking, grilling or cooking in pit lane or near fuel containers.
4. No pets in team pit stalls and children must be supervised at all times.
5. No pitlane refueling is allowed, except for endurance races.
6. Only containers designated for hand gasoline transfer shall be used for fueling. Jugs will be clearly marked at the five (5) US gallon level in a manner visible from 15 feet and will not be filled beyond that point. Jug vents may be modified, but must not spill fuel. Fuel jugs must be leak-free at all times.
7. Dry-break fittings are allowed, but must be leak-free and terminate into a container rated for fuel. A quick disconnect or dry-break may be used to collect fuel vapors/overflow.
8. Fuel vent cans shall be clearly marked and used for no other purpose.
9. NO PRESSURIZED FUELING SYSTEMS. No overhead fueling rigs.
10. Any fuel delivery system found by officials to be unsafe will not be allowed. No funnels!
11. All endurance teams shall have:
 - a. a supply of oil dry, a broom, dustpan and a bucket or waste can.
 - b. ABC rated 10lb fire extinguisher, fully charged.
 - c. A fuel catch pan or drip pan, of a minimum of 1.5 sq. ft. in area and a minimum capacity of 1.5 gallons. No cookie sheets or pizza pans.
10. Teams shall not store fuel near the pit wall, only stage fuel just before a stop.

G. Impound & Post Session Inspection

1. Upon leaving the track during or at the end of any timed session, the top three (3) finishers of each class shall report directly to impound.
2. Other teams or drivers may also be asked to report to impound, regardless of finishing position.
3. All cars involved in contact at any point shall report to impound.
4. No work is allowed on the top finishers from the time they pit-in until the time that the cars are released from impound.
5. See Chapter 9 for more information regarding Compliance & Protests.

4) NEGT Vehicle Eligibility & Classification

A. **GT Classification System:** All vehicles competing in Northeast GT will be classified using a calculated **power-to-weight ratio** detailed in this section.

1. Classes are based on GT modified power-to-weight ratios. These ratios are based on Factory Rated Power, multiplied by GT modifiers and divided into the weight of the car as raced.
2. **GT Ratio = Factory Rated Power x Modifier Total / Vehicle Weight (as raced with driver).**
3. **Factory Rated Power** = [(factory rated HP x 0.9) + (torque in ft-lb x 0.1)] / 2; highest factory rating of the identical long block engine must be used, regardless of year or model found.
4. **Modifier Total** = All applicable percentage-based modifiers from table below.
5. **GT Class Cutoff Ratio** = The lowest ratio permitted for each class, represented by the number in each class name.
6. **Minimum Competition Weight** includes the vehicle and last driver, as raced, and as it came off the track. This includes any installed ballast, safety gear, fluids, accessories, etc.
7. **Minimum Competition Weight = Factory Rated Power x Modifier Total x Class Cutoff Ratio**
8. Factory horsepower and torque readings shall come from reliable sources such as the factory service manual, manufacturer documentation, or a NEGT trusted website.
9. Vehicles overrated from the factory may apply for a waiver to use more accurate output ratings. Vehicles found to be underrated by the manufacturer may be subject to their Factory Rated Power value being changed.

B. Classes

1. Northeast GT features seven official GT Cup classes: GT3, GT5, GT7, GT9, GT11, GT14, GT18. The # represents the GTC Class Cutoff Ratio, with GT18 being the slowest class, followed by GT14, GT11 and so on. For example, the cutoff or most ideal ratio for GT14 is 14:1.
2. Classes lower/faster than GT7 will not be eligible for sprint and endurance racing at this time.

C. Car Eligibility

1. Northeast GT welcomes purpose built “GT style” and production based racecars. Sports racers and prototype style cars will be reviewed case by case. Formula cars are ineligible.
2. Cars running forced induction will be reviewed to ensure proper performance levels and parity.
3. Intake-restricted cars with an established performance level are welcome and will be considered on a case-by-case basis.
4. Cars detuned electronically should contact NEGT for more info and to discuss options.
5. Rotary engines are welcome though contact NEGT for ported rotaries.
6. Turbocharged cars are carefully being welcomed and will be classed based on turbo quantity and inlet size, intercooler status and fuel or fuels. Each entry will be reviewed and adjusted as needed.
7. All cars shall comply with all items outlined in this chapter and Chapter 6: Vehicle Requirements.

D. Modifications

- 1. Modifiers:** While the level of freedom and flexibility for a NEG T Cup build is high, there are a series of modifiers that will be applied with the goal of leveling performance across a large variety of platforms and modification levels. See the chart below for details on modifiers. There is an X-Factor modifier that will apply to **anything** not accounted for in the modifier table deemed a competitive advantage by NEG T officials.
- 2. Reliability Items:** Reliability is the hallmark and foundation of a good racecar and our series does not wish to restrict this. Most items and modifications for this purpose will not be assessed as a modifier, as long as they don't serve any other purpose. This includes items such as additional coolers, heat protection, fluid lines, accusumps, upgraded oil pan/baffles, reinforcements of suspension or of suspension mounting points and improved cam followers of OEM geometry. However, hood vents, dry sump systems, relocated suspension mounting points and changing the cam rocker ratio would be assessed modifiers.
- 3. Camber & Toe Adjustment:** We consider camber and a good alignment to be on the bill of rights for all racecars. OEM parts can also be expensive or no longer available, which can be a hurdle when building and maintaining racecars. Camber plates and toe links are open, as well as one other suspension part per corner such as: upright/knuckle with OEM geometry, extended ball joint, control arm or other locating link. Bump steer correction is open as well. Parts or modifications that perform other functions or have other benefits may have modifiers applied.
- 4. Performance-Related & Performance-Adjacent Items with No Modifiers:** air intake before the throttle body, mufflers and exhaust piping downstream of the exhaust manifold or header, ECU and tuning, factory spec engine and component servicing and rebuilding, differential housing and gearing, ignition parts, fuel system, accessory pulleys, crank damper, flywheel, clutch, springs, sway bars, brake bias adjusters, pedal boxes, master cylinder, brake booster and power steering.
- 5. Restrictions:** The following are not allowed in Northeast GT.
 - a. Sequential turbo setups
 - b. Nitrous
 - c. Purpose-built, supercharged and/or ported rotary vehicles are welcome but will be reviewed case by case.
 - d. Turbocharged vehicles will receive a base classing via our classification calculator, but will also be reviewed to ensure parity and fairness.

E. Tires

1. A modifier will be applied for tires per the categories below, which are subject to change.
2. Any tire 200tw or higher, but under 250tw and not listed below is assumed to be in the Soft category until listed elsewhere. Any tire under 200tw and not listed below is assumed to be in the Super Soft category. This rule is mostly intended to address new tires with an unproven performance capacity. Contact us about a tire not listed or if you believe a tire is misclassified.
3. Tire Compound Categories
 - a. "Hard": 200tw "Endurance" (RS4, ECF, 615K+, NS-2R, R1R, VR08GP, VR-1, AD09), NT01, RA1, 888R, R888R, 250+ tw
 - b. "Medium": 200tw "Sport" (V730, 660, ZIII, Rival S, CR-1, VR-2, 595 RS-RR), RC1, Toyo RR, MPSC2/C, GYSC3, AR1
 - c. "Soft": 200tw "Super" (CR-S, RE71, AO52, HTAP, P1, Nfera), Toyo R, SC3R, Trofeo R, RCES
 - d. "Super Soft": R Comp DOT (R7, R8, GYRS, Z214, A055)
 - e. "Hyper Soft": A Comp DOT, med-hard slicks / soft slicks (sprint race & time attack only)
4. Tire Category Colors
 - a. Hard = White
 - b. Medium = Yellow
 - c. Soft = Red
 - d. Super Soft = Green
 - e. Hyper Soft = Pink
5. To assist in the identification of a tire's category, all tires installed on a car and all prepared spares should be clearly marked on the outer sidewall with the color corresponding to its correct category before the session starts. Markings should be applied with a non-water soluble wax or paint, such as a tire crayon, paint marker or even spray paint. Tire decals of the appropriate color are also acceptable.
6. All teams shall also apply their series supplied tire category color vinyl square or bar on their number board next to their class designation.
7. Teams may only run tires from their declared category, or slower, during an event.

F. Modifiers Table

Category	Modifier	Value
Model Year (before / after 2000)	Golden Era boost - Competitors may use the oldest year of the specific make/model/submodel of the chassis. -5% max	-0.25% per year before
	Modern Era penalty - Competitors may use the oldest year of the specific make/model/submodel of the chassis. +5% max	+0.25% per year after
Engine	Displacement change, includes bore and stroke changes	+% change
	Compression ratio increase, per full point gained	+4% per pt
	Dry sump added or modified or added sump vacuum pump	+5%
	Race Gas (over 95 Octane) NA / Forced Induction	+5% / +15%
	E30, E85, etc. NA / Forced Induction	+5% / +30%
	Forced Induction (Turbos see calc on website, for supercharged applications, contact the series)	+XX%
	Intercooler: None / stock (if running forced induction)	-10% / -5%
(only select one)	OEM swap (same type/config) or ported cylinder head	+10%
	OEM swap (change type/config) or aftermarket cylinder head	+20%
(only select one)	Change rocker / follower ratio	+5%
	Modify cam, replace cam (min adder for any change)	+10%
	Formula based adder for cams over threshold (use calc on website)	+0-XX%
(only select one)	Modify OEM exhaust manifold or header, replace w/ OEM swap or aftermarket of same type	+2.5%
	Replace exhaust manifold w/ tubular header	+5%
(only select one)	OEM swap or modified intake manifold	+2.5%
	Aftermarket intake manifold	+5%
	OEM swap, modified or aftermarket throttle body	+2.5%
Drivetrain Layout	Front wheel drive	-3%
	Rear wheel drive	+0%
	All wheel drive	+2%
	Front engine	+0%
	Mid engine (<i>engine behind driver, in front of rear axle</i>)	+3%
	Rear engine	+2%

Category	Modifier	Value
Transmission	Automatic “slushbox” with 5 or less speeds	-5%
	H-pattern manual gearbox with clutch pedal, 6 Spd auto/slushbox or SMG (single clutch auto/manual)	+0%
	Sequential, dual-clutch (PDK, DCT), 7+ spd automatic, or similar	+7.5%
Differential	Open differential	-2.5%
	LSD, any type, including E-diff	+0%
Front Suspension Design	Strut	+0%
	Double A-Arm or similar	+1.5%
Rear Suspension Design	Solid Axle	-1.5%
	Beam, cambered solid rear axle	-0.5%
	Strut	+0%
	Trailing arm, semi trailing arm	+0.5%
	Double A-arm, multi-link	+1%
Tire Category	Hard: 200tw Endurance (RS4, ECF, 615K+, NS-2R, R1R, VR08GP, VR-1, AD09), NT01, RA1, 888R, R888R, most 200+ tw	-8%
	Medium: 200tw Sport (V730, 660, ZIII, Rival S, CR-1, 595 RS-RR etc.), most 100tw, RC1, Toyo RR, MPSC2/C, GYSC3, AR1, V-01R	+0%
	Soft: 200tw Super (CR-S, RE71RS/RZ, AO52, HTAP, P1, Nfera) Toyo R, SC3R, Trofeo R, RCES	+8%
	Super Soft: R Comp DOT (R7, R8, SM#, GYRS, Z214, A055)	+16%
	Hyper Soft: A Comp DOT, med-hard slicks / soft slicks (Sprint Race & Time Attack only)	+20% / +%24
Tire Width	Average advertised tire width: +/-1% for each 10mm more / less than 245mm. (-2.5% modifier limit)	1% / 10mm >/< 245mm

Category	Modifier	Value
Aero / Body <i>(only select one)</i>	OEM (One OEM Plus item allowed)	-2%
	OEM Plus: small changes or additions such as: hood vents, fender vents, air dam, aftermarket (or from a newer model) bumper, canards, trim rear bumper, spoiler up to 250 in ² , OEM wings without effective airfoil shape.	+0%
	Club: wing (element up to 10" chord and body width, includes functional OEM wings), splitter (up to 4"), diffuser (within 2" of bodywork and less up to 6" tall), spoiler over 250 in ² area (based on outer dimensions)	+5%
	Extreme: large wing (over 10" chord or wider than body or multi-element), large splitter (over 4"), large diffuser (extends >2" beyond bodywork or >6" tall), active aero items, flat bottom	+10%
	One individual Club Aero Item, except wing (also select OEM or OEM Plus aero adder)	+1.5%
	Club Wing (also select OEM or OEM Plus aero adder)	+3%
	One Extreme Aero item, except wing (must take Club Aero adder)	+1.5%
	Extreme Wing (must take Club Aero adder)	+2%
	Any of the following added or changed: splitter fences, side skirts (more than an inch below lowest floor or structure), ducting for hood vent, relocate radiator, radiator is leaned more than 10 degrees from vertical, swan neck wing mounts, wing end plates over 72 in ² or other added small aero (per item or pair/set of matching items)	+5%
	Change roofline / A-pillar / C-pillar, etc.	+2%
	Remove roofline / A-pillar, etc.	+3%
	Widebody / more than three composite or non-OEM body panels. Purpose built race cars shall apply this modifier	+2%

Category	Modifier	Value
Suspension <i>(only select one)</i>	Shocks/struts/dampers with no damping adjustment.	-1%
	Single adjustment shocks/struts/dampers.	+0%
	Double adjustment shocks/struts/dampers.	+1%
	Double adjustment shocks/struts/dampers w/ external reservoir	+2%
	Shocks/struts/dampers with three or more adjustments.	+3%
	Moved suspension mounting point(s), non-OEM knuckle geometry (includes bolt-on / weld-on parts), any number of spherical / solid bushings (not in a "paid" for part), non-OEM style sway bar, more than one non-OEM or modified link/arm per any corner (toe adjustment/correction free). Per pair if applicable, up to 7. Purpose built racecars take max adder.	+1% (up to 7%)
Brakes	Largest brake caliper piston count: 1 / 2 / 4 or more	-1 / 0 / +1%
	Stock diameter and style brake rotor Brake rotor larger than stock	-1%
ABS <i>(select one)</i>	Non-ABS, ABS disabled, ABS removed	-2%
	Stock ABS	+0%
	MK60 (non programmable), Ford Racing or other OEM-based swap	+2%
	Race / Tuned / Adjustable ABS	+4%
X Factor	X Factor, for mods outside the current ruleset or for use by the series at any time to address performance imbalance.	+X%

6) Vehicle Requirements

Endurance and sprint race cars shall meet all rules in Chapter 6 Section E. All time attack cars shall meet standard HPDE tech.

A. Car Eligibility

1. Any production vehicle of any year that is sold in any market.
2. Purpose built, production styled racecars are welcome.
3. Prototypes and sports racers will be reviewed case by case.

B. Tech

1. All cars must be tech inspected by a series rep before joining on track NEGOT sessions.
2. All cars must display an annual tech sticker.

C. Body, Chassis & Electrical

1. Bodywork materials are unrestricted though all body panels must be present and well secured.
2. Ballast may be installed to change a car's class, or optimize for one, and must be securely fastened using standard recognized practices, including large bolts and backing plates or large washers. No more than 250 lbs should be installed in any one general area.
3. No major modifications are allowed to the chassis, frame, unibody, floor, firewall, etc.
4. Bumper bars/supports may be removed, but must be replaced with a bar of similar width.
5. Front facing windscreens may only be replaced with Lexan of at least 4.75mm. Any Lexan windscreens less than 6 mm thick are required to have interior supports.
6. Rear and rear side windows may be removed or replaced with Lexan, polycarbonate.
7. Driver and passenger front windows must be open and preferably removed. FIA homologated cars are permitted to run Lexan front side windows.
8. Glass sunroofs must be removed and the holes covered securely.
9. Windshield defrosters are strongly recommended and may be of any type.
10. One functional side view mirror for each side of the car and one interior rearview mirror or rearview camera are required.
11. All drivers of convertible cars must pass a broomstick test, with or without a hard top.
12. Convertibles may run with hard top or without. If no hard top is installed, roof nets are required or all drivers must wear arm restraints. No soft tops in up position.
13. Cleanliness is not required, but please make your best effort to start each event with straight and presentable bodywork. "Looks good at 50 feet at 50mph."
14. Functioning headlights and taillights are required with at least two (2) each and not more than four (4). No light bars over 18".
15. At least two (2) operating brake lights are required at all times.
16. Rain light recommended: one solid (not flashing) BRIGHT red, rear marker/rain light/rear facing fog light. Rain lights shall only be used during rainy/wet/foggy conditions, and never at night.
17. Batteries shall be properly secured with proper tie-down. Ratchet straps and cam lock straps are not permitted. Positive terminals must be insulated. If mounted in the cockpit, batteries must be enclosed in a battery box (marine style or similar).
18. Cooling systems must utilize a coolant overflow bottle. Pressurized header/expansion tanks do not satisfy this requirement.

D. Class & Numbers

1. All vehicle identification needs to be in contrasting color to the vehicle's livery
2. 8" or taller car numbers must be displayed on each side of the vehicle
3. 6" or taller numbers must be displayed on the windshield (or other most vertical forward facing surface) as well as the rear of the vehicle.
4. Class decals shall be shown on all four sides of the car. Front class decals shall be placed in the upper passenger side of the windshield if possible.
5. Northeast GT provided series decals, including number board, must be displayed on the front and rear and on both sides of the vehicle.
6. No duplicate numbers - The first team to use a number in a given season, or the team who used said number the previous season will be given priority when possible. Northeast GT has the right to assign or reassign numbers as needed.

E. Safety (Sprint & Endurance Racing)

1. A roll cage compliant with Section I. below is required.
2. A fire suppression system or hand-held fire extinguisher are required.
3. Hand-held fire extinguishers must hold a minimum of a "BC" rating and a minimum of two pounds of solid extinguishant or 2.25 liters of liquid extinguishant. All such bottles shall be securely quick-release mounted. Gauges must be in the green range. If using handheld extinguishers, two installed bottles are recommended.
4. Fire suppression systems must be FIA technical list #16 or 52, or SFI 17.1, must be installed per manufacturer's instructions and there must be an activation point within easy reach of the driver(s) when seated and belts are tight (ideally a location that can be activated outside the car by safety personnel, if there is not a secondary activation point). Gauges must be in the green range. The traditional "E" decal shall be used to mark all activation points. Maintaining and servicing systems per manufacturer is recommended.
5. Fuel cells are allowed if properly installed and maintained, including rollover valves.
6. The fuel holding capacity of any car is not to exceed 25 gallons. This includes the fuel tank, additional fuel/surge tanks, fuel cells, etc.
7. Firewalls must be present between the fuel cell / fuel tank / fuel filler neck and the driver, as well as between the engine and driver. Any holes or gaps must be closed or sealed.
8. Master switch required: switch location should be easily located and deactivated by the driver(s), crew member, or safety worker. The switch must isolate the battery from all circuits over 10 amps and must interrupt the ignition circuit. Positive terminals of the switch must be insulated. A "Master Switch" decal with the universal "lightning bolt" and the word "OFF" must be displayed on the exterior as near the switch as possible.
9. 5, 6, or 7-point racing harnesses with current FIA or SFI rating are required to be installed and used per manufacturer specifications. Webbing must not be stretched, cut, frayed, or deteriorated from weather. Sub belts and lap belts must be attached to structural members or bolted through the floor with minimum 2" diameter backing washers or plates. Shoulder straps shall be properly secured to the harness bar.
10. Window nets meeting SFI 27.1 or FIA specification are strongly recommended for cars not running lexan windows and should be installed to manufacturer specification.
11. One-piece driver seat with a rigid shell, designed specifically for auto racing is required. The seat must be securely mounted at a minimum of four points at the base. If bolting through the floor, minimum 3" diameter washers or backing plates are required.
12. Seat sliders may be used, but must be double locking, in good condition and properly

installed. A proper installation includes quality hardware, with washers.

13. For seat installations with a seat that doesn't have a current FIA rating or a slider, a seat back brace is recommended if the seat back will be more than 3" from the cage for any driver. Back brace can be adjustable and must not present a risk to the driver by its design or installation.
14. Cars without a "halo" seat are strongly recommended to have an SFI 37.1 or FIA 8863-2013 approved center net installed.
15. Any cage bars that any part of the driver's body may come in contact with in an incident shall have SFI or FIA approved roll bar padding installed facing the driver.
16. OEM Safety: Ignition and steering locks shall be disabled. Airbags shall be removed.
17. All fluid-carrying lines must be secured in a way that no abrasion occurs to the line.
18. Only metal and metal braided fluid lines are allowed in the cockpit without shielding.
19. Exhaust must be secure, leak-free and exit behind the driver. (Reminder: exhaust MUST meet track-specific sound limits).
20. Tow hooks must be installed securely at the front and rear of the vehicle. No solid metal tow hooks shall protrude beyond either bumper.
21. All cars must make attempts to minimize antifreeze in the cooling system.
22. Glass light lenses shall be taped.
23. Car interiors and all safety equipment shall be configured with egress in mind.
24. All cars and drivers are subject to a 15 second exit drill.

F. Tires

1. Tires must be commercially available, intended for high-performance street or track use and carry an appropriate speed rating.
2. A-Compound "Autocross" tires and slicks are permitted for Sprint Racing and Time Attack only.
3. Tires must properly fit the car and wheel as well as be in good condition.
4. Chemical agents used to "soften" a tire or modify the properties of the rubber are not permitted.

G. Transponders

1. Every car must have at least one (1) transponder though two (2) are recommended.
2. AMB/MyLaps or Westhold transponders are both acceptable.
3. NEGT offers transponder rentals.
4. Competitors who bring their own MyLaps or Westhold transponder must ensure their provided transponder ID is correct.
5. Install the transponder as close to the ground as possible, making sure it has a clear view of the track underneath and is not near any heat sources.
6. Northeast GT will not be liable for any issues, misuse, or failures with transponders. If a transponder fails and laps are missed, those laps may not be added back. If an issue does occur, please alert the series as soon as possible and we will do our best to help you fix it via any means possible, including but not limited to onboard data, video and Flagtronics data.

H. Electronic Flagging (Sprint & Endurance Racing)

1. Northeast GT is implementing electronic flagging using in-car display units.
2. Every vehicle must be equipped with a Flagtronics FT200 unit.
3. Units are available for rent or purchase at events from Northeast GT. Units can also be purchased directly from Flagtronics.
4. Teams bringing their own FT200 must provide the 8-digit Serial Number. The FT200 Serial Number is printed on the bottom of the unit or may be retrieved by using the Flagtronics Device Manager Software (Windows Only) and connecting the FT200's USB plug.
5. Northeast GT may use the Flagtronics GPS-enabled system as a backup for timing & scoring as well as performance monitoring.
6. Recommended Flagtronics FT200 Installation:
 - a. Flagtronics FT200 units MUST be securely mounted to a rigid structure in clear view of the driver, onboard camera, pit lane staff and within reach of the driver.
 - b. GPS antenna requires a clear line of sight to the sky.
 - c. Teams are responsible for ensuring the FT200 has an adequate 12V power source or a USB power source capable of 5V 2A or more. The unit should be located on a separate circuit, not shared by other electronic devices.
 - d. Optional Canbus system installation information can be found at:
<https://flagtronics.com/pages/downloads>

I. Roll Cage Requirements (Sprint & Endurance Racing)

1. *Every vehicle is required to have a properly built roll cage.* Generally, existing roll cages used in NASA, SCCA, WRL, AER, ChampCar, and other national road racing sanctions, if properly built and inspected, will be accepted for use.
2. If Northeast GT will be the first organization to inspect and approve the cage for use in wheel-to-wheel racing, Northeast GT officials will refer to the roll cage design requirements outlined in the *NASA Club Codes and Regulations*.
3. Homemade cages will fail tech if they are not built properly, regardless of what other series passed the cage. No ERW tubing for required structure in cages.
4. Final Authority on whether your cage passes a safety inspection or not lies solely and completely with NEGOT officials. If the cage is deemed unsafe at Northeast GT's sole discretion, the car will not be allowed to race.
5. When evaluating or designing a cage, keep the following in mind: egress, fitting drivers of many sizes and the fact that a variety of vehicles will be competing at different weights in this series.
6. Attachment points and extra cage bars are not restricted.

J. Sound

1. This series races in New England where sound restrictions require vehicles to be muffled.
2. Event or track-specific sound limits may apply and will be listed in event supplementals.
3. Cars must meet event-specific sound requirements for the entirety of the event. Depending on the nature and frequency of the sound violation(s), competitors may be asked to make modifications to their vehicles, may not be allowed on-track for their next session, and/or may be disallowed from returning to the track for the remainder of the event. Up to two warnings will be issued for sound violation.

7) Safety Gear Requirements

- A. The following items are the minimum required safety gear for driver and fueling crew in order to participate in Northeast GT wheel-to-wheel sessions and pit stops. This includes the fire bottle operator and any other crew assisting in or over the wall during the fueling process.
1. **Helmet:** Full-face with visor installed. No structural damage. Rated Snell SA/SAH-2015 or newer, FIA 8858 or FIA 8860. SA2010 is okay for fueling crew.
 2. **Suit:** Fire-retardant racing suit rated FIA 8856-2000 (or later), or SFI 3.2A/5, or higher. SFI 3.2A/1 suits may be worn with SFI 3.3 rated underwear, top and bottom. The suit must be in good condition - no holes, oil stains, etc.
 3. **Nomex Balaclava:** An SFI 3.3 or FIA 8856-2000 rated balaclava is required for fueling crew, drivers with a beard or long hair and strongly recommended for all drivers. A full SFI or FIA-rated helmet skirt may be used as an alternative to balaclavas.
 4. **Gloves:** SFI 3.3/5 or FIA 8856/2000 minimum rated gloves.
 5. **Shoes:** Shoes or boots, made of leather or nonflammable material that at a minimum cover the foot up to the ankle. SFI 3.3/5 & FIA 8856/2000 rated shoes are strongly recommended.
 6. **Socks:** SFI 3.3 or FIA 8856/2000 rated socks.
 7. **Neck Protection:** Drivers must wear an FIA 8858 or SFI 38.1 rated Head and Neck restraint with an in-date certification.
- B. The following items are the minimum required driver safety gear in order to participate in Northeast GT Time Attack sessions.
1. **Helmet:** Full-face with visor installed. No structural damage. Rated Snell SA/SAH-2015 or newer, FIA 8858 or FIA 8860.
 2. **Neck Protection:** An FIA 8858 or SFI 38.1 rated Head and Neck restraint with an in-date certification is strongly recommended.

The following items are required for time attack drivers of non-production cars and cars with a gutted interior.

3. **Suit:** Fire-retardant racing suit rated FIA 8856-2000 (or later), or SFI 3.2A/5, or higher. SFI 3.2A/1 suits may be worn with SFI 3.3 rated underwear, top and bottom. The suit must be in good condition - no holes, oil stains, etc.
4. **Nomex Balaclava:** An SFI 3.3 or FIA 8856-2000 rated balaclava is required for drivers with a beard or long hair and strongly recommended for all drivers. A full SFI or FIA-rated helmet skirt may be used as an alternative to balaclavas.
5. **Gloves:** SFI 3.3/5 or FIA 8856/2000 minimum rated gloves.
6. **Shoes:** Shoes or boots, made of leather or nonflammable material that at a minimum cover the foot up to the ankle. SFI 3.3/5 & FIA 8856/2000 rated shoes are strongly recommended.
7. **Socks:** SFI 3.3 or FIA 8856/2000 rated socks.

8) Driver Requirements

A. All Northeast GT Drivers Must:

1. Be at least 18 years old, or specifically accepted by Northeast GT with proper waivers and credentials while having a parent/guardian present at the event.
2. Attend all required orientation meetings, drivers meetings, etc.
3. Complete the self-tech driver safety gear form.
4. Not be banned or suspended from any other racing series.
5. Be in good general health, not under the influence of alcohol, controlled substances or prescription medications that may impair judgment and/or coordination.
6. Be able to perform an exit drill from their car in 15 seconds.

B. Wheel-to-Wheel Competition Driver Eligibility

1. Any of the following are accepted as sufficient racing credentials by Northeast GT:
 - a. Successful completion of Northeast GT Racing School.
 - b. Club racing license issued by SCCA, NASA, BMWCCA, EMRA, PCA, VRG, HSR, etc.
 - c. Pro licence from SCCA, FIA, IMSA or similar.
 - d. Recent completion of other nationally or internationally recognized racing schools. (Lucas Oil, Bondurant/Radford, Skip Barber, Kaizen Autosport, etc.)
 - e. Endurance racing experience (e.g. WRL, AER): 2 hours or more of seat time, with proof of race(s).
 - f. Endurance racing experience (e.g. Champ, LeMons): 8 hours or more of seat time, with proof of races.

C. Time Attack Driver Eligibility

1. All solo HPDE drivers, but multiple run groups are planned.

D. Northeast GT Race and Time Attack School Driver Eligibility

1. Any of these are accepted as sufficient experience to attend the school:
 - a. HPDE instructor and/or open passing
 - b. MassTuning Advanced run group, or similar
 - c. Time Trial/Time Attack license or experience
 - d. Budget/entry-level racing experience
 - e. Current or former club racing license holder with recent track experience
 - f. Competition karting license (WKI, IKF, etc.) - NOT recreational karting
 - g. Solo HPDE (for Time Attack License only)

9) Protests & Compliance

A. General Info

1. Any and all protests must be submitted to Northeast GT officials, within 30 minutes after the checkered flag. Protests may also be entered any time after registration opens.
2. Northeast GT officials may choose to inspect vehicles, pit stalls and equipment for compliance systematically, at will, and/or at random.
3. All teams are expected to have verifiable reference materials available for their car and engine such as factory service manuals. Any teams lacking these materials weakens their ability to withstand technical scrutiny and protest.

B. Racing Rules

1. Northeast GT officials will be watching the race and will proactively investigate incidents/contacts.
2. Racing infractions reported by drivers, teams, Northeast GT staff, corner workers, or seen online will also be investigated.
3. Drivers are expected to report all contact to Northeast GT officials as soon as possible. A form will be available for this purpose.

C. Engine Protests

1. Engine cylinder head, exhaust manifold, intake, throttle body and camshaft will be verified via visual inspection to determine whether they are aftermarket, original to the engine, OE to another engine or modified.
2. Engine displacement will be verified via a cubic-inch tester tool or via measuring the bore and stroke physically.
3. Engine compression ratio will be measured by a compression tester tool such as a Whistler.
4. Verification of engine modifiers will be in cases of a protest submitted by a competitor at the event or a spot check by NEGT officials.
5. Factory engine specifications to be referenced as needed. Engine to be identified by serial numbers, stampings and other relevant identifiers.

D. Vehicle Modifier Protests

1. Modifiers are to be declared by the competitor and will be visually inspected during safety and tech inspection.
2. If a competitor protests another for having incorrectly applied Modifiers, a NEGT official will re-inspect the vehicle in question.
3. Vehicle chassis to be identified by VIN or ID plate.
4. If the chassis was available in an identical configuration in an earlier year, then the earlier year may be used.

E. Competition Weight Protests

1. Minimum competition weight is to be measured as raced with the last driver in along with their gear. If a competitor protests another for having run below their competition weight, a Northeast GT official will weigh the vehicle in question.

F. Protest Fees

1. There is no cost to inform Northeast GT officials of on-track and pit-lane infractions.
2. For concerns about the technical compliance of a competitor's vehicle, a protest must be filed, and the protester must pay a protest fee.
3. If a technical protest is upheld, the protestor will be refunded the protest fee and the competitor being protested will be disqualified from the event.
4. In addition, the disqualified competitor must pay the protest fee in order to compete in a future Northeast GT event.
5. If a protest is denied (i.e. the competitor being protested is found to be in compliance), the competitor being protested retains their results, and Northeast GT retains the protest fee.
6. Protest fees:
 - a. Weigh a competitor: \$100
 - b. Verify most modifiers: \$100
 - c. Inspect engine internals, check engine displacement or compression: \$250

Appendix A) Warnings, Disclaimers & Other Information

Participating in racing comes with inherent risks to participants and their property, with each individual choosing to race at their own risk. Northeast GT clearly states that the safety or health of participants cannot be guaranteed.

The intense nature of racing can worsen pre-existing health conditions, so racers should prioritize consulting their doctors before participating. Despite safety advancements, the risk of accidents, injuries, or fatalities cannot be completely eliminated. Safety measures and personal responsibility are paramount, as participants are solely responsible for their own safety and compliance with safety guidelines.



Upon entering a Northeast GT event, attendees agree to a Liability Release form, acknowledging the risks and agreeing not to hold Northeast GT or its associates responsible for any incidents on or off the track. Participants are expected to have their own medical insurance and are responsible for any medical or property damage costs incurred. Northeast GT is in no way responsible for injury, death or loss.

Northeast GT reserves the right to modify event details or deny participation to anyone for safety or operational reasons. Event fees are non-refundable, with policies in place for handling cancellations or withdrawals.

All Northeast GT branding and media content is protected, and its use for promotional purposes is strictly regulated. Unauthorized commercial use of event footage or images is not permitted without Northeast GT's consent.

Racers are liable for costs associated with any "track damage" stemming from incidents such as barrier damage, oil spills, or fuel leaks. The determination of responsibility will be exclusively up to Northeast GT staff and officials.

Appendix B) The Flags

Flag	Expected Behavior	Visual Aid
Full Course Yellow / Double Yellow	No passing until the race is restarted; be prepared for changing track conditions; catch the pace car and/or pack at no more than 90% pace, unless waving yellow then max pace: 75%. Shown at all stations	
Local Yellow (Waving)	No passing until crossing the plane of the next flag station showing Green; likely vehicle/incident/situation on-track, taking evasive action may be required; max pace: 75%.	
Local Yellow (Standing)	No passing until crossing the plane of the next flag station showing green; likely vehicle/incident/situation off-track, or waving yellow at the next station; max pace: 90%.	
Black Flag	Often accompanied by a number board and will be directed at only one vehicle. Vehicle being pointed at or on the number board must report to pitlane. Check-in with Northeast GT officials before returning back on track. Shown at B/F and S/F.	
Black Flag (Furled / Wrapped)	A wrapped or furled black flag, often accompanied by a number board and will be directed at only one vehicle. This is a warning. Shown only at the black flag station and start / finish.	
Black All Stations (Waving)	All vehicles return to pit lane. No passing allowed if shown during a race.	
Red/Yellow / "Debris"	Debris, fluid, dirt, car parts, wild life, etc. on-track. Situation may change lap-to-lap; drive with caution. Debris flag will typically be brought-in after 2 laps. <i>Informational flag - race status "green" in absence of additional flags.</i>	
Red	Immediately look around and make sure it is safe to stop. Then, safely come to a predictable controlled stop, on the side of the track, and in view of a corner station.	
Purple / "Code 35"	All vehicles slow to 35mph, maintain distance from the car ahead.	

Flag	Expected Behavior	Visual Aid
Blue	Faster traffic approaching. Stay on-line and predictable, and/or yield position, do not drive defensively or battle for position. May only be solid blue.	
White	Shown standing at any station: slow moving vehicle ahead; drivers expected to slow down sufficiently AND move over to give room to emergency and/or slow-moving vehicles - drivers MUST lift/slow and give wide space to all emergency and disabled vehicles. Shown waving at start finish: last lap of the race.	
Green	Race / timed session start or restart, resume racing and passing allowed after a local yellow condition.	
Checkered	Race/session is over. Return to pit lane.	

Appendix C) Penalty Guidelines

1. This appendix contains a guideline of penalties by offense. The offenses shown here are not meant to be a complete list and NEGT officials may penalize any action they deem against this rulebook's regulations or not in good sportsmanship.
 - a. **Contact (unavoidable)** - even when being aware of those around you and all drivers leaving each other a tire width worth of extra space, situations may unfold that cause contact.
 - Penalty: none up to mandatory driver change.
 - b. **Contact (avoidable) - first offense**
 - Penalty: minimum 1 lap penalty up to mandatory driver change.
 - c. **Contact (avoidable) - second offense**
 - Penalty: minimum 2 lap penalty up to mandatory driver change or DQ.
 - d. **Reckless driving on-track**
 - Penalty: driver ejection up to team DQ.
 - e. **Speeding or reckless driving in pit-lane or paddock**
 - Penalty: 1 lap up to driver ejection/team DQ.
 - f. **Fueling or other pit-lane violation**
 - Penalty: 1 lap for each violation.
 - g. **Passing under yellow flag**
 - Penalty: 1 lap for each vehicle passed (This one is for Captain "Laser Focused").
 - h. **Missed black flag**
 - Penalty: 1 lap for each lap where black flag is missed.
 - i. **Other rule violations**
 - Penalty: Northeast GT official discretion.

Appendix D) Changelog