mysql> USE experiments_db

Database changed

mysql> CREATE TABLE STORE (`order_no` INTEGER PRIMARY KEY AUTO_INCREMENT, `code` VARCHAR(20) NOT NULL, `item` VARCHAR(30) NOT NULL, `quantity` VARCHAR(30) NOT NULL, `price` DECIMAL(10,2) NOT NULL, `discount` DECIMAL(2,2) DEFAULT 0, `mrp` DECIMAL(10,2) NOT NULL);

Query OK, 0 rows affected (0.07 sec)

mysql> INSERT INTO STORE (`code`, `item`, `quantity`, `price`, `discount`, `mrp`) VALUES ('1031', "YIPPIE", "1pkt", 23, 0, 23),('1001', "RICE", "1Kg", 51, 0, 50),('1007', "SALT", "1Kg", 10, 0, 10),('1014', "COCONUT OIL", "1ltr", 260, 0, 255),('1019', "GALAXY", "1pkt", 60, 0, 60);

Query OK, 5 rows affected (0.01 sec)

Records: 5 Duplicates: 0 Warnings: 0

mysql> SELECT * FROM STORE;

order_no	code	item	quantity	price	discount	mrp
1	1031	YIPPIE	1pkt	23.00	0.00	23.00
2	1001	RICE	1Kg	51.00	0.00	50.00
3	1007	SALT	1Kg	10.00	0.00	10.00
4	1014	COCONUT OIL	1ltr	260.00	0.00	255.00
5	1019	GALAXY	1pkt	60.00	0.00	60.00

5 rows in set (0.00 sec)

mysql> CREATE VIEW CART AS SELECT `item`, `quantity` FROM STORE;

Query OK, 0 rows affected (0.01 sec)

mysql> INSERT INTO STORE (`code`, `item`, `quantity`, `price`, `discount`, `mrp`) VALUES ('1024', "MILK", "1ltr", 48, 0, 48);

Query OK, 1 row affected (0.00 sec)

```
mysql> SELECT * FROM CART;

+-------------+----------+
| item        | quantity |
+-------------+----------+
| YIPPIE      | 1pkt     |
| RICE        | 1Kg      |
| SALT        | 1Kg      |
| COCONUT OIL | 1ltr     |
| GALAXY      | 1pkt     |
| MILK        | 1ltr     |
+-------------+----------+
6 rows in set (0.01 sec)


mysql> DROP VIEW CART;
Query OK, 0 rows affected (0.01 sec)


mysql>
```