```
MySQL 8.0 Command Line Client
mysql> USE lab db:
Database changed
mysql> CREATE TABLE Employee( code CHAR(6) PRIMARY KEY, name VARCHAR(80), dob date, designation VARCHAR(100), salary FLOAT);
Query OK, 0 rows affected (0.19 sec)
mysql> INSERT INTO Employee (code, name, dob, designation, salary)VALUES('gm0121','shilpa ','2000-02-28','General Manager',50000.25),('pm2918
','sona','1998-01-15','Product Manager',50000.50),('cl0123','rachel','1992-12-06','Clerk',25000),('cl1234','liam','2001-06-05','Clerk',15000.
75);
Query OK, 4 rows affected (0.02 sec)
Records: 4 Duplicates: 0 Warnings: 0
mysql> SELECT SUM(salary) FROM Employee WHERE designation='Clerk';
SUM(salary)
    40000.75
1 row in set (0.01 sec)
mysql> SELECT MAX(salary) FROM Employee;
MAX(salary)
     50000.5
1 row in set (0.00 sec)
mysql> SELECT AVG(salary) FROM Employee;
AVG(salary)
   35000.375
1 row in set (0.00 sec)
mysql> SELECT MIN(salary) FROM Employee;
MIN(salary)
     15000.8
1 row in set (0.00 sec)
mysql> SELECT COUNT(*) FROM Employee;
COUNT(*)
        4
```