```
mysql> USE labwork_db;
Database changed
mysql> CREATE TABLE EMPLOYEE( code CHAR(4), name VARCHAR(20), designation VARCHAR(30), dob
DATE, salary FLOAT);
Query OK, 0 rows affected (0.08 sec)
mysql> INSERT INTO EMPLOYEE (code, name, designation, dob, salary) VALUES ('e1', 'Henry'
,'HOD','1990-09-11',100000),('e2','jackson','Manager','1991-06-04',125000);
Query OK, 2 rows affected (0.02 sec)
Records: 2 Duplicates: 0 Warnings: 0
mysql> SELECT * FROM EMPLOYEE;
+----+
| code | name | designation | dob | salary |
+----+
| e1 | Henry | HOD | 1990-09-11 | 100000 |
| e2 | jackson | Manager | 1991-06-04 | 125000 |
+----+
2 rows in set (0.00 sec)
mysql> UPDATE EMPLOYEE SET salary =110000 WHERE code ='e1';
Query OK, 1 row affected (0.01 sec)
Rows matched: 1 Changed: 1 Warnings: 0
mysql> SELECT * FROM EMPLOYEE;
+----+
| code | name | designation | dob | salary |
+----+
| e1 | Henry | HOD | 1990-09-11 | 110000 |
| e2 | jackson | Manager | 1991-06-04 | 125000 |
+----+
```

2 rows in set (0.00 sec)

mysql> DELETE FROM EMPLOYEE WHERE code="e2"; Query OK, 1 row affected (0.01 sec) mysql> SELECT * FROM EMPLOYEE; +-----+-----+-------+ | code | name | designation | dob | salary | +-----+------+----------+ | e1 | Henry | HOD | 1990-09-11 | 110000 |

+----+

1 row in set (0.00 sec)